

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.9274	15.6161	20.5829	12.4361	8.1468	11.6539	16.8716	10.2418	6.6298	9.0065	8.7300	8.9651	12.9961	108.3496	
	S	77.428	66.452	66.085	77.195	49.127	89.045	70.843	63.443	82.273	100.155	82.006	67.154	81.948	76.419	
2	T			17.2750	10.1421	7.1329	10.8921	15.2899	9.6389	5.6510	8.5694	8.0613			333.1714	229.5158
	S			78.740	94.655	56.110	95.273	78.171	67.412	96.524	105.264	88.808			24.852	3.808
3	T	2.6815	12.8613	16.1081	9.4335	6.6746	10.3757	14.4281	8.9375	5.4906	7.8508	7.8562	7.6441	12.4322	92.2380	
	S	113.403	80.686	84.444	101.765	59.963	100.015	82.840	72.702	99.343	114.899	91.127	78.759	85.665	89.768	
4	T	2.6817	12.7328	15.7777	9.3828	6.3949	10.3319	14.3945	8.8901	5.5044	7.8540	7.3862	7.3992	11.7014	90.2594	
	S	113.395	81.500	86.212	102.315	62.585	100.439	83.034	73.089	99.094	114.852	96.925	81.366	91.015	91.736	
5	T	2.6181	12.4156	15.7437	9.3387	6.4050	10.2266	14.3105	8.8036	5.5069	7.8253	7.1954	6.9654	11.7080	89.0086	
	S	116.149	83.583	86.398	102.798	62.487	101.473	83.521	73.808	99.049	115.273	99.495	86.434	90.963	93.025	
6	T	2.5929	12.3496	15.8376	9.4099	6.4277	10.2118	14.1287	8.6423	5.4864	7.8284	7.1756	7.0617	11.6640	88.8503	
	S	117.278	84.029	85.886	102.020	62.266	101.620	84.596	75.185	99.419	115.227	99.770	85.255	91.307	93.190	
7	T	2.6107	12.3626	16.0532	9.5972	6.4560	10.3658	14.2746	8.7823	5.4923	7.8199	7.0387	6.9065	11.6224	89.0544	
	S	116.479	83.941	84.732	100.029	61.993	100.111	83.731	73.987	99.313	115.353	101.710	87.171	91.633	92.977	
8	T	2.6155	12.4722	16.1183	9.5913	6.5270	10.2258	14.1693	8.7035	5.4658	7.7932	7.0205	6.8378	11.5692	88.8218	
	S	116.265	83.203	84.390	100.091	61.319	101.481	84.353	74.656	99.794	115.748	101.974	88.047	92.055	93.220	
9	T	2.6010	12.2278	15.7144	9.3459	6.3685	10.2291	14.2511	8.7554	5.4957	7.8259	7.0998	6.7675	11.6280	88.3446	
	S	116.913	84.866	86.559	102.719	62.845	101.449	83.869	74.214	99.251	115.264	100.835	88.961	91.589	93.724	
10	T	2.6315	12.4343	15.9800	9.4372	6.5428	10.3207	14.2553	8.7606	5.4947	7.8319	7.1020	6.8982	11.5045	88.9584	
	S	115.558	83.457	85.121	101.725	61.171	100.548	83.844	74.170	99.269	115.176	100.804	87.276	92.572	93.077	
11	T	2.6433	12.4126	15.7075	9.3311	6.3764	10.1976	14.4548	8.9519	5.5029	7.8339	7.1490	6.9983	11.9417	89.3387	
	S	115.042	83.603	86.597	102.882	62.767	101.762	82.687	72.585	99.121	115.146	100.141	86.027	89.183	92.681	
12	T	2.6394	12.5476	18.0621	10.5922	7.4699	10.7748	14.9063	9.3327	5.5736	8.5993	8.1677	7.0343	11.4646	94.1961	
	S	115.212	82.703	75.308	90.633	53.579	96.311	80.183	69.633	97.864	104.898	87.651	85.587	92.895	87.902	
13	T			17.8772	10.9211	6.9561	10.5860	14.6823	9.1569	5.5254	7.8491	7.3663			282.0954	184.3995
	S			76.087	87.903	57.536	98.028	81.406	70.960	98.718	114.923	97.187			29.352	4.740
14	T	2.6285	12.4014	16.7691	9.6657	7.1034	10.2023	14.5480	9.0246	5.5234	7.8182	7.1759	7.0392	11.5267	90.1093	
	S	115.690	83.678	81.115	99.320	56.343	101.715	82.157	72.000	98.753	115.378	99.766	85.528	92.394	91.888	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SPO to SF	SF to PI
1	T 110.5562	112.4591
	S 71.601	67.897
2	T 97.6612	
	S 81.055	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	98.1838
	S	77.769
13	T 93.7752	
	S 84.414	
14	T	93.6026
	S	81.576

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 1

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5708	11.9992	16.4089	9.2297	7.1792	12.5872	14.8024	9.3494	5.4530	7.7789	7.6804	7.7981	11.8448	93.4707	
	S	118.286	86.483	82.896	104.012	55.748	83.443	80.746	69.499	100.028	115.961	93.212	77.204	89.913	88.584	
2	T			16.6176	9.5700	7.0476	10.1909	14.1667	8.6923	5.4744	7.7136	6.7299			373.5911	278.4069
	S			81.855	100.313	56.789	101.829	84.369	74.753	99.637	116.942	106.377			22.163	3.140
3	T	2.5256	11.7958	15.3611	9.0733	6.2878	10.1289	14.0113	8.6083	5.4030	7.6375	6.8171	7.0682	11.3509	86.6964	
	S	120.403	87.974	88.550	105.805	63.651	102.452	85.305	75.482	100.954	118.107	105.017	85.177	93.825	95.506	
4	T	2.5449	12.0953	15.7026	9.2298	6.4728	10.1859	14.1011	8.6897	5.4114	7.6542	6.7258	6.6586	11.3969	87.0653	
	S	119.490	85.796	86.624	104.011	61.832	101.879	84.761	74.775	100.797	117.850	106.442	90.416	93.446	95.101	
5	T	2.5112	11.9018	17.6119	11.1291	6.4828	10.0516	13.9527	8.5423	5.4104	7.6714	6.7029	6.8227	11.3679	88.5941	
	S	121.094	87.191	77.233	86.260	61.737	103.240	85.663	76.065	100.816	117.586	106.806	88.242	93.685	93.460	
6	T	2.5165	11.8647	15.3935	9.1137	6.2798	10.0789	14.0027	8.6014	5.4013	7.6670	6.7730	6.7725	11.3824	86.4512	
	S	120.839	87.463	88.364	105.336	63.732	102.960	85.357	75.543	100.986	117.653	105.700	88.896	93.566	95.777	
7	T	2.5301	12.0006	15.3680	9.1064	6.2616	10.0530	14.0451	8.6220	5.4231	7.6627	6.7404	6.6089	11.6246	86.6334	
	S	120.189	86.473	88.510	105.420	63.918	103.226	85.099	75.362	100.580	117.719	106.212	91.096	91.616	95.575	
8	T	2.5271	11.9024	15.3334	9.0687	6.2647	10.0649	14.0127	8.6130	5.3997	7.6353	6.7093	6.6213	11.5259	86.3323	
	S	120.332	87.186	88.710	105.859	63.886	103.104	85.296	75.441	101.016	118.141	106.704	90.926	92.401	95.908	
9	T	2.5357	11.9161	15.3822	9.0915	6.2907	10.1060	14.1089	8.6948	5.4141	7.6764	6.8395	6.5372	11.5824	86.6844	
	S	119.924	87.086	88.429	105.593	63.622	102.684	84.714	74.731	100.747	117.509	104.673	92.095	91.950	95.519	
10	T			15.5565	9.1969	6.3596	10.1400	14.0760	8.6710	5.4050	7.6375	6.9748			184.4300	98.2075
	S			87.438	104.383	62.933	102.340	84.912	74.936	100.917	118.107	102.642			44.895	8.900
11	T	2.5317	12.0707	16.7592	9.6075	7.1517	10.1606	14.1339	8.7098	5.4241	7.8987	7.5378	6.6950	11.5362	89.3238	
	S	120.113	85.971	81.163	99.922	55.963	102.132	84.565	74.602	100.561	114.202	94.976	89.925	92.318	92.696	
12	T			15.5581	9.1662	6.3919	10.0708	14.3878	8.9402	5.4476	7.7089	6.8907			282.3537	188.0907
	S			87.429	104.733	62.615	103.043	83.072	72.680	100.127	117.014	103.895			29.326	4.647
13	T	2.5339	12.0191	15.4084	9.1077	6.3007	10.0549	14.0705	8.6776	5.3929	7.6383	6.8064	6.6440	11.5308	86.7063	
	S	120.009	86.340	88.278	105.405	63.521	103.206	84.946	74.879	101.143	118.095	105.182	90.615	92.361	95.495	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SPO to SF	SF to PI
1	T 93.9095	94.3789
	S 84.293	80.905
2	T 93.0522	
	S 85.070	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	85.7463
	S	89.050
10	T 87.2722	
	S 90.704	
11	T	93.7485
	S	81.449
12	T 89.7819	
	S 88.168	
13	T	86.1419
	S	88.641

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.0189	13.8077	19.9644	11.8830	8.0814	12.9284	16.3362	9.8816	6.4546	9.7884	8.1004	6.8717	12.0769	102.8930	
	S	100.729	75.156	68.133	80.788	49.524	80.267	73.164	65.756	84.506	92.155	88.379	87.612	88.185	80.472	
2	T			16.2387	9.5922	6.6465	10.3520	14.5454	9.0198	5.5256	7.8832	7.2792			347.1087	256.3233
	S			83.765	100.081	60.216	100.244	82.172	72.038	98.714	114.426	98.350			23.854	3.410
3	T	2.6079	12.1843	15.6437	9.2678	6.3759	10.2567	14.2384	8.7925	5.4459	7.7664	7.0404	6.6362	11.5553	87.9293	
	S	116.604	85.169	86.950	103.584	62.772	101.176	83.944	73.901	100.159	116.147	101.686	90.721	92.165	94.167	
4	T	2.5549	11.9958	15.5808	9.2180	6.3628	10.1746	14.2304	8.7600	5.4704	7.7571	6.9008	6.5352	11.4177	87.1473	
	S	119.023	86.508	87.302	104.144	62.901	101.992	83.991	74.175	99.710	116.286	103.743	92.123	93.276	95.012	
5	T	2.5340	11.9917	15.5334	9.2301	6.3033	10.1255	14.1475	8.6763	5.4712	7.7422	6.8687	6.5969	11.4584	86.9983	
	S	120.004	86.537	87.568	104.008	63.495	102.487	84.483	74.891	99.696	116.510	104.228	91.262	92.945	95.174	
6	T	2.5353	11.9814	15.4964	9.2089	6.2875	10.1319	14.2039	8.7390	5.4649	7.7705	6.7760	6.5785	11.5059	86.9798	
	S	119.943	86.612	87.777	104.247	63.654	102.422	84.148	74.353	99.811	116.086	105.654	91.517	92.561	95.195	
7	T	2.5515	11.9638	15.5585	9.2523	6.3062	10.1641	14.2203	8.7534	5.4669	7.7574	6.8623	6.6192	11.4571	87.1542	
	S	119.181	86.739	87.427	103.758	63.466	102.097	84.051	74.231	99.774	116.282	104.325	90.954	92.955	95.004	
8	T	2.5535	11.9900	15.5922	9.2691	6.3231	10.1826	14.1830	8.7102	5.4728	7.7538	6.8026	6.5458	11.4930	87.0965	
	S	119.088	86.549	87.238	103.570	63.296	101.912	84.272	74.599	99.666	116.336	105.241	91.974	92.665	95.067	
9	T	2.7593	12.2190	15.6411	9.2763	6.3648	10.1340	14.2693	8.7786	5.4907	7.7739	7.1145	6.5701	12.2194	88.7006	
	S	110.206	84.927	86.965	103.490	62.881	102.401	83.762	74.018	99.342	116.035	100.627	91.634	87.156	93.348	
10	T			16.0604	9.6313	6.4291	10.2630	14.3699	8.8756	5.4943	7.7941	7.0580			204.5065	116.3090
	S			84.694	99.675	62.252	101.113	83.176	73.209	99.276	115.734	101.432			40.488	7.515
11	T	2.5651	12.0933	18.2839	10.2843	7.9996	13.0808	16.6220	9.8910	6.7310	10.1838	8.3687	6.6206	11.4297	99.2479	
	S	118.549	85.810	74.395	93.346	50.031	79.332	71.906	65.693	81.036	88.577	85.546	90.935	93.178	83.427	
12	T															25.2156
	S															34.668

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SPO to SF	SF to PI
1	T 94.0505	103.4506
	S 84.167	73.810
2	T 89.4707	
	S 88.475	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	88.1786
	S	86.593
10	T 87.9803	
	S 89.974	
11	T	99.6152
	S	76.652
12	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 2 - Thompson, Parker

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO
1	T			18.6662	10.8107	7.8555	11.7322	15.2266	9.7806	5.4460	7.6931	7.1417		449.8352	343.9739
	S			72.871	88.801	50.949	88.451	78.496	66.435	100.157	117.254	100.244		18.407	2.541
2	T	2.5396	12.1182	15.4031	9.0410	6.3621	9.9723	13.7981	8.4656	5.3325	7.5637	6.6862	6.8560	11.4542	86.3914
	S	119.740	85.634	88.309	106.183	62.908	104.061	86.623	76.754	102.289	119.260	107.073	87.813	92.979	95.843
3	T	2.4800	11.7711	15.1536	8.9378	6.2158	9.8587	13.9798	8.6304	5.3494	7.5634	6.5927	6.5842	11.1727	85.1562
	S	122.617	88.159	89.763	107.409	64.389	105.260	85.497	75.289	101.966	119.265	108.591	91.438	95.322	97.233
4	T	2.4752	11.6587	15.1708	8.9711	6.1997	9.8912	13.7551	8.4252	5.3299	7.5528	6.5617	6.5902	11.1392	84.7949
	S	122.855	89.009	89.661	107.010	64.556	104.914	86.893	77.123	102.339	119.432	109.104	91.355	95.608	97.647
5	T	2.4622	11.6369	15.1099	8.8983	6.2116	9.8794	13.7552	8.4230	5.3322	7.5529	6.4517	6.4906	11.0777	84.4165
	S	123.504	89.176	90.022	107.886	64.432	105.040	86.893	77.143	102.294	119.430	110.964	92.757	96.139	98.085
6	T	2.4887	11.7227	15.1272	8.9110	6.2162	9.9127	13.7476	8.4384	5.3092	7.5234	6.4977	6.4952	11.3036	84.8188
	S	122.189	88.523	89.919	107.732	64.385	104.687	86.941	77.002	102.738	119.899	110.179	92.691	94.218	97.620
7	T	2.4694	11.7653	15.2419	8.9683	6.2736	9.9013	13.8598	8.5457	5.3141	7.5252	6.5562	6.4709	11.0829	84.8729
	S	123.144	88.202	89.243	107.044	63.795	104.807	86.237	76.035	102.643	119.870	109.196	93.039	96.094	97.558
8	T	2.4900	11.7166	15.0986	8.9060	6.1926	9.8643	13.7549	8.4217	5.3332	7.5481	6.5042	6.5045	11.1366	84.6178
	S	122.125	88.569	90.090	107.792	64.630	105.200	86.895	77.155	102.275	119.506	110.069	92.558	95.631	97.852
9	T			18.0850	10.0853	7.9997	12.3945	17.3562	11.4195	5.9367	9.5403	8.4385		294.6096	196.9877
	S			75.213	95.188	50.030	83.725	68.865	58.900	91.878	94.551	84.838		28.105	4.437
10	T			15.5735	9.1626	6.4109	9.9614	15.8336	8.6218	7.2118	10.1527	7.3768		231.9736	139.3254
	S			87.342	104.774	62.429	104.175	75.487	75.364	75.634	88.848	97.049		35.894	6.274
11	T	2.4891	11.7631	15.2203	8.9645	6.2558	9.8827	14.1326	8.6894	5.4432	7.6062	6.9360	6.5490	11.1484	85.7274
	S	122.169	88.219	89.369	107.089	63.977	105.004	84.572	74.778	100.208	118.593	103.216	91.929	95.529	96.585

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 2 - Thompson, Parker

Lap	T/SPO to SF	SF to PI
1	T	97.2173
	S	81.425
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	83.4137
	S	91.540
9	T	
	S	
10	T	90.2956
	S	87.667
11	T	87.3918
	S	87.373

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.0541	13.5940	18.3276	10.7454	7.5822	13.1904	16.3588	10.5421	5.8167	9.4017	8.2006	6.8315	11.9552	100.9139	
	S	99.568	76.337	74.217	89.341	52.785	78.673	73.063	61.636	93.774	95.945	87.300	88.128	89.083	82.050	
2	T			15.8860	9.3590	6.5270	10.1106	14.4448	9.0124	5.4324	7.7232	6.9544			345.8475	254.2873
	S			85.624	102.575	61.319	102.638	82.744	72.098	100.408	116.797	102.943			23.941	3.437
3	T	2.5518	12.0382	15.5556	9.1754	6.3802	10.1004	14.1841	8.7410	5.4431	7.6953	6.7465	7.1335	11.8786	87.8840	
	S	119.167	86.203	87.443	104.628	62.730	102.741	84.265	74.336	100.210	117.220	106.116	84.397	89.657	94.215	
4	T	2.5231	11.8766	15.5030	9.1676	6.3354	10.0413	14.3145	8.8121	5.5024	7.7107	6.7689	6.5598	11.3447	86.6426	
	S	120.523	87.376	87.740	104.717	63.173	103.346	83.498	73.736	99.130	116.986	105.764	91.778	93.876	95.565	
5	T	2.5048	11.9254	15.4516	9.1543	6.2973	9.9719	14.1910	8.7667	5.4243	7.6667	6.6833	6.5633	11.5334	86.4914	
	S	121.403	87.018	88.031	104.869	63.555	104.065	84.224	74.118	100.558	117.658	107.119	91.729	92.341	95.732	
6	T	2.4959	12.3106	15.5572	9.1832	6.3740	10.0174	14.3730	8.8811	5.4919	7.7261	6.7948	6.5275	11.4337	87.2362	
	S	121.836	84.295	87.434	104.539	62.791	103.592	83.158	73.164	99.320	116.753	105.361	92.232	93.146	94.915	
7	T	2.5001	12.1279	15.6243	9.2233	6.4010	10.0277	14.5028	8.9560	5.5468	7.7338	6.7771	6.5009	11.4146	87.2092	
	S	121.631	85.565	87.058	104.084	62.526	103.486	82.414	72.552	98.337	116.637	105.636	92.610	93.302	94.944	
8	T	2.5026	12.0553	15.4885	9.1432	6.3453	10.0494	14.1681	8.7359	5.4322	7.6476	6.8300	6.4417	11.5702	86.7534	
	S	121.510	86.081	87.822	104.996	63.075	103.263	84.360	74.380	100.411	117.951	104.818	93.461	92.047	95.443	
9	T	2.5290	11.9645	15.4524	9.1365	6.3159	10.0277	14.3977	8.9308	5.4669	7.7290	6.7701	6.5001	11.5727	86.9432	
	S	120.242	86.734	88.027	105.073	63.368	103.486	83.015	72.756	99.774	116.709	105.746	92.621	92.027	95.235	
10	T	2.5260	12.1998	15.5836	9.2195	6.3641	10.0508	14.2322	8.7660	5.4662	7.7248	6.7850	6.4443	11.5402	87.0867	
	S	120.384	85.061	87.286	104.127	62.888	103.248	83.981	74.124	99.787	116.773	105.513	93.423	92.286	95.078	
11	T	2.5172	12.1571	15.6733	9.2276	6.4457	10.0687	14.3527	8.8618	5.4909	7.6964	6.8216	6.5024	11.5323	87.3217	
	S	120.805	85.360	86.786	104.036	62.092	103.065	83.275	73.323	99.338	117.204	104.947	92.588	92.349	94.822	
12	T	2.5262	12.2161	16.0876	9.4059	6.6817	10.0384	14.2600	8.8092	5.4508	7.6814	6.9005	6.4911	11.5981	87.7994	
	S	120.375	84.948	84.551	102.064	59.899	103.376	83.817	73.761	100.069	117.432	103.747	92.749	91.825	94.306	
13	T			15.8715	9.3587	6.5128	10.0694	14.5558	9.0441	5.5117	7.7314	7.0255			295.7281	199.0272
	S			85.703	102.578	61.452	103.058	82.113	71.845	98.963	116.673	101.902			27.999	4.392
14	T	2.5196	12.3142	15.5187	9.2066	6.3121	9.9925	14.3724	8.9128	5.4596	7.7347	6.7822	6.8045	11.5270	87.5658	
	S	120.690	84.271	87.651	104.273	63.406	103.851	83.161	72.903	99.907	116.623	105.557	88.478	92.392	94.557	
15	T															36.1954
	S															24.149

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SPO to SF	SF to PI
1	T 93.8691	104.3920
	S 84.329	73.144
2	T 88.3075	
	S 89.640	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	93.7625
	S	81.436
13	T 90.9801	
	S 87.007	
14	T	90.3431
	S	84.519
15	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 22 - Rickards, Garth

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5986	12.5659	17.0933	9.7927	7.3006	10.2894	15.0212	9.3885	5.6327	8.3435	9.0963	7.0342	11.8219	93.8643	
	S	117.021	82.583	79.577	98.032	54.821	100.854	79.569	69.209	96.837	108.114	78.703	85.588	90.087	88.212	
2	T			16.5178	9.3608	7.1570	10.3114	14.8155	9.3967	5.4188	7.7109	7.4338			372.1137	279.0217
	S			82.349	102.555	55.921	100.639	80.674	69.149	100.660	116.983	96.305			22.251	3.133
3	T	2.5510	12.5436	15.9629	9.3425	6.6204	10.0998	14.2425	8.8784	5.3641	7.5737	6.8569	6.8450	11.8114	88.4868	
	S	119.205	82.730	85.212	102.756	60.454	102.747	83.920	73.186	101.686	119.102	104.407	87.954	90.167	93.573	
4	T	2.5227	12.0151	15.3468	9.0119	6.3349	10.0796	14.1964	8.8418	5.3546	7.5807	6.8006	6.5507	11.4560	86.5486	
	S	120.542	86.369	88.633	106.526	63.178	102.953	84.192	73.489	101.867	118.992	105.271	91.906	92.964	95.669	
5	T	2.5147	12.2168	15.3382	9.0608	6.2774	10.0056	14.0764	8.7250	5.3514	7.5878	6.7151	6.5575	11.4253	86.4374	
	S	120.925	84.943	88.682	105.951	63.757	103.715	84.910	74.473	101.927	118.881	106.612	91.810	93.214	95.792	
6	T	2.4791	11.9015	15.4207	9.0472	6.3735	9.9847	14.1590	8.7953	5.3637	7.5761	6.6857	6.5648	11.3053	86.0769	
	S	122.662	87.193	88.208	106.110	62.796	103.932	84.415	73.877	101.694	119.065	107.081	91.708	94.204	96.193	
7	T	2.4907	11.8865	15.2670	9.0144	6.2526	9.9505	15.3368	8.7780	6.5588	8.2562	6.9411	6.4869	11.3639	87.9796	
	S	122.091	87.303	89.096	106.496	64.010	104.289	77.932	74.023	83.164	109.257	103.141	92.809	93.718	94.113	
8	T	2.4861	12.0202	15.2822	8.9614	6.3208	9.9504	14.1917	8.8523	5.3394	7.5404	6.6827	6.5631	11.4257	86.1425	
	S	122.316	86.332	89.007	107.126	63.319	104.290	84.220	73.402	102.157	119.628	107.129	91.732	93.211	96.120	
9	T	2.4949	11.9074	15.2990	9.0105	6.2885	9.9617	14.0659	8.7309	5.3350	7.5459	6.7621	6.5107	11.3590	85.9066	
	S	121.885	87.150	88.910	106.542	63.644	104.172	84.973	74.422	102.241	119.541	105.871	92.470	93.758	96.384	
10	T	2.5044	11.8569	15.2496	8.9641	6.2855	10.0024	14.0639	8.7172	5.3467	7.5402	6.9260	6.5204	11.4740	86.1378	
	S	121.423	87.521	89.198	107.094	63.675	103.748	84.985	74.539	102.017	119.632	103.365	92.333	92.819	96.125	
11	T			15.9229	9.3750	6.5479	10.0548	14.3039	8.9291	5.3748	7.6467	6.9250			479.5551	391.9496
	S			85.426	102.400	61.123	103.207	83.560	72.770	101.484	117.965	103.380			17.266	2.230
12	T	2.5013	12.0672	15.4267	9.1119	6.3148	9.9487	14.0913	8.7447	5.3466	7.6048	6.7446	6.6176	11.3921	86.3943	
	S	121.573	85.996	88.174	105.357	63.379	104.308	84.820	74.305	102.019	118.615	106.146	90.976	93.486	95.840	
13	T															35.5652
	S															24.577

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 22 - Rickards, Garth

Lap	T/SPO to SF	SF to PI
1	T 94.0564	96.0952
	S 84.161	79.460
2	T 90.6614	
	S 87.313	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	85.4730
	S	89.334
11	T 88.2856	
	S 89.663	
12	T	89.3461
	S	85.462
13	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 23 - Luo, Yufeng

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6587	12.5525	16.7534	9.6731	7.0803	10.2689	14.7371	8.9310	5.8061	9.4745	8.8531	6.9532	11.7364	93.9878	
	S	114.376	82.671	81.191	99.244	56.527	101.055	81.103	72.755	93.945	95.208	80.865	86.585	90.743	88.097	
2	T			15.8306	9.0972	6.7334	10.1218	14.5349	9.1912	5.3437	7.5858	7.2488			373.2096	285.2066
	S			85.924	105.527	59.439	102.524	82.232	70.695	102.074	118.912	98.762			22.186	3.065
3	T	2.5266	11.9424	15.6109	9.1345	6.4764	10.0130	14.1135	8.7945	5.3190	7.5427	6.6920	6.6480	11.3928	86.4819	
	S	120.356	86.894	87.133	105.096	61.798	103.638	84.687	73.884	102.548	119.592	106.980	90.560	93.480	95.743	
4	T	2.5681	11.9240	15.3627	9.0447	6.3180	9.9682	14.0965	8.7747	5.3218	7.5552	6.7070	6.6638	11.3479	86.1934	
	S	118.411	87.028	88.541	106.140	63.347	104.104	84.789	74.051	102.494	119.394	106.741	90.346	93.850	96.063	
5	T	2.4966	11.9420	15.3118	9.0432	6.2686	9.9356	14.2549	8.8994	5.3555	7.5789	6.6358	6.6300	11.3087	86.0943	
	S	121.802	86.897	88.835	106.157	63.846	104.445	83.847	73.013	101.849	119.021	107.886	90.806	94.175	96.174	
6	T	2.4850	11.7884	15.5084	9.0671	6.4413	10.0200	14.2574	8.8845	5.3729	7.5914	6.6705	6.4764	11.4084	86.2059	
	S	122.371	88.030	87.709	105.877	62.135	103.566	83.832	73.136	101.520	118.825	107.325	92.960	93.352	96.049	
7	T	2.4865	12.0403	15.2927	9.0460	6.2467	9.9601	14.1003	8.7466	5.3537	7.5735	6.5845	6.7793	11.3085	86.1257	
	S	122.297	86.188	88.946	106.124	64.070	104.188	84.766	74.289	101.884	119.105	108.726	88.806	94.177	96.139	
8	T	2.4967	11.9715	15.3386	9.0107	6.3279	9.9689	14.2735	8.9454	5.3281	7.5377	6.6322	6.5359	11.3035	86.0585	
	S	121.797	86.683	88.680	106.540	63.248	104.096	83.738	72.638	102.373	119.671	107.944	92.114	94.219	96.214	
9	T	2.5012	11.9347	15.2759	9.0191	6.2568	10.0178	14.2103	8.8622	5.3481	7.5563	6.6589	6.6357	11.3554	86.1462	
	S	121.578	86.950	89.044	106.441	63.967	103.588	84.110	73.320	101.990	119.377	107.512	90.728	93.788	96.116	
10	T			15.4376	9.1029	6.3347	9.9922	14.2319	8.8618	5.3701	7.5688	6.7278			225.8719	137.3769
	S			88.111	105.461	63.180	103.854	83.982	73.323	101.573	119.179	106.411			36.658	6.363
11	T	2.5006	12.1211	16.4514	9.5361	6.9153	10.0602	14.3737	9.0053	5.3684	7.7764	7.5007	6.5727	11.3612	88.7180	
	S	121.607	85.613	82.682	100.670	57.876	103.152	83.154	72.154	101.605	115.998	95.446	91.598	93.740	93.329	
12	T			15.5504	9.1931	6.3573	9.9050	14.2438	8.8567	5.3871	7.6517	6.7693			252.8402	163.6075
	S			87.472	104.426	62.956	104.768	83.912	73.365	101.252	117.888	105.758			32.748	5.343
13	T	2.4895	12.1087	15.4109	9.1235	6.2874	9.8921	14.1978	8.8559	5.3419	7.5630	6.6907	6.5837	11.4168	86.3532	
	S	122.149	85.701	88.264	105.223	63.655	104.905	84.184	73.372	102.109	119.271	107.001	91.445	93.284	95.885	
14	T															33.2443
	S															26.293

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 23 - Luo, Yufeng

Lap	T/SPO to SF	SF to PI
1	T 90.6652	94.3515
	S 87.309	80.928
2	T 86.9905	
	S 90.997	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	88.4754
	S	86.303
10	T 86.1086	
	S 91.929	
11	T	92.5894
	S	82.468
12	T 85.4279	
	S 92.662	
13	T	91.3295
	S	83.606
14	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 1

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 3 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5933	12.6962	16.0772	9.2941	6.7831	10.2135	14.4926	9.0351	5.4575	8.6554	8.1419	6.9716	11.7750	91.6167	
	S	117.260	81.735	84.606	103.291	59.004	101.603	82.472	71.916	99.946	104.218	87.929	86.357	90.446	90.377	
2	T			16.4907	9.5468	6.9439	10.2233	14.3447	8.9592	5.3855	7.6207	7.1920			460.1788	364.4868
	S			82.485	100.557	57.637	101.506	83.322	72.526	101.282	118.368	99.542			17.993	2.398
3	T	2.5603	12.1873	15.4849	9.0809	6.4040	10.0389	13.9007	8.5772	5.3235	7.5711	6.9610	6.7013	11.4360	86.8415	
	S	118.772	85.148	87.842	105.716	62.496	103.371	85.983	75.756	102.462	119.143	102.846	89.840	93.127	95.346	
4	T	2.5146	11.8972	15.4266	9.0479	6.3787	9.9880	14.1169	8.7453	5.3716	7.5682	6.9085	6.5605	11.1497	86.1302	
	S	120.930	87.224	88.174	106.102	62.744	103.897	84.666	74.300	101.544	119.189	103.627	91.768	95.518	96.134	
5	T	2.4857	11.8526	15.3854	9.0690	6.3164	9.9672	13.8814	8.5679	5.3135	7.5855	6.8197	6.5952	11.1430	85.7157	
	S	122.336	87.553	88.410	105.855	63.363	104.114	86.103	75.838	102.654	118.917	104.977	91.285	95.576	96.598	
6	T	2.4835	11.7394	15.3076	9.0039	6.3037	10.0380	13.9272	8.5789	5.3483	7.5819	6.8233	6.5729	11.2661	85.7399	
	S	122.444	88.397	88.860	106.620	63.491	103.380	85.820	75.741	101.987	118.974	104.921	91.595	94.531	96.571	
7	T	2.5078	12.0059	15.3440	9.0169	6.3271	10.0105	13.8931	8.5701	5.3230	7.5318	6.7486	6.4998	11.3937	85.9352	
	S	121.258	86.435	88.649	106.467	63.256	103.664	86.030	75.819	102.471	119.765	106.083	92.625	93.473	96.352	
8	T	2.5246	11.8513	15.3299	8.9875	6.3424	9.9405	13.8610	8.5397	5.3213	7.5214	6.7152	6.4940	11.3246	85.5625	
	S	120.451	87.562	88.730	106.815	63.103	104.394	86.230	76.088	102.504	119.931	106.610	92.708	94.043	96.771	
9	T	2.5205	12.0303	15.4112	9.1100	6.3012	10.0445	14.0227	8.6623	5.3604	7.5972	6.9911	6.5958	11.3517	86.5650	
	S	120.647	86.259	88.262	105.379	63.516	103.313	85.235	75.012	101.756	118.734	102.403	91.277	93.819	95.651	
10	T			18.9265	10.7572	8.1693	10.6286	14.6335	9.1790	5.4545	8.2048	7.9681			277.4005	180.6758
	S			71.869	89.243	48.992	97.635	81.677	70.789	100.001	109.941	89.847			29.849	4.838
11	T			15.7547	9.2583	6.4964	10.0548	14.1662	8.7832	5.3830	7.6107	6.9205			221.6192	129.9069
	S			86.338	103.691	61.608	103.207	84.372	73.979	101.329	118.523	103.448			37.361	6.729
12	T	2.5113	11.9694	15.3530	9.0417	6.3113	10.0369	14.0538	8.7093	5.3445	7.5552	6.8192	6.4694	11.3289	86.0971	
	S	121.089	86.698	88.597	106.175	63.414	103.391	85.047	74.607	102.059	119.394	104.984	93.060	94.007	96.170	
13	T															37.1752
	S															23.513

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 3 - Lastochkin, Nikita

Lap	T/SPO to SF	SF to PI
1	T 92.0146	96.6182
	S 86.029	79.029
2	T 90.0812	
	S 87.875	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T 86.6826	
	S 88.088	
10	T	
	S	
11	T 87.6173	
	S 90.346	
12	T 85.8687	
	S 88.923	
13	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 33 - Agren, Ayla

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6017	12.5339	17.0661	9.3786	7.6875	16.5401	17.8585	11.6332	6.2253	9.2691	8.6910	7.8562	12.1651	104.5817	
	S	116.882	82.794	79.703	102.361	52.062	62.740	66.928	55.855	87.619	97.317	82.374	76.633	87.546	79.173	
2	T			16.3692	9.6675	6.7017	10.1870	14.2114	8.8496	5.3618	7.5450	6.9142			361.0321	264.2743
	S			83.097	99.302	59.720	101.868	84.103	73.424	101.730	119.555	103.542			22.934	3.308
3	T	2.4948	11.9732	15.3288	8.9744	6.3544	10.0458	13.9451	8.6423	5.3028	7.4667	6.9305	6.7716	11.3488	86.3053	
	S	121.890	86.671	88.737	106.971	62.984	103.300	85.709	75.185	102.862	120.809	103.298	88.907	93.843	95.938	
4	T	3.0678	12.4728	15.7141	9.0530	6.6611	15.2941	15.5522	10.1416	5.4106	7.5786	6.8483	6.9595	12.6214	96.1088	
	S	99.123	83.199	86.561	106.042	60.084	67.851	76.853	64.070	100.812	119.025	104.538	86.507	84.380	86.152	
5	T	2.5012	11.8975	15.2799	9.0064	6.2735	9.9685	13.8983	8.5677	5.3306	7.5321	6.6787	6.6110	11.2729	85.6401	
	S	121.578	87.222	89.021	106.591	63.796	104.101	85.998	75.840	102.325	119.760	107.193	91.067	94.474	96.684	
6	T	2.5017	11.9057	15.1591	8.9541	6.2050	10.0409	13.9141	8.5851	5.3290	7.5214	6.6250	6.5573	11.3441	85.5693	
	S	121.554	87.162	89.730	107.213	64.501	103.350	85.900	75.686	102.356	119.931	108.062	91.813	93.881	96.764	
7	T	2.4956	11.9442	15.2517	8.9762	6.2755	9.9550	13.9354	8.6117	5.3237	7.5288	6.7316	6.5891	11.2863	85.7177	
	S	121.851	86.881	89.185	106.949	63.776	104.242	85.769	75.452	102.458	119.813	106.351	91.370	94.362	96.596	
8	T	2.5046	11.8218	15.1909	8.9246	6.2663	9.9835	13.8462	8.5186	5.3276	7.5080	6.6345	6.5899	11.1830	85.2624	
	S	121.413	87.781	89.542	107.568	63.870	103.944	86.322	76.277	102.383	120.145	107.907	91.359	95.234	97.112	
9	T	2.5220	11.9448	15.2639	8.9489	6.3150	10.0012	13.8964	8.5602	5.3362	7.5244	6.6855	6.6214	11.3910	85.8506	
	S	120.575	86.877	89.114	107.276	63.377	103.760	86.010	75.906	102.218	119.883	107.084	90.924	93.495	96.447	
10	T	2.5159	11.9606	15.1710	8.9236	6.2474	10.0380	13.8845	8.5708	5.3137	7.4825	6.6888	6.6112	11.1590	85.5115	
	S	120.868	86.762	89.660	107.580	64.063	103.380	86.084	75.812	102.651	120.554	107.031	91.064	95.439	96.829	
11	T			17.5380	10.0194	7.5186	10.3556	14.6123	9.2226	5.3897	7.7725	7.5559			238.0105	147.0872
	S			77.559	95.814	53.232	100.209	81.796	70.454	101.203	116.056	94.748			34.788	5.943
12	T			15.6660	9.1874	6.4786	10.0474	14.1869	8.8179	5.3690	7.5707	6.8115			234.4846	142.7803
	S			86.827	104.491	61.777	103.283	84.249	73.688	101.593	119.150	105.103			38.311	6.122
13	T	2.5082	11.9729	15.2195	8.9177	6.3018	10.0103	13.9162	8.5825	5.3337	7.5169	6.6733	6.5691	11.3070	85.6934	
	S	121.239	86.673	89.374	107.651	63.510	103.666	85.887	75.709	102.266	120.002	107.280	91.648	94.189	96.624	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 33 - Agren, Ayla

Lap	T/SPO to SF	SF to PI
1	T 94.4648	108.6451
	S 83.797	70.281
2	T 90.7935	
	S 87.186	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	86.0354
	S	88.750
11	T	
	S	
12	T 88.6951	
	S 89.249	
13	T	85.7346
	S	89.062

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6039	13.0167	17.8341	10.4596	7.3745	13.0758	17.5301	11.2539	6.2762	9.7402	8.5112	7.1943	11.8155	101.3218	
	S	116.783	79.723	76.271	91.782	54.272	79.362	68.181	57.738	86.908	92.611	84.114	83.684	90.136	81.720	
2	T			16.1965	9.3999	6.7966	10.1989	14.4099	9.0219	5.3880	7.5456	7.3526			361.5053	263.9885
	S			83.983	102.129	58.886	101.749	82.945	72.022	101.235	119.546	97.368			22.904	3.311
3	T	2.5716	12.5205	15.4271	9.0364	6.3907	10.1116	14.3188	8.9728	5.3460	7.5447	6.9376	6.9079	11.6433	87.9831	
	S	118.250	82.882	88.171	106.237	62.627	102.627	83.473	72.416	102.030	119.560	103.193	87.153	91.469	94.109	
4	T	2.5340	12.2222	15.2780	8.9454	6.3326	10.0899	14.5451	9.1711	5.3740	7.5643	6.8432	6.8180	11.4407	87.3354	
	S	120.004	84.905	89.032	107.318	63.201	102.848	82.174	70.850	101.499	119.250	104.616	88.302	93.089	94.807	
5	T	2.5011	12.0418	15.2175	8.9801	6.2374	9.9573	14.0786	8.7519	5.3267	7.5045	6.7108	6.6984	11.2778	85.9878	
	S	121.583	86.177	89.386	106.903	64.166	104.218	84.897	74.244	102.400	120.201	106.680	89.879	94.433	96.293	
6	T	2.4992	11.9676	15.0297	8.8469	6.1828	9.9750	13.9112	8.6111	5.3001	7.4840	6.8392	6.7364	11.3803	85.8226	
	S	121.675	86.711	90.503	108.513	64.732	104.033	85.918	75.458	102.914	120.530	104.677	89.372	93.583	96.478	
7	T	2.5107	12.1642	15.3659	9.0210	6.3449	12.7979	16.2977	9.3216	6.9761	8.0680	6.7477	6.6909	11.4040	92.0470	
	S	121.118	85.310	88.522	106.418	63.079	81.086	73.337	69.706	78.189	111.805	106.097	89.980	93.388	89.954	
8	T	2.5023	12.0120	15.1347	8.9434	6.1913	10.0528	14.2952	8.9450	5.3502	7.5243	6.7153	6.6167	11.3998	86.2531	
	S	121.525	86.391	89.875	107.342	64.643	103.228	83.610	72.641	101.950	119.884	106.609	90.989	93.423	95.997	
9	T	2.5188	12.1464	15.1439	8.9077	6.2362	9.9471	14.0079	8.6479	5.3600	7.5602	6.6422	6.5955	11.3052	85.8672	
	S	120.728	85.435	89.820	107.772	64.178	104.325	85.325	75.136	101.764	119.315	107.782	91.281	94.204	96.428	
10	T	2.5021	11.8690	15.1305	8.9413	6.1892	9.9992	14.0976	8.7659	5.3317	7.5150	6.6178	6.5436	11.3209	85.5957	
	S	121.534	87.432	89.900	107.367	64.665	103.781	84.782	74.125	102.304	120.033	108.179	92.005	94.074	96.734	
11	T	2.5170	11.9418	15.3710	8.9393	6.4317	10.1006	14.1067	8.7576	5.3491	7.5405	7.1867	6.6000	11.2390	86.6033	
	S	120.815	86.899	88.493	107.391	62.227	102.739	84.728	74.195	101.971	119.627	99.616	91.219	94.759	95.608	
12	T			15.7966	9.3406	6.4560	10.0294	14.0836	8.7558	5.3278	7.5567	7.1304			384.8369	294.7914
	S			86.109	102.777	61.993	103.469	84.867	74.211	102.379	119.370	100.402			21.516	2.965
13	T	2.5058	12.0445	15.1759	8.9341	6.2418	9.9374	14.1078	8.7416	5.3662	7.5125	6.8115	6.7750	11.4254	86.2958	
	S	121.355	86.158	89.631	107.453	64.120	104.426	84.721	74.331	101.646	120.073	105.103	88.863	93.213	95.949	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SPO to SF	SF to PI
1	T 96.5922	106.6622
	S 81.952	71.588
2	T 91.7178	
	S 86.307	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	87.5554
	S	87.210
12	T 89.4548	
	S 88.491	
13	T	86.7694
	S	88.000

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 5 - McCusker, Austin (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.8608	12.7654	19.4996	11.2562	8.2434	12.0788	17.2666	11.0658	6.2008	9.6708	8.5564	7.2366	12.8947	103.8297	
	S	78.764	81.292	69.757	85.286	48.551	85.913	69.223	58.719	87.965	93.275	83.669	83.195	82.592	79.746	
2	T			16.1437	9.4785	6.6652	10.4725	14.3036	8.8404	5.4632	7.7549	7.1181			418.5266	319.6502
	S			84.257	101.282	60.047	99.091	83.561	73.500	99.842	116.319	100.576			19.784	2.735
3	T	2.8047	12.4025	15.5615	9.2280	6.3335	10.1630	14.0774	8.6508	5.4266	7.7062	6.8126	7.0718	12.0510	88.6507	
	S	108.422	83.671	87.410	104.031	63.192	102.108	84.904	75.111	100.515	117.055	105.086	85.133	88.374	93.400	
4	T	2.5517	11.8843	16.0348	9.1659	6.8689	10.0768	14.0827	8.6733	5.4094	7.6748	6.8816	6.7658	11.2986	87.2511	
	S	119.172	87.319	84.830	104.736	58.267	102.982	84.872	74.916	100.835	117.533	104.032	88.984	94.259	94.899	
5	T	2.5259	11.8548	15.3986	9.0990	6.2996	10.0386	13.9499	8.5440	5.4059	7.6813	6.8489	6.7300	11.2466	86.2746	
	S	120.389	87.536	88.334	105.506	63.532	103.374	85.680	76.050	100.900	117.434	104.529	89.457	94.695	95.973	
6	T	2.5406	11.8517	15.3475	9.0881	6.2594	10.0111	13.9413	8.5398	5.4015	7.6570	6.8340	6.6618	11.1941	86.0391	
	S	119.693	87.559	88.629	105.633	63.940	103.658	85.733	76.088	100.982	117.807	104.757	90.373	95.139	96.235	
7	T	2.5254	11.8914	15.3431	9.0601	6.2830	10.0150	13.9021	8.5267	5.3754	7.6196	6.6951	6.6557	11.1693	85.8167	
	S	120.413	87.267	88.654	105.959	63.700	103.617	85.975	76.204	101.472	118.385	106.930	90.456	95.351	96.485	
8	T	2.5522	11.9156	15.3202	9.0353	6.2849	10.0617	13.8762	8.4929	5.3833	7.6278	6.6859	6.6870	11.1831	85.9097	
	S	119.149	87.090	88.787	106.250	63.681	103.136	86.135	76.508	101.323	118.258	107.077	90.032	95.233	96.380	
9	T	2.5336	11.9692	15.3194	9.0690	6.2504	10.0428	13.9782	8.5605	5.4177	7.6878	6.6428	6.6923	11.1655	86.0316	
	S	120.023	86.700	88.791	105.855	64.032	103.330	85.507	75.904	100.680	117.335	107.772	89.961	95.383	96.244	
10	T	2.5313	11.8385	15.4180	9.1073	6.3107	10.0191	13.9684	8.5403	5.4281	7.6978	6.7880	6.6541	11.1782	86.0934	
	S	120.132	87.657	88.223	105.410	63.420	103.575	85.567	76.083	100.487	117.182	105.467	90.477	95.275	96.175	
11	T			15.8712	9.3897	6.4815	10.1475	14.0419	8.6004	5.4415	7.7296	7.4929			422.5777	331.9284
	S			85.704	102.240	61.749	102.264	85.119	75.551	100.240	116.700	95.545			19.594	2.633
12	T	2.5585	11.9486	15.3264	9.0675	6.2589	10.0509	13.9391	8.5266	5.4125	7.6801	6.7991	6.7770	11.3747	86.4544	
	S	118.855	86.849	88.751	105.873	63.945	103.247	85.746	76.205	100.777	117.452	105.295	88.837	93.629	95.773	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 5 - McCusker, Austin (R)

Lap	T/SPO to SF	SF to PI
1	T 94.1355	110.2331
	S 84.091	69.269
2	T 91.4645	
	S 86.546	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	85.8699
	S	88.922
11	T 91.1922	
	S 86.805	
12	T	87.7394
	S	87.027

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 6 - Hanratty, Max

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6445	12.6506	16.3016	9.2672	7.0344	10.5752	15.0684	9.4932	5.5752	8.3584	7.9418	7.1371	12.0011	92.6787	
	S	114.990	82.030	83.441	103.591	56.896	98.128	79.320	68.446	97.836	107.921	90.144	84.354	88.742	89.341	
2	T			16.0086	9.3856	6.6230	10.2810	14.3946	8.9540	5.4406	7.7498	7.4001			374.4781	278.9087
	S			84.969	102.284	60.430	100.936	83.033	72.568	100.256	116.396	96.743			22.111	3.134
3	T	2.5699	12.2173	15.4401	9.0319	6.4082	10.1959	14.3538	8.9107	5.4431	7.6614	7.0306	6.7975	11.5821	87.8486	
	S	118.328	84.939	88.097	106.290	62.455	101.779	83.269	72.921	100.210	117.739	101.828	88.569	91.952	94.253	
4	T	2.5500	12.0723	15.4157	9.0568	6.3589	10.1679	14.1312	8.7306	5.4006	7.6474	7.0276	6.6752	11.5653	87.2526	
	S	119.251	85.959	88.236	105.998	62.940	102.059	84.581	74.425	100.999	117.955	101.871	90.191	92.086	94.897	
5	T	2.5278	12.0205	15.3577	9.0816	6.2761	10.0626	14.1560	8.7659	5.3901	7.5993	6.9954	6.6176	11.4069	86.7438	
	S	120.299	86.330	88.570	105.708	63.770	103.127	84.433	74.125	101.196	118.701	102.340	90.976	93.365	95.454	
6	T	2.5510	12.1532	15.3879	9.1155	6.2724	10.0731	14.1017	8.7334	5.3683	7.6066	6.9452	6.7231	11.5908	87.1326	
	S	119.205	85.387	88.396	105.315	63.808	103.020	84.758	74.401	101.607	118.587	103.080	89.549	91.883	95.028	
7	T	2.5271	12.0365	15.3972	9.1332	6.2640	10.1308	14.0510	8.6783	5.3727	7.6008	7.0221	6.6272	11.4346	86.8273	
	S	120.332	86.215	88.343	105.111	63.893	102.433	85.064	74.873	101.523	118.678	101.951	90.845	93.138	95.362	
8	T	2.5371	11.9967	15.3698	9.0666	6.3032	10.1193	14.0521	8.6889	5.3632	7.5732	6.9125	6.7299	11.2864	86.5770	
	S	119.858	86.501	88.500	105.883	63.496	102.549	85.057	74.782	101.703	119.110	103.567	89.458	94.361	95.637	
9	T	2.5382	11.9804	15.3391	9.0440	6.2951	10.1202	14.0749	8.6809	5.3940	7.6243	7.0185	6.6447	11.3532	86.6935	
	S	119.806	86.619	88.677	106.148	63.578	102.540	84.919	74.851	101.122	118.312	102.003	90.605	93.806	95.509	
10	T	2.5517	11.9771	15.3383	9.0304	6.3079	10.0794	14.0562	8.6646	5.3916	7.6099	7.1203	6.7823	11.5614	87.0766	
	S	119.172	86.643	88.682	106.308	63.449	102.955	85.032	74.992	101.167	118.536	100.545	88.767	92.117	95.089	
11	T	2.5250	12.2478	15.6857	9.0450	6.6407	10.2564	14.1889	8.8065	5.3824	7.6085	6.9588	6.7336	11.3475	87.5522	
	S	120.432	84.728	86.718	106.136	60.269	101.179	84.237	73.783	101.340	118.558	102.878	89.409	93.853	94.572	
12	T	2.5256	12.0609	219.2269	9.0516	210.1753							6.5977	11.3256		
	S	120.403	86.041	6.205	106.059	1.904							91.251	94.035		

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 6 - Hanratty, Max

Lap	T/SPO to SF	SF to PI
1	T	93.4215 94.8976
	S	84.733 80.462
2	T	92.5919
	S	85.492
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 1

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6221	12.8846	19.5444	11.3966	8.1478	12.6749	18.2463	11.8298	6.4165	9.2854	8.4311	7.3709	11.9874	103.0471	
	S	115.972	80.540	69.597	84.236	49.121	81.873	65.505	54.927	85.008	97.147	84.913	81.679	88.843	80.352	
2	T			16.3860	9.5882	6.7978	10.3311	14.4610	9.0117	5.4493	7.7401	7.3383			360.4485	261.7491
	S			83.012	100.123	58.876	100.447	82.652	72.103	100.096	116.542	97.558			22.971	3.339
3	T	2.5690	12.2761	15.5003	9.1079	6.3924	10.2352	14.0981	8.7207	5.3774	7.5993	6.9537	6.9005	11.6312	87.7634	
	S	118.369	84.532	87.755	105.403	62.610	101.388	84.779	74.509	101.435	118.701	102.954	87.247	91.564	94.345	
4	T	2.5473	12.1015	15.5046	9.0872	6.4174	10.2231	14.2085	8.8228	5.3857	7.6294	7.0254	6.7421	11.3962	87.3781	
	S	119.378	85.752	87.731	105.643	62.366	101.508	84.121	73.647	101.278	118.233	101.903	89.296	93.452	94.761	
5	T	2.5120	11.9500	15.3783	9.0083	6.3700	10.1931	14.0730	8.6977	5.3753	7.6083	6.8315	6.6810	11.3115	86.5387	
	S	121.055	86.839	88.451	106.568	62.830	101.807	84.931	74.706	101.474	118.561	104.795	90.113	94.152	95.680	
6	T	2.5030	12.1707	15.5854	9.1037	6.4817	10.2905	14.4290	9.0062	5.4228	7.6768	7.0754	6.6469	11.3577	87.7354	
	S	121.491	85.264	87.276	105.452	61.747	100.843	82.835	72.147	100.585	117.503	101.183	90.575	93.769	94.375	
7	T			15.8829	9.3792	6.5037	10.1955	14.2178	8.8007	5.4171	7.6728	6.8996			319.1877	229.6957
	S			85.641	102.354	61.538	101.783	84.066	73.832	100.691	117.564	103.761			25.941	3.805
8	T	2.5314	11.9686	15.5363	9.1205	6.4158	10.1594	14.1367	8.7286	5.4081	7.6613	6.7527	6.6545	11.3127	86.7136	
	S	120.128	86.704	87.552	105.257	62.382	102.145	84.548	74.442	100.859	117.741	106.018	90.472	94.142	95.487	
9	T	2.5280	11.9353	15.4584	9.0338	6.4246	10.1947	14.0992	8.7200	5.3792	7.6114	6.7718	6.5813	11.3491	86.5292	
	S	120.289	86.946	87.993	106.268	62.296	101.791	84.773	74.515	101.401	118.512	105.719	91.478	93.840	95.690	
10	T	2.5140	11.9587	18.0534	10.1960	7.8574	10.9409	14.8972	9.3761	5.5211	8.3663	8.0323	6.5537	11.3592	92.6757	
	S	120.959	86.776	75.345	94.155	50.938	94.848	80.232	69.301	98.795	107.819	89.129	91.863	93.757	89.344	
11	T			15.7637	9.2285	6.5352	10.1906	14.1831	8.7839	5.3992	7.6877	6.8771			254.2698	165.3163
	S			86.289	104.026	61.242	101.832	84.271	73.973	101.025	117.336	104.100			32.564	5.287
12	T	2.6555	12.2765	15.6751	9.1585	6.5166	10.1156	14.0084	8.6183	5.3901	7.6275	6.7798	6.8741	11.6846	87.6971	
	S	114.514	84.530	86.776	104.821	61.417	102.587	85.322	75.395	101.196	118.262	105.594	87.582	91.146	94.416	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SPO to SF	SF to PI
1	T 96.4181	109.3464
	S 82.100	69.830
2	T 91.5735	
	S 86.443	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	88.1116
	S	86.659
7	T 89.0784	
	S 88.865	
8	T	
	S	
9	T	
	S	
10	T	94.7467
	S	80.590
11	T 87.5283	
	S 90.438	
12	T	89.9106
	S	84.925

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 77 - Chastain, Sam (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T			18.2436	10.6987	7.5449	10.9867	15.8552	9.5068	6.3484	8.3165	7.7075			210.4932	
	S			74.559	89.731	53.046	94.453	75.384	68.348	85.920	108.465	92.885			39.336	
2	T	2.6501	13.0653	16.0575	9.4914	6.5661	10.3383	14.3275	8.8593	5.4682	7.7189	7.0503	7.0941	11.7552	90.0572	
	S	114.747	79.426	84.710	101.144	60.954	100.377	83.422	73.344	99.750	116.862	101.543	84.866	90.598	91.942	
3	T	2.5498	12.1068	16.0022	9.2601	6.7421	10.1888	14.3178	8.8718	5.4460	7.6887	6.9845	7.0664	11.4973	88.4023	
	S	119.261	85.714	85.003	103.671	59.362	101.850	83.478	73.240	100.157	117.321	102.500	85.198	92.630	93.663	
4	T			16.0728	9.4388	6.6340	10.2846	14.3944	8.8733	5.5211	7.7846	7.1948			363.9936	276.8558
	S			84.629	101.708	60.330	100.901	83.034	73.228	98.795	115.876	99.504			22.748	3.157
5	T	2.5611	12.2322	15.7330	9.2474	6.4856	10.2844	14.2081	8.7351	5.4730	7.7459	6.9210	6.8953	11.3986	87.9796	
	S	118.734	84.836	86.457	103.813	61.710	100.903	84.123	74.386	99.663	116.455	103.440	87.312	93.433	94.113	
6	T	2.5417	12.0165	15.4062	9.1527	6.2535	10.2161	14.1893	8.7430	5.4463	7.7081	7.0096	6.7154	11.3768	87.1797	
	S	119.641	86.359	88.291	104.887	64.001	101.578	84.234	74.319	100.151	117.026	102.133	89.651	93.612	94.976	
7	T	2.5335	12.3266	16.5042	9.6677	6.8365	10.2920	14.2949	8.7671	5.5278	8.1608	7.7120	6.7087	11.3856	89.9183	
	S	120.028	84.186	82.417	99.300	58.543	100.829	83.612	74.115	98.675	110.534	92.831	89.741	93.539	92.084	
8	T			16.5183	9.6806	6.8377	10.3930	14.4455	8.9465	5.4990	7.8025	6.9991			308.5739	214.8427
	S			82.347	99.167	58.532	99.849	82.740	72.629	99.192	115.610	102.286			26.833	4.069
9	T	2.7029	12.4658	15.5700	9.2250	6.3450	10.2139	14.2758	8.7693	5.5065	7.7532	6.9094	6.8927	11.5815	88.3652	
	S	112.505	83.246	87.362	104.065	63.078	101.600	83.724	74.096	99.056	116.345	103.614	87.345	91.957	93.702	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 77 - Chastain, Sam (R)

Lap	T/SPO to SF	SF to PI
1	T 600.6542	
	S 13.179	
2	T	
	S	
3	T	86.0505
	S	88.735
4	T 89.2198	
	S 88.724	
5	T	
	S	
6	T	
	S	
7	T	94.0999
	S	81.144
8	T 89.9295	
	S 88.023	
9	T	90.6269
	S	84.254

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 8 - Martin, Anthony

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5180	12.2384	17.4977	10.4412	7.0565	10.3730	15.0619	9.1483	5.9136	8.7576	8.1767	6.8170	11.6158	93.0561	
	S	120.767	84.793	77.737	91.943	56.718	100.041	79.354	71.027	92.237	103.001	87.555	88.315	91.685	88.979	
2	T			16.4603	9.7694	6.6909	10.1311	14.3696	8.9854	5.3842	7.5847	7.0175			385.1379	285.1938
	S			82.637	98.266	59.817	102.430	83.177	72.314	101.307	118.930	102.018			21.499	3.065
3	T	2.4968	11.8729	15.3205	8.9659	6.3546	9.9543	14.0654	8.7452	5.3202	7.5239	6.7105	6.4562	11.3993	85.7998	
	S	121.792	87.403	88.785	107.072	62.982	104.249	84.976	74.300	102.525	119.891	106.685	93.251	93.427	96.504	
4	T	2.4886	11.8031	15.4002	9.0099	6.3903	9.9687	14.1196	8.8044	5.3152	7.4760	6.8855	6.4790	11.2484	85.8691	
	S	122.194	87.920	88.325	106.549	62.630	104.099	84.650	73.801	102.622	120.659	103.973	92.923	94.680	96.426	
5	T	2.4736	11.7912	15.3726	9.0217	6.3509	9.9799	13.9808	8.6519	5.3289	7.5155	6.6048	6.5690	11.4191	85.7065	
	S	122.935	88.009	88.484	106.410	63.019	103.982	85.491	75.102	102.358	120.025	108.392	91.649	93.265	96.609	
6	T	2.4540	11.7571	15.2670	8.9941	6.2729	9.8704	13.9763	8.6749	5.3014	7.4774	6.6704	6.4321	11.2546	85.1593	
	S	123.916	88.264	89.096	106.737	63.803	105.135	85.518	74.903	102.889	120.636	107.326	93.600	94.628	97.230	
7	T	2.6506	12.4830	15.8208	9.2366	6.5842	10.2219	14.7338	9.3479	5.3859	7.9879	7.6550	6.3871	11.6929	89.6330	
	S	114.725	83.131	85.977	103.934	60.786	101.520	81.121	69.510	101.275	112.926	93.522	94.260	91.081	92.377	
8	T			15.8623	9.3374	6.5249	10.0021	14.5209	9.1614	5.3595	7.5676	6.8975			264.1746	174.8352
	S			85.752	102.812	61.338	103.751	82.311	70.925	101.773	119.198	103.793			31.343	5.000
9	T	2.4880	11.8845	15.3661	9.0185	6.3476	9.9317	13.9360	8.6101	5.3259	7.5073	6.6135	6.3899	11.3003	85.4173	
	S	122.223	87.318	88.521	106.448	63.052	104.486	85.765	75.466	102.415	120.156	108.250	94.218	94.245	96.936	
10	T	2.4814	11.8141	15.2503	8.9892	6.2611	9.8685	13.8835	8.5839	5.2996	7.4785	6.6938	6.4373	11.2669	85.1743	
	S	122.548	87.838	89.193	106.795	63.923	105.156	86.090	75.697	102.924	120.619	106.951	93.525	94.525	97.212	
11	T	2.5838	12.1991	19.1220	11.3131	7.8089	12.0314	16.4244	10.2372	6.1872	9.8588	8.8480	6.3886	11.3521	98.8082	
	S	117.691	85.066	71.134	84.857	51.253	86.252	72.771	63.472	88.159	91.496	80.912	94.237	93.815	83.799	
12	T			15.7093	9.1629	6.5464	9.9474	14.0858	8.7627	5.3231	7.5418	6.6081			253.9778	164.2417
	S			86.587	104.770	61.137	104.321	84.853	74.152	102.469	119.606	108.338			32.601	5.322
13	T	2.4785	11.8521	15.3198	9.0266	6.2932	9.8264	13.9021	8.5910	5.3111	7.4986	6.6867	6.4209	11.2873	85.2724	
	S	122.692	87.556	88.789	106.352	63.597	105.606	85.975	75.634	102.701	120.295	107.065	93.763	94.354	97.101	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 8 - Martin, Anthony

Lap	T/SPO to SF	SF to PI
1	T 90.3248	97.8718
	S 87.638	78.017
2	T 94.5511	
	S 83.721	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	90.7153
	S	84.172
8	T 87.8673	
	S 90.089	
9	T	
	S	
10	T	
	S	
11	T	103.1586
	S	74.019
12	T 85.3532	
	S 92.743	
13	T	87.9533
	S	86.815

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 1

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 80 - Megennis, Robert (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5477	12.5568	18.4472	10.9831	7.4641	10.5532	14.8915	9.3762	5.5153	7.6665	7.1751	6.9229	11.5440	92.3049	
	S	119.359	82.643	73.736	87.407	53.620	98.333	80.262	69.300	98.898	117.661	99.777	86.964	92.256	89.703	
2	T			16.4667	9.4709	6.9958	12.1896	15.0909	9.6432	5.4477	7.6640	6.8649			367.1583	274.0143
	S			82.605	101.363	57.210	85.132	79.202	67.381	100.126	117.699	104.285			22.552	3.193
3	T	2.4989	11.8893	15.3424	9.0469	6.2955	10.4507	14.9466	9.5944	5.3522	7.5917	6.7143	6.6139	11.3240	87.3718	
	S	121.690	87.282	88.658	106.114	63.574	99.297	79.966	67.724	101.912	118.820	106.625	91.027	94.048	94.767	
4	T	2.6043	14.1926	16.4931	10.1910	6.3021	9.9784	13.9644	8.6031	5.3613	7.5924	6.8286	6.9074	11.1865	89.7477	
	S	116.765	73.117	82.473	94.201	63.507	103.997	85.591	75.528	101.739	118.809	104.840	87.159	95.204	92.259	
5	T	2.4937	11.9431	15.4127	9.1211	6.2916	9.9246	13.9563	8.5960	5.3603	7.5934	6.7888	6.5973	11.2381	85.9480	
	S	121.944	86.889	88.254	105.250	63.613	104.561	85.641	75.590	101.758	118.793	105.454	91.256	94.767	96.337	
6	T	2.4869	11.9105	15.2979	9.0174	6.2805	9.8846	14.1008	8.7554	5.3454	7.5718	6.6105	6.6675	11.1640	85.6945	
	S	122.277	87.127	88.916	106.461	63.725	104.984	84.763	74.214	102.042	119.132	108.299	90.296	95.396	96.622	
7	T	2.4757	11.9010	15.2102	8.9849	6.2253	9.8767	14.5363	9.1412	5.3951	7.5963	6.6502	6.5469	11.1517	85.9450	
	S	122.830	87.197	89.429	106.846	64.290	105.068	82.224	71.082	101.102	118.748	107.652	91.959	95.501	96.341	
8	T	2.4837	11.7758	15.2967	9.0350	6.2617	9.9331	14.0058	8.6658	5.3400	7.5510	6.6510	6.5637	11.2135	85.4743	
	S	122.435	88.124	88.923	106.253	63.917	104.472	85.338	74.981	102.145	119.460	107.639	91.723	94.975	96.871	
9	T	2.4891	11.7806	15.2460	8.9957	6.2503	9.9230	13.9428	8.6113	5.3315	7.5394	6.6731	6.6164	11.1447	85.3551	
	S	122.169	88.088	89.219	106.718	64.033	104.578	85.724	75.456	102.308	119.644	107.283	90.993	95.561	97.007	
10	T	2.4915	11.8893	15.2908	9.0378	6.2530	9.8791	14.1011	8.7365	5.3646	7.5697	6.6773	6.5916	11.2260	85.7164	
	S	122.051	87.282	88.957	106.221	64.006	105.043	84.761	74.374	101.677	119.165	107.215	91.335	94.869	96.598	
11	T	2.4854	11.8576	15.1769	8.9689	6.2080	9.8964	14.0819	8.7425	5.3394	7.5479	6.6183	6.6897	11.1924	85.5465	
	S	122.351	87.516	89.625	107.037	64.470	104.859	84.877	74.323	102.157	119.509	108.171	89.996	95.154	96.789	
12	T			17.9953	10.8411	7.1542	10.2201	14.5694	9.1184	5.4510	9.4477	8.4253			165.6331	73.6520
	S			75.588	88.552	55.943	101.538	82.037	71.260	100.065	95.478	84.971			49.990	11.868
13	T															168.0843
	S															5.209

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 80 - Megennis, Robert (R)

Lap	T/SPO to SF	SF to PI
1	T 94.6300	94.4158
	S 83.651	80.873
2	T 90.5041	
	S 87.465	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	85.0596
	S	89.769
12	T	
	S	
13	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 81 - Cane, Jordan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6576	13.2525	21.8915	13.6355	8.2560	12.2995	17.9662	12.0684	5.8978	9.4073	8.3590	7.1624	12.1368	105.1328	
	S	114.423	78.304	62.135	70.404	48.477	84.372	66.526	53.841	92.484	95.888	85.645	84.056	87.750	78.758	
2	T			16.9591	9.9339	7.0252	12.5278	17.1299	11.2130	5.9169	7.8487	6.9523			346.9702	245.6755
	S			80.206	96.639	56.970	82.834	69.774	57.948	92.186	114.929	102.974			23.864	3.558
3	T	2.5366	12.0622	15.3807	9.0562	6.3245	10.0981	14.0510	8.6709	5.3801	7.6109	6.6932	6.8529	11.4484	86.7340	
	S	119.881	86.031	88.437	106.005	63.282	102.765	85.064	74.937	101.384	118.520	106.961	87.853	93.026	95.464	
4	T	2.5591	12.3331	15.5256	9.1675	6.3581	10.0679	14.0513	8.6882	5.3631	8.0646	6.8492	6.7746	11.2734	87.4988	
	S	118.827	84.142	87.612	104.718	62.948	103.073	85.062	74.788	101.705	111.852	104.524	88.868	94.470	94.630	
5	T	2.5066	11.9103	15.3095	9.0426	6.2669	9.9774	13.9638	8.5925	5.3713	7.5690	6.6809	6.6101	11.3507	85.8783	
	S	121.316	87.129	88.849	106.164	63.864	104.008	85.595	75.621	101.550	119.176	107.158	91.080	93.827	96.416	
6	T	2.4859	11.8341	15.2617	9.0225	6.2392	9.9563	13.8555	8.5213	5.3342	7.5562	6.6367	6.6166	11.3295	85.5325	
	S	122.326	87.690	89.127	106.401	64.147	104.228	86.264	76.253	102.256	119.378	107.871	90.990	94.002	96.805	
7	T	2.4915	11.7731	15.2662	9.0153	6.2509	9.9981	14.1991	8.7912	5.4079	7.5687	6.6590	6.5237	11.3024	85.7818	
	S	122.051	88.144	89.101	106.486	64.027	103.792	84.176	73.912	100.863	119.181	107.510	92.286	94.228	96.524	
8	T	3.3459	12.8039	15.2418	9.0063	6.2355	10.0047	13.9272	8.5677	5.3595	7.5604	6.6158	6.5956	11.9358	88.0311	
	S	90.885	81.048	89.243	106.592	64.185	103.724	85.820	75.840	101.773	119.312	108.212	91.280	89.227	94.058	
9	T	2.5111	11.8037	15.2485	8.9982	6.2503	10.0102	13.8944	8.5476	5.3468	7.5552	6.6918	6.4837	11.3884	85.5870	
	S	121.099	87.915	89.204	106.688	64.033	103.667	86.022	76.018	102.015	119.394	106.983	92.855	93.516	96.744	
10	T	2.5047	11.7816	15.2374	8.9736	6.2638	10.0912	14.0451	8.6745	5.3706	7.5830	6.6300	6.5087	11.3406	85.7223	
	S	121.408	88.080	89.269	106.980	63.895	102.835	85.099	74.906	101.563	118.956	107.980	92.499	93.910	96.591	
11	T	2.5027	11.8118	15.4584	8.9871	6.4713	9.9730	13.9319	8.5760	5.3559	7.5572	6.5499	6.5120	11.3097	85.6066	
	S	121.505	87.855	87.993	106.820	61.847	104.054	85.791	75.766	101.842	119.362	109.301	92.452	94.167	96.722	
12	T	2.5079	11.8643	15.2436	8.9761	6.2675	10.2661	14.0394	8.6943	5.3451	7.5585	6.5978	6.5018	11.3574	85.9368	
	S	121.253	87.466	89.233	106.951	63.858	101.083	85.134	74.735	102.048	119.342	108.507	92.597	93.771	96.350	
13	T	3.3141	13.7089	18.5621	10.9967	7.5654	10.4109	14.4753	9.0484	5.4269	7.6392	7.1333	6.4571	11.5751	93.2760	
	S	91.757	75.697	73.280	87.299	52.902	99.677	82.570	71.811	100.509	118.081	100.362	93.238	92.008	88.769	
14	T			15.6668	9.2068	6.4600	10.1414	15.6456	8.6581	6.9875	9.8618	6.9775			217.1991	126.3002
	S			86.822	104.271	61.955	102.326	76.394	75.048	78.061	91.469	102.603			38.122	6.921
15	T	2.5221	11.9736	16.9349	8.9772	7.9577	10.4847	14.1558	8.7081	5.4477	7.6118	6.8000	6.5042	11.6023	88.5894	
	S	120.571	86.668	80.321	106.938	50.294	98.975	84.434	74.617	100.126	118.506	105.281	92.563	91.792	93.465	
16	T															39.6507
	S															22.045

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 81 - Cane, Jordan (R)

Lap	T/SPO to SF	SF to PI
1	T 105.2873	111.1827
	S 75.184	68.677
2	T 94.2469	
	S 83.991	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	93.5825
	S	81.593
14	T 90.6667	
	S 87.308	
15	T	88.2786
	S	86.495
16	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 82 - Fischer, TJ (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5776	12.1474	15.6693	9.1933	6.4760	10.2623	14.1439	8.7818	5.3621	7.5913	7.1785	6.7395	11.4638	87.7736	
	S	117.974	85.428	86.808	104.424	61.802	101.120	84.505	73.991	101.724	118.826	99.730	89.331	92.901	94.334	
2	T			15.8926	9.3458	6.5468	10.2544	14.7743	8.8417	5.9326	9.1546	7.5187			372.9043	277.0799
	S			85.589	102.720	61.133	101.198	80.899	73.490	91.942	98.535	95.217			22.204	3.155
3	T	2.5205	11.9655	15.5151	9.1149	6.4002	10.1250	14.0768	8.7341	5.3427	7.7959	7.2348	6.7314	11.2642	87.2292	
	S	120.647	86.727	87.671	105.322	62.534	102.492	84.908	74.395	102.093	115.708	98.954	89.438	94.547	94.922	
4	T	2.5152	11.9638	15.3926	9.0933	6.2993	10.0096	14.0373	8.6695	5.3678	7.5703	6.7051	6.7770	11.2384	86.2093	
	S	120.901	86.739	88.369	105.572	63.535	103.673	85.147	74.949	101.616	119.156	106.771	88.837	94.764	96.045	
5	T	2.5024	11.9178	15.3798	9.0724	6.3074	10.0214	14.0722	8.6984	5.3738	7.6030	6.6858	6.6357	11.2144	86.0325	
	S	121.520	87.074	88.442	105.815	63.454	103.551	84.935	74.700	101.503	118.643	107.079	90.728	94.967	96.243	
6	T	2.5113	11.9068	15.2687	9.0603	6.2084	9.9495	14.0046	8.6379	5.3667	7.5849	7.4395	6.6967	11.2369	86.5989	
	S	121.089	87.154	89.086	105.957	64.465	104.299	85.345	75.223	101.637	118.926	96.231	89.902	94.777	95.613	
7	T	2.5140	11.9203	15.2173	9.0266	6.1907	10.0010	14.0087	8.6393	5.3694	7.5986	6.7082	7.0217	11.3781	86.3679	
	S	120.959	87.055	89.387	106.352	64.650	103.762	85.320	75.211	101.586	118.712	106.721	85.741	93.601	95.869	
8	T	2.5041	11.9176	15.3678	9.0326	6.3352	9.9889	14.0287	8.6711	5.3576	7.5502	6.7023	6.5784	11.2773	85.9153	
	S	121.437	87.075	88.512	106.282	63.175	103.888	85.199	74.935	101.809	119.473	106.815	91.519	94.437	96.374	
9	T	2.5196	11.9221	15.3232	9.0316	6.2916	10.0151	13.9753	8.6200	5.3553	7.5509	6.6753	6.6063	11.2506	85.8384	
	S	120.690	87.042	88.769	106.293	63.613	103.616	85.524	75.380	101.853	119.462	107.247	91.132	94.662	96.460	
10	T	2.5056	11.9520	15.3377	9.0425	6.2952	10.0276	14.0073	8.6467	5.3606	7.5701	6.7743	6.6553	11.2044	86.0343	
	S	121.365	86.825	88.685	106.165	63.577	103.487	85.329	75.147	101.753	119.159	105.680	90.461	95.052	96.241	
11	T	2.5178	11.9791	15.4000	9.0701	6.3299	10.0107	14.3759	8.9240	5.4519	7.6107	7.0990	6.7248	11.3334	87.0514	
	S	120.776	86.628	88.326	105.842	63.228	103.662	83.141	72.812	100.049	118.523	100.846	89.526	93.970	95.116	
12	T			15.7655	9.3082	6.4573	10.0998	14.2017	8.8063	5.3954	7.6364	6.8705			405.0615	316.3029
	S			86.279	103.135	61.981	102.747	84.161	73.785	101.096	118.124	104.200			20.441	2.763
13	T	2.5287	12.0682	15.3709	9.0519	6.3190	9.9886	14.0105	8.6577	5.3528	7.5427	6.7516	6.5980	11.3332	86.1924	
	S	120.256	85.989	88.494	106.055	63.337	103.891	85.309	75.051	101.901	119.592	106.035	91.247	93.972	96.064	
14	T															39.6361
	S															22.053

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 82 - Fischer, TJ (R)

Lap	T/SPO to SF	SF to PI
1	T 92.8714	93.5176
	S 85.235	81.650
2	T 89.8727	
	S 88.079	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	85.8917
	S	88.899
12	T 89.7913	
	S 88.159	
13	T	86.1375
	S	88.645
14	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 83 - Munro, James (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5278	12.1528	15.5298	9.1009	6.4289	10.1340	14.2008	8.8172	5.3836	7.5925	7.1132	6.6547	11.5077	87.4133	
	S	120.299	85.390	87.588	105.484	62.254	102.401	84.166	73.694	101.318	118.807	100.645	90.469	92.547	94.722	
2	T			15.7138	9.2414	6.4724	10.0891	14.6214	8.8413	5.7801	8.8437	7.1740			372.6004	277.3559
	S			86.563	103.880	61.836	102.856	81.745	73.493	94.368	101.999	99.792			22.222	3.152
3	T	2.5177	12.0848	15.7133	9.2487	6.4646	10.0761	15.2580	9.7333	5.5247	7.6576	6.6155	6.6344	11.5154	88.0728	
	S	120.781	85.870	86.565	103.798	61.911	102.989	78.334	66.758	98.730	117.797	108.217	90.746	92.485	94.013	
4	T	2.5115	11.9695	15.4558	9.0768	6.3790	10.0154	14.1237	8.7875	5.3362	7.5354	6.5750	6.6421	11.3709	86.1993	
	S	121.079	86.698	88.008	105.764	62.741	103.613	84.626	73.943	102.218	119.708	108.884	90.641	93.660	96.056	
5	T	2.4876	11.8910	15.4423	9.0680	6.3743	9.9468	14.0199	8.6817	5.3382	7.5531	6.7108	6.6135	11.2803	85.9453	
	S	122.243	87.270	88.084	105.867	62.788	104.328	85.252	74.844	102.179	119.427	106.680	91.033	94.412	96.340	
6	T	3.1629	13.8120	15.4239	9.1093	6.3146	9.9722	14.0571	8.6909	5.3662	7.5884	6.5451	6.9951	12.8162	90.3729	
	S	96.143	75.132	88.190	105.387	63.381	104.062	85.027	74.765	101.646	118.872	109.381	86.067	83.098	91.620	
7	T	2.4940	11.8580	15.2844	9.0239	6.2605	9.9072	17.3862	11.4193	5.9669	8.3539	7.6599	6.5989	11.4002	90.9427	
	S	121.929	87.513	88.994	106.384	63.929	104.745	68.746	56.901	91.413	107.979	93.462	91.234	93.419	91.046	
8	T			18.7892	11.8290	6.9602	12.8914	14.3502	8.9556	5.3946	7.5983	6.5523			344.2074	249.6386
	S			72.394	81.156	57.502	80.498	83.290	72.555	101.111	118.717	109.261			24.055	3.501
9	T	2.5145	11.8801	15.3090	8.9952	6.3138	10.0037	14.0039	8.6657	5.3382	7.5449	6.6046	6.6289	11.3868	85.8764	
	S	120.935	87.350	88.851	106.724	63.389	103.734	85.350	74.982	102.179	119.557	108.396	90.821	93.529	96.418	
10	T	2.5270	12.5183	18.6407	11.1574	7.4833	10.3953	14.3939	9.0230	5.3709	7.7826	7.2239	6.6301	11.4439	91.5557	
	S	120.337	82.897	72.971	86.042	53.483	99.827	83.037	72.013	101.557	115.905	99.103	90.805	93.063	90.437	
11	T			15.6143	9.2056	6.4087	10.0294	15.0479	8.9073	6.1406	9.2572	6.7894			210.1277	120.3604
	S			87.114	104.284	62.451	103.469	79.428	72.948	88.828	97.443	105.445			39.405	7.262
12	T	2.5004	11.9459	15.3995	9.0788	6.3207	9.9753	14.0542	8.6912	5.3630	7.5663	6.4938	6.4682	11.4588	85.8624	
	S	121.617	86.869	88.329	105.741	63.320	104.030	85.044	74.762	101.707	119.219	110.245	93.078	92.942	96.433	
13	T															38.7653
	S															22.548

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 83 - Munro, James (R)

Lap	T/SPO to SF	SF to PI
1	T 92.6176	93.7350
	S 85.469	81.460
2	T 88.9102	
	S 89.033	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	90.9985
	S	83.910
8	T 94.5296	
	S 83.740	
9	T	
	S	
10	T	92.2120
	S	82.806
11	T 88.9640	
	S 88.979	
12	T	88.3770
	S	86.399
13	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 9 - Franzoni, Victor

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5507	12.2604	16.1596	9.2244	6.9352	11.3678	15.3799	9.5884	5.7915	8.5503	7.9751	6.7927	11.7584	92.7949	
	S	119.219	84.641	84.175	104.072	57.710	91.287	77.714	67.767	94.182	105.499	89.768	88.631	90.574	89.229	
2	T			15.7446	9.1999	6.5447	10.1318	14.1816	8.7985	5.3831	7.5847	6.8643			375.6003	281.5889
	S			86.393	104.349	61.153	102.423	84.280	73.850	101.327	118.930	104.295			22.045	3.104
3	T	2.5040	11.8772	15.2001	8.9152	6.2849	9.9792	13.9013	8.5917	5.3096	7.4896	6.6969	6.5745	11.3259	85.5487	
	S	121.442	87.371	89.488	107.681	63.681	103.989	85.980	75.628	102.730	120.440	106.902	91.573	94.032	96.787	
4	T	2.4992	11.8778	15.2098	8.9422	6.2676	9.9363	13.9429	8.6121	5.3308	7.4879	6.5759	6.5088	11.2970	85.3356	
	S	121.675	87.367	89.431	107.356	63.857	104.438	85.723	75.449	102.321	120.467	108.869	92.497	94.273	97.029	
5	T	2.4887	12.6374	17.6845	10.3549	7.3296	11.3680	14.2619	8.9083	5.3536	7.5401	6.6779	6.4752	11.3342	90.4679	
	S	122.189	82.116	76.916	92.710	54.604	91.285	83.806	72.940	101.886	119.633	107.206	92.977	93.963	91.524	
6	T	2.4811	11.7189	15.2083	8.9435	6.2648	9.8960	13.8317	8.5093	5.3224	7.5404	6.6130	6.5253	11.2323	85.0470	
	S	122.563	88.552	89.440	107.341	63.885	104.863	86.412	76.360	102.483	119.628	108.258	92.263	94.816	97.358	
7	T	2.4902	11.7680	15.1862	8.9323	6.2539	9.9382	13.8064	8.4811	5.3253	7.5022	6.5709	6.4484	11.2640	84.9745	
	S	122.115	88.182	89.570	107.475	63.996	104.418	86.571	76.614	102.427	120.237	108.951	93.364	94.549	97.441	
8	T	2.4948	11.8021	15.3021	8.9828	6.3193	10.0573	14.2308	8.8604	5.3704	7.5598	7.0117	6.5798	11.2518	86.2902	
	S	121.890	87.927	88.892	106.871	63.334	103.181	83.989	73.334	101.567	119.321	102.102	91.499	94.652	95.955	
9	T			15.4148	9.0269	6.3879	10.1848	14.1463	8.7888	5.3575	7.5613	6.6945			325.1230	238.1526
	S			88.242	106.349	62.654	101.890	84.490	73.932	101.811	119.298	106.940			25.467	3.670
10	T	2.5021	11.8727	18.6445	10.8080	7.8365	10.7883	14.2973	8.8934	5.4039	7.9372	7.6089	6.3407	11.3996	91.3913	
	S	121.534	87.404	72.956	88.823	51.072	96.190	83.598	73.062	100.937	113.648	94.088	94.949	93.424	90.599	
11	T			15.4559	9.0991	6.3568	9.9907	13.9212	8.5416	5.3796	7.5895	6.6647			232.3854	142.9172
	S			88.007	105.505	62.960	103.869	85.857	76.072	101.393	118.854	107.418			35.630	6.116
12	T	2.4990	11.8741	15.2028	8.8876	6.3152	9.9535	13.8088	8.4778	5.3310	7.5115	6.5198	6.4243	11.2901	85.0839	
	S	121.685	87.394	89.472	108.016	63.375	104.258	86.555	76.644	102.317	120.089	109.805	93.714	94.330	97.316	
13	T															38.6629
	S															22.608

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 9 - Franzoni, Victor

Lap	T/SPO to SF	SF to PI
1	T 90.4227	95.3912
	S 87.543	80.046
2	T 90.7644	
	S 87.214	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	86.8739
	S	87.894
9	T 86.2954	
	S 91.730	
10	T	92.4933
	S	82.554
11	T 88.3403	
	S 89.607	
12	T	84.9389
	S	89.896
13	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 1

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 91 - Gabin, Luke

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5438	12.7073	16.0080	9.0898	6.9182	10.5844	14.8288	9.4305	5.3983	7.6581	7.0808	6.8557	11.5418	89.8087	
	S	119.542	81.664	84.972	105.613	57.851	98.043	80.603	68.901	101.042	117.790	101.106	87.817	92.273	92.196	
2	T			16.6475	9.9456	6.7019	10.2360	14.2073	8.8378	5.3695	7.5992	7.1051			379.9339	282.5507
	S			81.708	96.525	59.718	101.380	84.128	73.522	101.584	118.703	100.760			21.793	3.094
3	T	2.5278	11.9252	15.3537	9.0198	6.3339	10.0288	13.9640	8.6407	5.3233	7.5521	6.8307	6.5470	11.4464	86.1757	
	S	120.299	87.020	88.593	106.433	63.188	103.475	85.593	75.199	102.465	119.443	104.808	91.957	93.042	96.083	
4	T	2.5154	11.8241	15.2512	8.9566	6.2946	10.0404	13.9759	8.6146	5.3613	7.5747	6.7997	6.5470	11.3088	85.8372	
	S	120.892	87.764	89.188	107.184	63.583	103.355	85.521	75.427	101.739	119.087	105.285	91.957	94.174	96.462	
5	T	2.4916	11.7871	15.2508	8.9112	6.3396	9.9681	14.0689	8.6871	5.3818	7.5818	6.7752	6.5529	11.3188	85.7952	
	S	122.046	88.039	89.191	107.730	63.131	104.105	84.955	74.797	101.352	118.975	105.666	91.875	94.091	96.509	
6	T	2.4782	11.7047	15.2900	8.9629	6.3271	9.9612	13.8869	8.5585	5.3284	7.5826	6.7549	6.5559	11.1862	85.4006	
	S	122.706	88.659	88.962	107.108	63.256	104.177	86.069	75.921	102.367	118.963	105.984	91.833	95.207	96.955	
7	T			16.0408	9.5187	6.5221	10.0830	14.0897	8.7174	5.3723	7.6296	6.8584			373.6810	283.9917
	S			84.798	100.854	61.365	102.919	84.830	74.537	101.531	118.230	104.384			22.158	3.078
8	T	2.5109	11.8781	15.2076	8.9417	6.2659	9.9749	13.9107	8.5654	5.3453	7.5627	6.7884	6.5410	11.2681	85.6424	
	S	121.108	87.365	89.444	107.362	63.874	104.034	85.921	75.860	102.044	119.276	105.461	92.042	94.515	96.681	
9	T	2.4995	11.8884	16.6817	9.2678	7.4139	11.8191	14.6552	9.2252	5.4300	7.7662	7.0990	6.5628	11.1852	90.1571	
	S	121.661	87.289	81.540	103.584	53.983	87.801	81.557	70.435	100.452	116.150	100.846	91.736	95.215	91.840	
10	T			15.7973	9.3083	6.4890	10.0971	15.0633	9.1737	5.8896	7.8164	7.0518			287.7139	195.0084
	S			86.105	103.134	61.678	102.775	79.347	70.830	92.613	115.404	101.521			28.779	4.482
11	T	2.5115	11.8733	15.2367	8.9732	6.2635	9.9182	13.8799	8.5403	5.3396	7.5565	6.7840	6.5950	11.3369	85.6920	
	S	121.079	87.400	89.273	106.985	63.898	104.629	86.112	76.083	102.153	119.373	105.529	91.288	93.941	96.625	
12	T															34.3639
	S															25.436

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 91 - Gabin, Luke

Lap	T/SPO to SF	SF to PI
1	T 93.0143	93.3147
	S 85.104	81.827
2	T 93.4731	
	S 84.686	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	86.9203
	S	87.847
7	T 88.2366	
	S 89.712	
8	T	
	S	
9	T	93.8430
	S	81.367
10	T 89.2035	
	S 88.740	
11	T	87.2958
	S	87.469
12	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 1

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 92 - Das, Cameron (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5314	12.3544	15.9625	9.2739	6.6886	10.2896	14.5572	9.1897	5.3675	7.6010	7.4119	6.8555	11.3940	88.9575	
	S	120.128	83.997	85.214	103.516	59.837	100.852	82.106	70.707	101.622	118.675	96.589	87.819	93.470	93.078	
2	T			16.8060	10.1768	6.6292	10.0858	14.0629	8.7443	5.3186	7.4971	7.2523			379.3726	282.1960
	S			80.937	94.332	60.373	102.890	84.992	74.308	102.556	120.319	98.715			21.826	3.097
3	T	2.5439	12.0199	15.3345	8.9954	6.3391	9.9779	13.9162	8.6318	5.2844	7.4626	7.1696	6.7275	11.1804	86.3325	
	S	119.537	86.334	88.704	106.721	63.136	104.003	85.887	75.277	103.220	120.875	99.853	89.490	95.256	95.908	
4	T	2.4993	11.8263	15.2452	8.9669	6.2783	9.9987	13.7622	8.4816	5.2806	7.4529	6.9297	6.7167	11.2562	85.6872	
	S	121.670	87.747	89.223	107.060	63.748	103.786	86.849	76.610	103.294	121.033	103.310	89.634	94.615	96.631	
5	T	2.5030	11.9300	15.4439	8.9569	6.4870	10.0953	14.2633	8.8861	5.3772	7.6769	7.0511	6.5053	11.2657	86.7345	
	S	121.491	86.985	88.075	107.180	61.697	102.793	83.797	73.122	101.438	117.501	101.532	92.547	94.535	95.464	
6	T			15.3682	9.1110	6.2572	10.0895	13.8582	8.5413	5.3169	7.5533	7.1068			306.6454	220.8238
	S			88.509	105.367	63.963	102.852	86.247	76.074	102.589	119.424	100.736			27.002	3.958
7	T	2.5258	11.7946	15.2020	9.0247	6.1773	10.0188	13.9598	8.6354	5.3244	7.5680	6.8453	6.7188	11.2961	85.9292	
	S	120.394	87.983	89.477	106.375	64.790	103.578	85.619	75.245	102.444	119.192	104.584	89.606	94.280	96.358	
8	T	2.5099	11.9095	15.3710	9.0938	6.2772	9.9881	13.8178	8.4900	5.3278	7.5447	6.8876	6.4785	11.1448	85.6519	
	S	121.157	87.134	88.493	105.566	63.759	103.896	86.499	76.534	102.379	119.560	103.942	92.930	95.560	96.670	
9	T	2.5068	11.8169	15.2182	9.0018	6.2164	9.9960	13.9174	8.5926	5.3248	7.5124	6.8654	6.5555	11.0753	85.4639	
	S	121.306	87.817	89.382	106.645	64.382	103.814	85.880	75.620	102.437	120.074	104.278	91.838	96.160	96.883	
10	T	2.5609	12.4810	18.4274	10.8697	7.5577	10.7512	14.9387	9.4735	5.4652	8.7429	7.9063	6.5486	11.2699	93.6269	
	S	118.744	83.145	73.815	88.319	52.956	96.522	80.009	68.588	99.805	103.175	90.549	91.935	94.500	88.436	
11	T			15.4533	9.1264	6.3269	10.0817	13.9672	8.6147	5.3525	7.5846	6.8551			283.9544	192.2330
	S			88.022	105.189	63.258	102.932	85.574	75.426	101.907	118.931	104.435			29.160	4.547
12	T	2.5069	11.8738	15.6856	9.1038	6.5818	10.0197	13.8501	8.5560	5.2941	7.5136	6.9459	6.5931	11.1649	86.1536	
	S	121.302	87.396	86.718	105.450	60.808	103.569	86.297	75.944	103.031	120.055	103.069	91.314	95.388	96.107	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 21, 2016

Section Data for Car 92 - Das, Cameron (R)

Lap	T/SPO to SF	SF to PI
1	T 92.4688	92.8216
	S 85.606	82.262
2	T 92.9709	
	S 85.144	
3	T	
	S	
4	T	
	S	
5	T	86.1169
	S	88.666
6	T 86.6831	
	S 91.320	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	99.0947
	S	77.054
11	T 86.1931	
	S 91.839	
12	T	89.6798
	S	85.144

Report Support Information

Section Legend	
Name	Length
SF to I1	0.084470 miles
I1 to I2	0.288258 miles
I2 to I3	0.377841 miles
I2 to I3A	0.266667 miles
I3A to I3	0.111174 miles
I3 to I4	0.288258 miles
I4 to I5	0.332008 miles
I4 to I5A	0.180492 miles
I5A to I5	0.151515 miles
I5 to I6	0.250568 miles
I6 to I7	0.198864 miles
I7 to I8	0.167235 miles
I8 to SF	0.295833 miles
Lap	2.300000 miles
PI to PO	0.242803 miles
PO to SF	2.198864 miles
SF to PI	2.121023 miles
PO to I2	0.280871 miles
I7 to PI	0.304419 miles
PO to PI	1.903030 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
T	Section Time Data
S	Section Speed Data

