

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.0264	14.4409	17.9796	10.3226	7.6570	11.5934	15.6043	9.9574	5.6469	8.3835	8.1197	9.2957	13.2982	101.7417	140.0359
	S	100.479	71.860	75.654	93.000	52.269	89.510	76.596	65.255	96.594	107.598	88.169	64.766	80.086	81.383	6.242
2	T	2.7067	12.9523	16.4285	9.6394	6.7891	10.5247	14.7414	9.2400	5.5014	7.8745	7.5431	8.4331	12.2062	93.4105	
	S	112.347	80.119	82.797	99.591	58.951	98.599	81.080	70.322	99.148	114.553	94.909	71.391	87.251	88.641	
3	T	2.6806	12.8251	16.1789	9.5735	6.6054	10.4268	14.4740	8.9951	5.4789	7.8143	7.3547	7.1317	11.9809	90.8670	
	S	113.441	80.914	84.074	100.277	60.591	99.525	82.578	72.236	99.555	115.435	97.340	84.418	88.891	91.122	
4	T	2.6847	12.7161	16.8228	9.8474	6.9754	10.3852	14.5579	9.0765	5.4814	7.8340	7.6195	7.0278	11.8378	91.4858	
	S	113.268	81.607	80.856	97.488	57.377	99.924	82.102	71.588	99.510	115.145	93.957	85.666	89.966	90.506	
5	T	3.2259	14.0546	17.8355	10.1726	7.6629	11.4639	16.3668	10.3720	5.9948	9.3315	9.2212	8.3814	13.1706	103.0514	
	S	94.265	73.835	76.265	94.371	52.229	90.521	73.028	62.647	90.988	96.667	77.637	71.831	80.862	80.348	
6	T															180.1218
	S															4.853

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SPO to SF	SF to PI
1	T	121.1903
	S	65.318
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	107.7429
	S	70.869
6	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 2

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.7630	13.1109	16.5762	9.7062	6.8700	10.5563	14.7118	9.2333	5.4785	7.8605	7.5671	7.4828	12.3535	92.9821	
	S	110.058	79.150	82.059	98.906	58.257	98.304	81.243	70.373	99.563	114.757	94.608	80.457	86.210	89.049	
2	T	2.6696	12.6413	15.7614	9.2440	6.5174	10.2841	14.3551	8.9227	5.4324	7.7344	7.1790	7.3531	11.9708	89.9488	
	S	113.909	82.090	86.301	103.851	61.409	100.906	83.262	72.822	100.408	116.628	99.723	81.876	88.966	92.052	
3	T	2.5911	12.3200	15.6503	9.1767	6.4736	10.1904	14.3195	8.8783	5.4412	7.7082	7.1586	6.8230	11.6983	88.4594	
	S	117.360	84.231	86.914	104.613	61.825	101.834	83.469	73.187	100.245	117.024	100.007	88.238	91.039	93.602	
4	T	2.5647	12.2365	15.5749	9.1690	6.4059	10.1610	14.2174	8.8144	5.4030	7.6647	6.9925	6.7502	11.6431	87.8050	
	S	118.568	84.806	87.335	104.701	62.478	102.128	84.068	73.717	100.954	117.688	102.382	89.189	91.470	94.300	
5	T	2.6164	12.3231	15.4684	9.0986	6.3698	10.1307	14.2156	8.8013	5.4143	7.7067	6.9962	6.7601	11.5897	87.8069	
	S	116.225	84.210	87.936	105.511	62.832	102.434	84.079	73.827	100.743	117.047	102.328	89.059	91.892	94.298	
6	T			17.2020	9.7556	7.4464	10.8202	15.7240	10.1158	5.6082	8.0699	7.9909			322.0401	230.0328
	S			79.074	98.405	53.748	95.906	76.013	64.233	97.260	111.779	89.591			25.711	3.800
7	T	2.6945	13.1614	16.4600	9.2905	7.1695	10.3861	14.7696	9.2622	5.5074	7.8175	7.5560	7.4358	12.5153	92.7962	
	S	112.856	78.846	82.638	103.331	55.824	99.915	80.925	70.153	99.040	115.388	94.747	80.966	85.096	89.228	
8	T	2.6129	12.8868	16.2923	9.2578	7.0345	10.4034	14.9647	9.4445	5.5202	7.8288	7.6409	7.2362	12.3601	92.2261	
	S	116.381	80.526	83.489	103.696	56.895	99.749	79.870	68.799	98.811	115.221	93.694	83.199	86.164	89.779	
9	T	2.6495	13.6667	17.0339	9.8949	7.1390	10.5969	15.1104	9.6117	5.4987	7.8672	7.7637	7.4539	12.5692	94.7114	
	S	114.773	75.931	79.854	97.020	56.062	97.927	79.100	67.602	99.197	114.659	92.212	80.769	84.731	87.423	
10	T	2.6251	13.1955	16.4491	9.3390	7.1101	10.5897	15.0712	9.5605	5.5107	7.8824	7.9611	7.6080	12.5501	93.9322	
	S	115.840	78.643	82.693	102.795	56.290	97.994	79.305	67.964	98.981	114.438	89.926	79.133	84.860	88.149	
11	T	2.6695	13.3601	48.0841	9.2958	38.7883	11.7050	15.3870	9.8611	5.5259	8.1076	8.3671	7.5500	12.7965	128.0269	
	S	113.913	77.674	28.289	103.272	10.318	88.657	77.678	65.893	98.709	111.259	85.563	79.741	83.226	64.674	
12	T			16.9310	9.4825	7.4485	10.8179	15.4539	9.9074	5.5465	7.9397	8.0740			442.5765	347.8273
	S			80.339	101.239	53.733	95.927	77.341	65.585	98.342	113.612	88.668			18.709	2.513

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SPO to SF	SF to PI
1	T	99.5524
	S	79.515
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	86.0361
	S	88.750
6	T	95.3794
	S	82.994
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	128.6247
	S	59.364
12	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.1830	14.2405	17.6565	10.1123	7.5442	11.0898	16.0589	10.1278	5.9311	8.6660	8.5672	8.0227	13.2574	100.7420	629.1290
	S	95.536	72.872	77.038	94.934	53.051	93.575	74.428	64.157	91.965	104.090	83.564	75.043	80.332	82.190	1.389
2	T	2.9766	14.5788	18.2486	10.4211	7.8275	11.3726	16.2105	10.4149	5.7956	9.0981	8.7464	8.0662	13.3826	102.6804	
	S	102.160	71.181	74.539	92.121	51.131	91.248	73.732	62.389	94.115	99.147	81.852	74.638	79.581	80.639	
3	T	3.0120	14.8155	18.3233	10.5647	7.7586	11.1787	15.9126	10.0849	5.8277	8.9703	8.7133	8.1648	13.4061	102.4966	
	S	100.960	70.043	74.235	90.869	51.585	92.831	75.112	64.430	93.597	100.559	82.163	73.737	79.441	80.783	
4	T			18.3660	10.3376	8.0284	10.9921	15.9568	10.2335	5.7233	8.8731	8.7947			244.4427	144.6493
	S			74.062	92.865	49.851	94.407	74.904	63.495	95.304	101.661	81.402			33.873	6.043
5	T	2.9634	14.4825	17.7673	9.9830	7.7843	10.8679	16.1121	10.3168	5.7953	8.9511	8.9389	8.1210	13.2427	101.4469	
	S	102.616	71.654	76.558	96.163	51.415	95.486	74.182	62.982	94.120	100.775	80.089	74.134	80.422	81.619	
6	T	2.9417	14.6305	18.0867	9.8971	8.1896	10.9980	16.1713	10.4979	5.6734	8.9022	9.0775	8.0489	13.1429	101.9997	
	S	103.373	70.929	75.206	96.998	48.870	94.356	73.910	61.895	96.142	101.328	78.866	74.798	81.032	81.177	
7	T															268.7394
	S															3.253

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SPO to SF	SF to PI
1	T 104.2542	
	S 75.929	
2	T	
	S	
3	T	100.7301
	S	75.803
4	T 101.3527	
	S 78.103	
5	T	
	S	
6	T	101.9798
	S	74.874
7	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.7791	13.4078	16.4860	9.5737	6.9123	10.3440	14.7857	9.3192	5.4665	7.9015	7.7603	7.4961	12.5592	93.5197	712.6623
	S	109.421	77.397	82.508	100.275	57.901	100.322	80.837	69.724	99.781	114.161	92.253	80.314	84.798	88.537	1.227
2	T	2.7880	13.2478	16.2409	9.4560	6.7849	10.3152	14.7638	9.3189	5.4449	7.9294	8.0988	7.0429	12.1760	92.6028	
	S	109.071	78.332	83.753	101.523	58.988	100.602	80.957	69.726	100.177	113.760	88.397	85.483	87.467	89.414	
3	T	2.7722	14.0800	17.2006	9.7328	7.4678	10.4523	15.4163	9.9165	5.4998	8.4152	8.4736	7.4431	13.0369	97.2902	
	S	109.693	73.702	79.080	98.636	53.594	99.282	77.530	65.524	99.177	107.192	84.487	80.886	81.691	85.106	
4	T	2.7994	14.3100	17.0921	9.6922	7.3999	10.6821	15.4345	9.9391	5.4954	8.3370	8.2088	7.6578	13.0310	97.5527	
	S	108.627	72.518	79.582	99.049	54.085	97.146	77.439	65.375	99.257	108.198	87.212	78.619	81.728	84.877	
5	T	2.8488	14.2287	17.0543	9.7876	7.2667	10.5203	15.1991	9.7072	5.4919	8.6268	8.4486	7.4828	13.0137	97.4231	
	S	106.744	72.932	79.759	98.083	55.077	98.640	78.638	66.937	99.320	104.563	84.737	80.457	81.837	84.990	
6	T	2.7522	13.8135	16.6553	9.4837	7.1716	10.3964	15.4659	9.9588	5.5071	8.6319	8.7809	7.6500	12.8958	97.0419	
	S	110.490	75.124	81.669	101.226	55.807	99.816	77.281	65.246	99.046	104.501	81.530	78.699	82.585	85.324	
7	T	2.8069	14.2853	17.6082	9.8687	7.7395	10.6635	15.9647	10.3928	5.5719	8.8787	8.7911	7.9377	13.1130	100.0491	
	S	108.337	72.643	77.250	97.277	51.712	97.316	74.867	62.521	97.894	101.597	81.436	75.846	81.217	82.759	
8	T			17.9354	10.0993	7.8361	10.9970	15.9864	10.3824	5.6040	8.6712	8.7470			209.5428	110.1891
	S			75.840	95.056	51.075	94.365	74.765	62.584	97.333	104.028	81.846			39.515	7.933
9	T															278.3076
	S															3.141

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SPO to SF	SF to PI
1	T	98.5513
	S	80.323
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	99.7363
	S	76.559
8	T	
	S	
9	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 21 - Lloyd, Jordan

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.9291	14.1764	16.5033	9.5291	6.9742	10.5332	15.1009	9.6636	5.4373	8.2036	8.5280	7.7156	12.7899	96.4800	
	S	103.817	73.201	82.422	100.744	57.387	98.520	79.149	67.239	100.317	109.957	83.948	78.030	83.269	85.821	
2	T			16.4467	9.6580	6.7887	10.4131	14.7539	9.3643	5.3896	7.7000	7.5905			281.2956	190.9614
	S			82.705	99.399	58.955	99.656	81.011	69.388	101.205	117.149	94.316			29.435	4.577
3	T	2.5943	12.5952	15.5924	9.1932	6.3992	10.1222	14.3089	8.9679	5.3410	7.6160	7.2121	6.8773	11.6504	88.5688	
	S	117.215	82.391	87.237	104.425	62.543	102.520	83.530	72.455	102.126	118.441	99.265	87.541	91.413	93.487	
4	T	2.5956	12.4413	15.4216	8.9961	6.4255	10.1147	14.3193	8.9816	5.3377	7.5994	7.4475	6.6872	11.6047	88.2313	
	S	117.156	83.410	88.203	106.713	62.287	102.596	83.470	72.345	102.189	118.700	96.127	90.030	91.773	93.844	
5	T	2.7351	12.9288	16.3334	9.3166	7.0168	10.5547	14.8460	9.4579	5.3881	7.8271	7.9709	7.5534	12.2132	92.9626	
	S	111.181	80.265	83.279	103.042	57.038	98.319	80.508	68.702	101.233	115.246	89.815	79.705	87.201	89.068	
6	T	2.8556	13.6487	16.6206	9.4194	7.2012	10.5070	15.0627	9.6471	5.4156	7.8197	8.1784	7.3654	12.6487	94.7068	
	S	106.489	76.031	81.840	101.917	55.578	98.765	79.350	67.354	100.719	115.356	87.537	81.740	84.198	87.428	
7	T	2.7455	13.7718	16.3960	9.3968	6.9992	10.3597	14.8734	9.4490	5.4244	7.9221	8.1373	7.3141	12.7627	94.2826	
	S	110.760	75.352	82.961	102.162	57.182	100.170	80.360	68.766	100.556	113.864	87.979	82.313	83.446	87.821	
8	T	2.7898	13.9212	17.1254	10.0178	7.1076	11.3805	15.6133	9.9534	5.6599	8.8171	9.0213	7.6477	12.9413	99.2576	
	S	109.001	74.543	79.427	95.829	56.310	91.185	76.552	65.281	96.372	102.306	79.358	78.722	82.295	83.419	
9	T			17.7712	10.1921	7.5791	10.8089	15.9235	10.2466	5.6769	8.3887	8.6683			199.5433	99.5025
	S			76.541	94.191	52.807	96.007	75.061	63.413	96.083	107.531	82.589			41.495	8.785
10	T	2.8137	13.8771	17.0070	9.4072	7.5998	10.7026	15.5833	10.0281	5.5552	8.1726	8.3849	7.7504	13.1069	97.3985	
	S	108.075	74.780	79.980	102.049	52.663	96.960	76.699	64.795	98.188	110.374	85.381	77.679	81.255	85.012	
11	T	2.7535	13.8427	16.8981	9.3950	7.5031	11.0573	16.5769	10.5754	6.0015	9.2014	9.2274	7.6532	12.8292	100.0397	
	S	110.438	74.966	80.496	102.182	53.342	93.850	72.103	61.442	90.886	98.034	77.585	78.666	83.014	82.767	
12	T															75.6346
	S															11.657

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 21 - Lloyd, Jordan

Lap	T/SPO to SF	SF to PI
1	T 98.3146	93.9580
	S 80.516	81.267
2	T 90.8784	
	S 87.104	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	98.4003
	S	77.598
9	T 101.1664	
	S 78.246	
10	T	
	S	
11	T	100.0128
	S	76.347
12	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 22 - Rickards, Garth

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.1937	15.1247	17.0294	9.6990	7.3304	10.7519	16.2652	10.4152	5.8500	8.8453	8.4753	9.4719	14.6268	103.7842	
	S	95.216	68.611	79.875	98.979	54.598	96.516	73.484	62.387	93.240	101.980	84.470	63.561	72.812	79.781	
2	T			17.6613	10.2369	7.4244	11.1230	15.9174	10.2919	5.6255	8.4080	8.1340			286.9080	186.3800
	S			77.017	93.778	53.907	93.296	75.089	63.134	96.961	107.284	88.014			28.859	4.690
3	T	2.8096	13.4069	16.1221	9.4112	6.7109	10.2780	14.7820	9.3899	5.3921	7.8340	7.5994	7.4919	12.5233	92.8472	
	S	108.233	77.402	84.370	102.006	59.638	100.966	80.857	69.199	101.158	115.145	94.206	80.360	85.041	89.179	
4	T	2.7013	13.1270	15.8394	9.2642	6.5752	10.2217	14.5343	9.1620	5.3723	7.8203	8.6720	7.0071	12.0496	91.9727	
	S	112.572	79.053	85.876	103.625	60.869	101.522	82.235	70.920	101.531	115.347	82.554	85.919	88.385	90.027	
5	T	3.0676	14.8496	18.3996	10.4080	7.9916	11.0742	16.4364	10.5923	5.8441	9.1611	9.6390	8.0984	13.8035	104.5294	
	S	99.130	69.883	73.927	92.237	50.081	93.707	72.718	61.344	93.334	98.465	74.272	74.341	77.154	79.212	
6	T			17.9033	10.2354	7.6679	10.8401	15.7645	10.1661	5.5984	8.3650	8.7629			206.6210	102.5602
	S			75.976	93.792	52.195	95.730	75.818	63.916	97.430	107.836	81.698			40.073	8.523
7	T	2.7755	13.7419	16.7436	9.5391	7.2045	10.5065	15.2648	9.7428	5.5220	8.7802	8.7628	7.5609	12.9887	97.1249	
	S	109.563	75.516	81.239	100.638	55.552	98.770	78.300	66.693	98.778	102.736	81.699	79.626	81.994	85.251	
8	T	2.7201	13.8089	16.8765	9.4737	7.4028	10.5369	15.5308	9.9195	5.6113	8.5242	8.6647	7.7929	12.8682	97.3232	
	S	111.794	75.149	80.599	101.333	54.064	98.485	76.959	65.505	97.206	105.822	82.624	77.256	82.762	85.077	
9	T	2.8287	14.1040	16.9538	9.4910	7.4628	10.6253	15.6196	10.0481	5.5715	8.5755	8.5770	8.2542	13.1604	98.6985	
	S	107.502	73.577	80.231	101.148	53.630	97.666	76.521	64.666	97.901	105.189	83.468	72.938	80.925	83.892	
10	T	2.8377	14.1905	17.1937	9.4971	7.6966	10.5542	15.7213	10.1248	5.5965	8.4530	8.9930	8.0439	13.4610	99.4483	
	S	107.161	73.128	79.112	101.083	52.001	98.324	76.026	64.176	97.464	106.713	79.607	74.845	79.117	83.259	
11	T															112.6091
	S															7.763

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 22 - Rickards, Garth

Lap	T/SPO to SF	SF to PI
1	T 112.1492	100.2415
	S 70.584	76.173
2	T 99.9872	
	S 79.169	
3	T	
	S	
4	T	
	S	
5	T	105.2795
	S	72.528
6	T 101.9584	
	S 77.639	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	100.6715
	S	75.848
11	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 2

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 23 - Luo, Yufeng

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.9451	14.0464	16.5449	9.5149	7.0300	10.4974	14.8951	9.5279	5.3672	7.8935	7.8740	7.5309	12.7040	94.9313	
	S	103.253	73.879	82.214	100.894	56.931	98.856	80.243	68.197	101.627	114.277	90.921	79.943	83.832	87.221	
2	T	2.8068	13.4377	16.3249	9.4491	6.8758	10.3266	14.7789	9.4089	5.3700	7.6459	7.2504	7.0715	12.5949	92.2376	
	S	108.341	77.225	83.322	101.597	58.208	100.491	80.874	69.059	101.574	117.978	98.741	85.137	84.558	89.768	
3	T	2.6925	12.9201	16.0871	9.3699	6.7172	10.1639	14.6079	9.2499	5.3580	7.6553	7.6020	6.8446	11.8965	90.4699	
	S	112.940	80.319	84.554	102.456	59.582	102.099	81.821	70.246	101.802	117.833	94.174	87.959	89.522	91.522	
4	T	2.5777	12.4846	15.7243	9.1868	6.5375	10.0421	14.3543	9.0275	5.3268	7.6647	7.3633	7.2190	11.8971	89.3271	
	S	117.970	83.121	86.505	104.498	61.220	103.338	83.266	71.977	102.398	117.688	97.227	83.397	89.518	92.693	
5	T	2.5594	12.3432	15.5797	9.1368	6.4429	9.9931	14.2497	8.9060	5.3437	7.6089	6.9373	6.8684	11.8482	87.9879	
	S	118.813	84.073	87.308	105.070	62.119	103.844	83.877	72.959	102.074	118.551	103.197	87.654	89.887	94.104	
6	T	2.5436	12.4532	15.5193	9.0996	6.4197	10.3249	15.2410	9.8633	5.3777	7.6217	7.0418	6.7361	11.7120	89.1936	
	S	119.551	83.330	87.647	105.499	62.344	100.507	78.422	65.878	101.429	118.352	101.666	89.376	90.932	92.832	
7	T	2.5817	12.4446	15.8826	9.1350	6.7476	10.1427	14.5017	9.1681	5.3336	7.7059	7.9973	6.9036	12.0090	90.1691	
	S	117.787	83.388	85.643	105.090	59.314	102.313	82.420	70.873	102.268	117.059	89.519	87.207	88.683	91.827	
8	T			16.9519	9.6607	7.2912	10.4555	15.5371	10.0797	5.4574	7.8876	8.0289			225.0938	126.5348
	S			80.240	99.372	54.892	99.252	76.927	64.463	99.948	114.362	89.167			36.785	6.908
9	T	2.7725	13.4644	16.4922	9.4575	7.0347	10.3881	15.8653	10.4435	5.4218	7.8647	7.9284	7.1869	12.5946	94.5571	
	S	109.681	77.072	82.477	101.507	56.893	99.896	75.336	62.218	100.604	114.695	90.297	83.770	84.560	87.566	
10	T	2.6728	13.1560	16.7092	9.5039	7.2053	10.5481	15.3453	9.9251	5.4202	7.9039	7.6488	7.5587	12.3512	93.8940	
	S	113.772	78.879	81.406	101.011	55.546	98.380	77.889	65.468	100.634	114.127	93.598	79.649	86.226	88.185	
11	T	2.6767	13.3009	16.7335	9.4628	7.2707	10.3116	15.3388	9.8768	5.4620	7.8040	7.8362	7.2998	12.4854	93.7869	
	S	113.607	78.019	81.288	101.450	55.047	100.637	77.922	65.788	99.864	115.588	91.359	82.474	85.300	88.285	
12	T	2.6511	13.6527	17.0342	9.5074	7.5268	10.3307	17.0334	11.5920	5.4414	8.2831	8.3010	7.6233	12.9192	97.8287	
	S	114.704	76.009	79.853	100.974	53.174	100.451	70.170	56.054	100.242	108.902	86.244	78.974	82.435	84.638	
13	T	2.5988	317.8939	22.6693	13.9933	8.6760	17.4620	21.6126	12.9544	8.6582	12.2735	9.9896	7.7290	12.9660	425.1947	
	S	117.012	3.264	60.003	68.604	46.130	59.428	55.302	50.158	62.999	73.495	71.665	77.894	82.138	19.473	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 23 - Luo, Yufeng

Lap	T/SPO to SF	SF to PI
1	T	96.4424
	S	82.079
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	94.4884
	S	80.811
8	T	95.1086
	S	83.230
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	432.5872
	S	17.651

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 3 - Lastochkin, Nikita

Lap	T/SPI to PO	
1	T	1715.0595
	S	0.510

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 33 - Agren, Ayla

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.0174	15.7867	18.1370	10.2102	7.9268	10.9318	15.7916	10.1202	5.6714	8.6786	8.5148	8.6733	13.5915	103.1227	
	S	100.779	65.734	74.997	94.024	50.490	94.927	75.688	64.206	96.176	103.939	84.078	69.414	78.358	80.293	
2	T	2.8574	14.1068	16.9822	9.6433	7.3389	10.5776	15.4264	9.8852	5.5412	8.4077	8.4043	7.9830	13.2689	98.0143	
	S	106.422	73.562	80.097	99.551	54.535	98.106	77.479	65.732	98.436	107.288	85.184	75.416	80.263	84.477	
3	T	2.8247	14.4841	17.1026	9.6470	7.4556	10.6627	16.0190	10.1910	5.8280	8.9368	8.9065	7.7764	13.1678	99.8806	
	S	107.654	71.646	79.533	99.513	53.681	97.323	74.613	63.759	93.592	100.936	80.381	77.420	80.879	82.899	
4	T	3.2251	15.0991	17.6218	9.9792	7.6426	10.7326	15.8571	10.3251	5.5320	8.5319	8.8474	7.8639	13.2380	101.0169	
	S	94.289	68.728	77.190	98.200	52.368	98.689	75.375	62.931	98.600	105.726	80.917	76.558	80.450	81.966	
5	T															211.1829
	S															4.139

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 33 - Agren, Ayla

Lap	T/SPO to SF	SF to PI
1	T	105.2669
	S	75.198
2	T	
	S	
3	T	
	S	
4	T	101.6172
	S	75.142
5	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.8980	14.8660	17.5238	9.9271	7.5967	10.8762	17.2979	10.3542	6.9437	8.5426	8.7120	8.2408	13.3243	102.2816	
	S	104.931	69.805	77.622	96.705	52.684	95.413	69.097	62.755	78.554	105.594	82.175	73.057	79.929	80.953	
2	T	2.8193	14.1073	17.0091	9.5963	7.4128	10.7447	15.9055	10.2332	5.6723	8.6143	8.8677	8.0866	13.0834	99.2379	
	S	107.860	73.560	79.971	100.039	53.991	96.580	75.146	63.497	96.161	104.715	80.732	74.450	81.401	83.436	
3	T	2.7136	14.1260	17.5809	9.8002	7.7807	10.5937	16.0246	10.4050	5.6196	8.4755	8.6842	8.2403	13.2306	99.6694	
	S	112.062	73.462	77.370	97.957	51.438	97.957	74.587	62.448	97.063	106.430	82.438	73.061	80.495	83.075	
4	T															298.7077
	S															2.926

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SPO to SF	SF to PI
1	T	107.1590
	S	73.871
2	T	
	S	
3	T	99.3767
	S	76.836
4	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 2

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 6 - Hanratty, Max

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.0004	14.2324	17.1196	9.9282	7.1914	10.9559	16.1106	10.0475	6.0631	9.2108	8.6964	8.8220	13.4332	101.5813	196.3847
	S	101.350	72.913	79.454	96.694	55.654	94.719	74.189	64.670	89.963	97.933	82.322	68.244	79.281	81.511	4.451
2	T	2.8378	13.3683	16.5772	9.6099	6.9673	10.9526	15.5495	9.7570	5.7925	8.7429	8.5317	8.0407	12.4390	97.0397	
	S	107.157	77.626	82.054	99.897	57.444	94.747	76.866	66.596	94.166	103.175	83.912	74.875	85.618	85.326	
3	T			19.9483	11.4056	8.5427	12.1037	16.4286	10.4801	5.9485	8.9924	9.5361			328.8194	213.2115
	S			68.188	84.169	46.850	85.736	72.753	62.001	91.696	100.312	75.074			25.181	4.100
4	T	3.0933	15.6780	19.6734	11.0630	8.6104	13.4488	17.9138	11.4615	6.4523	10.2746	10.7177	9.4036	14.1253	114.3285	
	S	98.306	66.190	69.140	86.776	46.482	77.161	66.721	56.692	84.536	87.794	66.797	64.023	75.397	72.423	
5	T			18.5203	10.8006	7.7197	11.5759	16.5334	10.5310	6.0024	9.1981	8.8978			296.6115	186.7786
	S			73.445	88.884	51.845	89.645	72.292	61.701	90.873	98.069	80.459			27.915	4.680
6	T	2.9384	14.3587	17.6122	10.1371	7.4751	11.0785	16.3704	10.4045	5.9659	9.0561	8.7574	8.2580	12.9601	101.3898	
	S	103.489	72.272	77.232	94.702	53.541	93.670	73.011	62.451	91.429	99.606	81.749	72.905	82.175	81.665	
7	T	2.9508	15.1051	17.4924	9.9585	7.5339	10.8584	16.0192	10.1572	5.8620	8.9224	8.7554	7.9955	13.1280	101.2272	
	S	103.054	68.700	77.761	96.400	53.124	95.569	74.612	63.972	93.049	101.099	81.768	75.298	81.124	81.796	
8	T	2.9307	14.8513	17.9522	10.1102	7.8420	11.1618	16.3762	10.4239	5.9523	9.3221	9.7668	8.1608	13.0449	103.5668	
	S	103.761	69.875	75.769	94.954	51.036	92.971	72.986	62.335	91.638	96.764	73.300	73.773	81.641	79.948	
9	T	3.3884	16.3361	18.5450	10.5458	7.9992	11.2648	16.7965	10.5541	6.2424	9.9577	9.7011	8.0881	13.0618	107.1395	
	S	89.745	63.524	73.347	91.032	50.033	92.121	71.159	61.566	87.379	90.588	73.797	74.436	81.535	77.282	
10	T															35.4267
	S															24.673

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 6 - Hanratty, Max

Lap	T/SPO to SF	SF to PI
1	T 109.7111	
	S 72.152	
2	T	102.9442
	S	74.173
3	T 112.7526	
	S 70.206	
4	T	116.1971
	S	65.713
5	T 105.6535	
	S 74.923	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T 111.3735	
	S 68.559	
10	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 2

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.8093	13.6214	17.1925	9.9321	7.2604	10.6870	15.0613	9.5298	5.5315	8.2606	7.6816	7.5750	12.4477	95.3364	
	S	108.244	76.184	79.117	96.656	55.125	97.102	79.358	68.183	98.609	109.199	93.198	79.478	85.558	86.850	
2	T	2.7326	12.9024	16.2091	9.5054	6.7037	10.3315	14.4876	9.0472	5.4404	7.9608	7.3798	7.0479	11.8904	90.9421	
	S	111.283	80.429	83.918	100.995	59.702	100.443	82.500	71.820	100.260	113.311	97.009	85.422	89.568	91.047	
3	T	2.6912	12.5044	15.8933	9.3365	6.5568	10.1832	14.2513	8.8624	5.3889	7.7183	7.0799	7.3516	12.0317	89.7049	
	S	112.995	82.989	85.585	102.822	61.040	101.906	83.868	73.318	101.218	116.871	101.119	81.893	88.516	92.303	
4	T	2.5527	12.2210	15.7053	9.2082	6.4971	10.2248	14.7493	9.3339	5.4154	7.8207	7.2361	6.7238	11.5579	88.7916	
	S	119.125	84.913	86.609	104.255	61.601	101.491	81.036	69.614	100.723	115.341	98.936	89.539	92.145	93.252	
5	T	2.6596	12.7661	16.3564	9.3029	7.0535	10.6063	14.9351	9.4587	5.4764	8.3098	8.2730	6.9453	11.9396	92.7912	
	S	114.337	81.288	83.162	103.194	56.742	97.841	80.028	68.696	99.601	108.552	86.536	86.684	89.199	89.233	
6	T														982.4716	
	S														0.890	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SPO to SF	SF to PI
1	T	100.1831
	S	79.014
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	95.8891
	S	79.630
6	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 8 - Martin, Anthony

Lap	T/SPI to PO	
1	T	1822.9765
	S	0.479

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 2

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 80 - Megennis, Robert (R)

Lap	T/S	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	PI to PO
1	T	18.2951	10.7217	7.5734	10.7980	15.4431	9.9044	5.5387	8.4828	9.1746	1047.1401
	S	74.349	89.538	52.846	96.104	77.396	65.604	98.481	106.338	78.032	0.835

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 81 - Cane, Jordan (R)

Lap	T/S	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	PI to PO
1	T	17.9133	10.3639	7.5494	10.8746	15.5702	9.9836	5.5866	8.4197	9.7838	1050.0628
	S	75.934	92.629	53.014	95.427	76.764	65.084	97.636	107.135	73.173	0.832

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 82 - Fischer, TJ (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.9800	14.6351	17.7409	10.0316	7.7093	11.0121	15.6017	10.0758	5.5259	9.0135	9.1466	8.9035	13.8463	102.8797	
	S	102.044	70.907	76.672	95.698	51.915	94.235	76.609	64.488	98.709	100.077	78.271	67.619	76.916	80.482	
2	T															954.9493
	S															0.915

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 82 - Fischer, TJ (R)

Lap		T/SPO to SF	SF to PI
1	T	101.5489	99.9664
	S	77.952	76.382
2	T		
	S		

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 83 - Munro, James (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO
1	T	2.8976	14.5979	17.8310	9.9856	7.8454	11.0570	15.3409	9.8447	5.4962	8.3379	8.7560	7.7965	13.6415	100.2563
	S	104.946	71.087	76.284	96.138	51.014	93.853	77.911	66.002	99.242	108.186	81.762	77.220	78.071	82.588
2	T														932.4881
	S														0.937

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 83 - Munro, James (R)

Lap	T/SPO to SF	SF to PI	
1	T	99.4967	99.5753
	S	79.560	76.682
2	T		
	S		

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Practice 2

Round 3/4
2.3 mile(s)
USF2000
April 21, 2016



Section Data for Car 9 - Franzoni, Victor

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6501	12.7252	16.0002	9.2909	6.7093	10.3678	14.5490	9.1109	5.4381	7.7141	7.2647	7.3591	12.3319	90.9621	
	S	114.747	81.549	85.013	103.327	59.653	100.091	82.152	71.318	100.302	116.935	98.546	81.810	86.361	91.027	
2	T	2.6193	12.7639	16.0063	9.2745	6.7318	10.3694	14.6000	9.1749	5.4251	7.7127	7.3549	7.0770	12.1643	90.6678	
	S	116.096	81.302	84.981	103.510	59.453	100.076	81.865	70.821	100.543	116.956	97.338	85.071	87.551	91.322	
3	T			17.3451	10.0771	7.2680	10.6580	14.9300	9.4600	5.4700	7.9842	8.3731			335.0187	238.7738
	S			78.421	95.266	55.067	97.366	80.055	68.686	99.717	112.979	85.501			24.715	3.661
4	T	2.8164	14.1901	17.6353	9.7169	7.9184	10.9588	15.5824	10.0705	5.5119	8.5913	9.3769	7.9217	13.3131	100.3860	
	S	107.971	73.130	77.131	98.797	50.544	94.694	76.704	64.522	98.959	104.995	76.348	76.000	79.996	82.482	
5	T			16.5958	9.4405	7.1553	10.3269	14.7275	9.2655	5.4620	7.9286	7.7148			228.4480	135.6126
	S			81.962	101.690	55.934	100.488	81.156	70.128	99.864	113.771	92.797			36.245	6.445
6	T	2.6674	13.6281	16.7733	9.5240	7.2493	10.3938	15.1956	9.6374	5.5582	8.2839	7.9950	7.5062	12.3958	94.8391	
	S	114.003	76.146	81.095	100.798	55.209	99.841	78.656	67.422	98.135	108.891	89.545	80.206	85.916	87.306	
7	T	2.6616	13.4660	16.4417	9.2454	7.1963	10.2878	14.9987	9.5302	5.4685	8.1105	8.1754	7.6297	12.5799	94.3513	
	S	114.251	77.063	82.730	103.835	55.616	100.870	79.689	68.180	99.745	111.219	87.569	78.908	84.659	87.757	
8	T	2.6244	13.3691	16.8221	9.3882	7.4339	10.3073	15.0262	9.5614	5.4648	8.0775	8.0992	7.6654	12.7508	94.7420	
	S	115.871	77.621	80.860	102.256	53.838	100.679	79.543	67.958	99.812	111.674	88.393	78.541	83.524	87.395	
9	T	2.5973	13.5381	17.2525	9.6824	7.5701	10.4897	15.3053	9.8194	5.4859	8.0986	8.0966	7.6033	12.7401	95.7215	
	S	117.080	76.652	78.842	99.149	52.869	98.928	78.092	66.172	99.428	111.383	88.421	79.182	83.594	86.501	
10	T	3.1798	15.0388	18.2019	10.5426	7.6593	10.8411	15.5959	9.9717	5.6242	9.1771	9.8269	7.7290	13.5914	103.1819	
	S	95.632	69.003	74.730	91.059	52.254	95.722	76.637	65.162	96.983	98.293	72.852	77.894	78.358	80.247	
11	T															37.1613
	S															23.523

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 9 - Franzoni, Victor

Lap	T/SPO to SF	SF to PI
1	T	93.8093
	S	84.383
2	T	92.4607
	S	82.583
3	T	96.4455
	S	82.077
4	T	99.4541
	S	76.776
5	T	92.4345
	S	85.638
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	108.0603
	S	70.661
11	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 91 - Gabin, Luke

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.9217	14.1469	16.5832	9.4762	7.1070	10.5124	14.9051	9.4822	5.4229	8.0187	7.8538	8.5540	13.4059	96.9017	
	S	104.080	73.354	82.024	101.306	56.315	98.715	80.189	68.526	100.584	112.493	91.154	70.382	79.443	85.447	
2	T	2.6341	13.0406	15.9284	9.1480	6.7804	10.2356	14.7109	9.3387	5.3722	7.9946	7.6425	7.4163	12.3336	91.9366	
	S	115.444	79.577	85.396	104.941	59.027	101.384	81.248	69.578	101.533	112.832	93.675	81.179	86.349	90.062	
3	T	2.5948	12.5471	15.7737	9.0950	6.6787	10.1305	14.4184	9.0702	5.3482	7.6741	7.2719	7.0242	12.0077	89.4424	
	S	117.192	82.707	86.234	105.553	59.926	102.436	82.896	71.638	101.988	117.544	98.449	85.710	88.693	92.574	
4	T	2.5733	12.2675	15.5008	9.0337	6.4671	10.0847	14.0769	8.7556	5.3213	7.6009	7.0294	6.7422	11.9423	87.8180	
	S	118.172	84.592	87.752	106.269	61.887	102.901	84.907	74.212	102.504	118.676	101.845	89.295	89.179	94.286	
5	T	2.5311	12.3441	15.4117	8.9566	6.4551	10.0606	14.0472	8.7366	5.3106	7.5991	7.0192	6.6115	11.6925	87.3170	
	S	120.142	84.067	88.259	107.184	62.002	103.148	85.087	74.374	102.711	118.704	101.993	91.060	91.084	94.827	
6	T	2.5361	12.4045	15.5092	8.9929	6.5163	10.0933	14.1255	8.8233	5.3022	7.7818	8.9191	6.6285	11.7993	89.7973	
	S	119.905	83.657	87.705	106.751	61.419	102.813	84.615	73.643	102.873	115.917	80.267	90.827	90.260	92.208	
7	T															1109.6356
	S															0.788

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 91 - Gabin, Luke

Lap	T/SPO to SF	SF to PI
1	T	100.9618
	S	78.405
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	90.7518
	S	84.138
7	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Practice 2

Round 3/4
 2.3 mile(s)
 USF2000
 April 21, 2016



Section Data for Car 92 - Das, Cameron (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.8577	13.8240	16.6923	9.5187	7.1736	10.5200	14.7911	9.3787	5.4124	7.9020	7.9027	8.2148	13.1364	95.8410	
	S	106.411	75.067	81.488	100.854	55.792	98.643	80.807	69.282	100.779	114.154	90.590	73.288	81.072	86.393	
2	T	2.7173	13.4001	15.9491	9.3009	6.6482	10.2908	14.4656	9.1077	5.3579	7.7003	7.7518	7.2108	12.1961	91.6819	
	S	111.909	77.442	85.286	103.216	60.201	100.840	82.625	71.343	101.804	117.144	92.354	83.492	87.323	90.312	
3	T	2.6621	12.6692	15.6620	9.1663	6.4957	10.1671	14.1254	8.7947	5.3307	7.6172	7.3718	7.0070	11.7628	89.0446	
	S	114.230	81.909	86.849	104.731	61.614	102.067	84.615	73.882	102.323	118.422	97.115	85.921	90.540	92.987	
4	T	2.6074	12.2178	15.3836	9.0564	6.3272	10.0863	14.0030	8.6899	5.3131	7.5641	7.1650	6.8977	11.4487	87.3736	
	S	116.626	84.936	88.421	106.002	63.255	102.885	85.355	74.773	102.662	119.254	99.918	87.282	93.024	94.765	
5	T	2.5910	12.1654	15.4013	9.0731	6.3282	10.0524	14.0102	8.7121	5.2981	7.5347	7.1232	6.6706	11.4467	86.9955	
	S	117.364	85.302	88.319	105.807	63.245	103.232	85.311	74.583	102.953	119.719	100.504	90.254	93.040	95.177	
6	T			17.4347	10.1300	7.3047	10.6399	15.0332	9.4753	5.5579	8.2735	8.6995			196.8645	102.0656
	S			78.018	94.768	54.790	97.532	79.506	68.575	98.140	109.028	82.293			42.059	8.564
7	T	2.9785	14.9263	17.4434	9.7946	7.6488	11.0254	15.7823	9.9907	5.7916	8.4678	8.4919	8.1090	13.2584	100.4830	
	S	102.095	69.523	77.979	98.013	52.325	94.122	75.732	65.038	94.180	106.527	84.305	74.244	80.326	82.402	
8	T			19.3349	11.1365	8.1984	11.3496	16.2765	10.4826	5.7939	8.7328	8.7480			517.2045	411.2582
	S			70.351	86.203	48.818	91.433	73.433	61.986	94.143	103.294	81.837			16.009	2.125
9	T	3.0265	14.9807	17.7993	10.0931	7.7062	10.9248	16.3109	10.2973	6.0136	10.0554	9.7153	7.9237	13.5386	104.2752	
	S	100.478	69.271	76.420	95.114	51.938	94.988	73.278	63.101	90.703	89.708	73.689	75.980	78.664	79.405	
10	T			17.6934	10.1987	7.4947	10.8407	15.8252	10.1200	5.7052	8.5323	8.2214			376.3423	272.3703
	S			76.878	94.130	53.401	95.725	75.527	64.207	95.607	105.721	87.079			22.001	3.209

Event: Cooper Tires USF2000 GP of Alabama

Round 3/4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 2

April 21, 2016

Section Data for Car 92 - Das, Cameron (R)

Lap	T/SPO to SF	SF to PI
1	T	100.1660
	S	79.028
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	87.1664
	S	87.599
6	T	97.8781
	S	80.875
7	T	98.3274
	S	77.656
8	T	108.1968
	S	73.162
9	T	108.5734
	S	70.327
10	T	
	S	

Report Support Information

Section Legend	
Name	Length
SF to I1	0.084470 miles
I1 to I2	0.288258 miles
I2 to I3	0.377841 miles
I2 to I3A	0.266667 miles
I3A to I3	0.111174 miles
I3 to I4	0.288258 miles
I4 to I5	0.332008 miles
I4 to I5A	0.180492 miles
I5A to I5	0.151515 miles
I5 to I6	0.250568 miles
I6 to I7	0.198864 miles
I7 to I8	0.167235 miles
I8 to SF	0.295833 miles
Lap	2.300000 miles
PI to PO	0.242803 miles
PO to SF	2.198864 miles
SF to PI	2.121023 miles
PO to I2	0.280871 miles
I7 to PI	0.304419 miles
PO to PI	1.903030 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
T	Section Time Data
S	Section Speed Data

