

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0460	14.7975	16.8696	9.8770	6.9926	10.8960	15.1507	9.6960	5.4547	7.8159	7.5312	7.0237	11.9887	95.1193	128.7085
	S	99.833	70.129	80.632	97.196	57.236	95.239	78.889	67.015	99.997	115.412	95.059	85.716	88.834	87.049	61.503
2	T	2.6372	13.2503	16.0171	9.2734	6.7437	10.3435	14.4404	8.9937	5.4467	8.0257	7.1623	6.9768	11.6004	90.4537	
	S	115.308	78.317	84.923	103.522	59.348	100.327	82.770	72.248	100.144	112.395	99.955	86.292	91.807	91.539	
3	T	2.5981	12.4205	15.8105	9.3047	6.5058	10.3424	14.4210	8.9712	5.4498	7.7408	7.1595	6.8898	11.6591	89.0417	
	S	117.044	83.550	86.033	103.174	61.519	100.337	82.881	72.429	100.087	116.531	99.994	87.382	91.345	92.990	
4	T	2.5995	12.3810	15.7472	9.2706	6.4766	10.2552	14.4164	8.9812	5.4352	7.7071	6.9969	6.8074	11.6674	88.5781	
	S	116.981	83.816	86.379	103.553	61.796	101.190	82.907	72.348	100.356	117.041	102.318	88.440	91.280	93.477	
5	T	2.5926	12.3398	15.8923	9.3626	6.5297	10.3226	14.3867	8.9339	5.4528	7.7417	7.1731	6.8350	11.7145	88.9983	
	S	117.292	84.096	85.590	102.536	61.293	100.530	83.079	72.731	100.032	116.518	99.805	88.083	90.913	93.035	
6	T	2.6042	12.3611	15.8634	9.3905	6.4729	10.3663	14.3453	8.9051	5.4402	7.7217	7.0283	6.7968	11.5882	88.6753	
	S	116.769	83.951	85.746	102.231	61.831	100.106	83.318	72.966	100.264	116.820	101.861	88.578	91.904	93.374	
7	T	2.6002	12.3610	15.8646	9.3817	6.4829	10.3661	14.4155	8.9674	5.4481	7.7388	7.0216	6.7480	11.7323	88.8481	
	S	116.949	83.952	85.740	102.327	61.736	100.108	82.913	72.459	100.118	116.561	101.958	89.218	90.775	93.193	
8	T	2.5923	12.3261	15.7687	9.3283	6.4404	10.3463	14.4750	9.0110	5.4640	7.7709	7.0940	6.8194	11.6831	88.8758	
	S	117.305	84.189	86.261	102.913	62.143	100.299	82.572	72.109	99.827	116.080	100.918	88.284	91.157	93.164	
9	T	2.5955	12.4598	16.1286	9.3900	6.7386	10.3905	14.5590	9.0058	5.5532	8.2016	7.2475	6.8456	11.8677	90.2958	
	S	117.161	83.286	84.336	102.236	59.393	99.873	82.095	72.150	98.223	109.984	98.780	87.946	89.739	91.699	
10	T	2.6269	12.5337	15.7882	9.3383	6.4499	10.3387	14.4085	8.9670	5.4415	7.7872	7.1939	6.8020	11.7499	89.2290	
	S	115.760	82.795	86.155	102.802	62.052	100.373	82.953	72.463	100.240	115.837	99.516	88.510	90.639	92.795	
11	T	2.6549	12.7693	15.7709	9.3565	6.4144	10.3282	14.4911	9.0055	5.4856	7.7889	7.1930	6.8258	11.8699	89.6920	
	S	114.539	81.267	86.249	102.602	62.395	100.475	82.480	72.153	99.434	115.812	99.529	88.201	89.723	92.316	
12	T	2.6342	12.5860	15.9042	9.4435	6.4607	10.4319	14.5005	9.0221	5.4784	7.8002	7.2737	6.8436	11.8119	89.7862	
	S	115.440	82.451	85.526	101.657	61.948	99.476	82.427	72.020	99.565	115.644	98.424	87.972	90.163	92.219	
13	T	2.6408	13.0697	16.1038	9.6253	6.4785	10.4268	14.5308	9.0460	5.4848	7.8083	7.2352	6.8232	11.7717	90.4103	
	S	115.151	79.399	84.466	99.737	61.778	99.525	82.255	71.830	99.448	115.524	98.948	88.235	90.471	91.582	
14	T	2.6483	12.6142	15.8023	9.3718	6.4305	10.3787	14.4975	9.0182	5.4793	7.7863	7.2161	6.7679	11.7984	89.5097	
	S	114.825	82.267	86.078	102.435	62.239	99.986	82.444	72.051	99.548	115.850	99.210	88.956	90.266	92.504	
15	T	2.6257	12.5574	15.9591	9.4913	6.4678	10.6810	15.9498	9.3462	6.6036	8.7637	7.9403			210.1161	
	S	115.813	82.639	85.232	101.145	61.880	97.156	74.937	69.523	82.600	102.930	90.161			39.407	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SF to PI	
1	T	
	S	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	98.5146
	S	77.508

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1009	14.1053	23.8202	9.5036	7.7059	19.6354	14.7129	9.3445	5.3684	7.8107	7.5088	7.1955	11.7560	95.8391	131.7270
	S	98.065	73.570	57.104	101.014	51.938	52.850	81.237	69.535	101.605	115.488	95.343	83.670	90.592	86.395	60.093
2	T	2.5703	12.6665	15.3394	8.9669	6.3725	10.2574	14.4816	9.1105	5.3711	7.9610	7.2263	7.0406	11.4845	89.0276	
	S	118.310	81.927	88.675	107.060	62.805	101.169	82.534	71.321	101.554	113.308	99.070	85.511	92.734	93.005	
3	T	2.5928	12.3781	15.5515	8.9431	6.6084	10.2113	14.1018	8.7144	5.3874	7.6222	6.7125	6.6539	11.6245	87.4486	
	S	117.283	83.836	87.466	107.345	60.563	101.625	84.757	74.563	101.246	118.345	106.653	90.480	91.617	94.684	
4	T	2.5554	12.0445	15.3445	9.0308	6.3137	10.1342	13.9780	8.5996	5.3784	7.6090	6.7499	6.6713	11.4814	86.5682	
	S	118.999	86.158	88.646	106.303	63.390	102.399	85.508	75.558	101.416	118.550	106.062	90.244	92.759	95.647	
5	T	2.5288	11.9977	15.7174	9.2144	6.5030	10.1702	14.3117	8.9663	5.3454	7.5464	7.3434	7.1110	11.8501	88.5767	
	S	120.251	86.494	86.543	104.185	61.545	102.036	83.514	72.468	102.042	119.533	97.490	84.664	89.873	93.478	
6	T	2.5483	12.1785	15.4463	9.0318	6.4145	10.2023	14.1769	8.8112	5.3657	7.5590	6.8193	6.9002	11.5357	87.3665	
	S	119.331	85.210	88.062	106.291	62.394	101.715	84.308	73.744	101.656	119.334	104.983	87.250	92.322	94.773	
7	T	2.5376	12.0505	15.5662	9.0936	6.4726	10.1560	14.2514	8.8945	5.3569	7.5649	6.8341	6.6716	11.5431	87.1754	
	S	119.834	86.115	87.383	105.569	61.834	102.179	83.867	73.053	101.823	119.241	104.755	90.240	92.263	94.981	
8	T	2.5283	12.0860	15.6276	9.1689	6.4587	10.1665	14.1224	8.7542	5.3682	7.5982	6.7993	6.7594	11.5152	87.2029	
	S	120.275	85.862	87.040	104.702	61.967	102.073	84.633	74.224	101.608	118.718	105.292	89.068	92.486	94.951	
9	T	2.5328	12.1605	15.5760	9.1273	6.4487	10.1299	14.2123	8.8505	5.3618	7.5882	6.8874	6.8004	11.6654	87.5529	
	S	120.061	85.336	87.328	105.179	62.063	102.442	84.098	73.416	101.730	118.875	103.945	88.531	91.296	94.571	
10	T	2.5360	12.2450	15.8975	9.3870	6.5105	10.1422	14.1321	8.7685	5.3636	7.6087	6.7768	6.6987	11.6201	87.6571	
	S	119.910	84.747	85.562	102.269	61.474	102.318	84.575	74.103	101.696	118.554	105.641	89.875	91.652	94.459	
11	T	2.5425	12.1534	15.5408	9.0666	6.4742	10.1303	14.3291	8.9576	5.3715	7.6019	6.7756	6.7560	11.5795	87.4091	
	S	119.603	85.386	87.526	105.883	61.819	102.438	83.413	72.539	101.546	118.661	105.660	89.113	91.973	94.727	
12	T	2.5391	12.1447	15.5741	9.0510	6.5231	10.0986	14.1659	8.8082	5.3577	7.5797	6.9558	6.8436	11.5691	87.4706	
	S	119.763	85.447	87.339	106.066	61.355	102.760	84.374	73.769	101.808	119.008	102.923	87.972	92.056	94.660	
13	T	2.5424	12.1974	15.5885	9.0725	6.5160	10.1672	14.2295	8.8600	5.3695	7.6111	6.8387	6.8424	11.6004	87.6176	
	S	119.608	85.078	87.258	105.814	61.422	102.066	83.996	73.338	101.584	118.517	104.685	87.987	91.807	94.502	
14	T	2.5417	12.1665	15.5547	9.0716	6.4831	10.1246	14.2514	8.8786	5.3728	7.5773	6.9992	6.7733	11.6206	87.6093	
	S	119.641	85.294	87.448	105.825	61.734	102.496	83.867	73.184	101.521	119.046	102.284	88.885	91.648	94.511	
15	T	2.5346	12.1237	15.5354	9.0431	6.4923	10.0826	14.4776	9.0233	5.4543	7.6112	6.7851	6.7335	11.6158	87.4995	
	S	119.976	85.595	87.557	106.158	61.646	102.923	82.557	72.011	100.005	118.516	105.512	89.410	91.685	94.629	
16	T	2.5395	12.2341	16.2019	9.2319	6.9700	10.6679	14.4113	9.0107	5.4006	7.6457	6.9510	6.8406	11.6953	89.1873	
	S	119.744	84.823	83.955	103.987	57.421	97.276	82.937	72.111	100.999	117.981	102.994	88.011	91.062	92.838	
17	T	2.5744	12.2332	15.5438	9.0613	6.4825	10.1460	14.4031	8.9485	5.4546	7.6394	6.8011	7.0146	11.5608	87.9164	
	S	118.121	84.829	87.509	105.945	61.740	102.279	82.984	72.612	99.999	118.078	105.264	85.827	92.122	94.180	
18	T	2.5512	12.2567	15.5781	9.0951	6.4830	10.2516	14.2333	8.8370	5.3963	7.6317	6.8434	6.7058	11.9307	87.9825	
	S	119.195	84.666	87.317	105.551	61.735	101.226	83.974	73.529	101.079	118.197	104.613	89.780	89.266	94.110	
19	T	2.5841	12.9956	15.6452	9.1460	6.4992	10.2258	14.4369	9.0281	5.4088	7.6392	6.9183	6.8005	11.8948	89.1404	
	S	117.678	79.852	86.942	104.964	61.581	101.481	82.790	71.972	100.846	118.081	103.480	88.530	89.535	92.887	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5690	12.4474	15.8939	9.4030	6.4909	10.2843	14.3174	8.9225	5.3949	7.6286	6.8203	6.9613	11.7449	88.6671	
	S	118.369	83.369	85.582	102.095	61.660	100.904	83.481	72.824	101.106	118.245	104.967	86.485	90.678	93.383	
21	T	2.5575	12.3043	15.5964	9.0896	6.5068	10.2662	14.2789	8.8759	5.4030	7.6317	6.9047	6.8441	11.8169	88.2007	
	S	118.902	84.339	87.214	105.615	61.509	101.082	83.706	73.206	100.954	118.197	103.684	87.966	90.125	93.877	
22	T	2.5647	12.3490	15.5776	9.0804	6.4972	10.2441	14.3960	8.9329	5.4631	7.6596	6.9092	6.9352	11.7671	88.4025	
	S	118.568	84.033	87.319	105.722	61.600	101.300	83.025	72.739	99.843	117.767	103.617	86.810	90.507	93.663	
23	T	2.6008	13.2569													
	S	116.922	78.278													

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9811	14.4176	16.7560	9.6270	7.1290	10.4870	14.4641	9.0864	5.3777	7.7787	7.3035	6.9978	11.8125	92.9983	128.0414
	S	102.006	71.976	81.179	99.720	56.141	98.954	82.634	71.510	101.429	115.964	98.023	86.034	90.159	89.034	61.823
2	T	2.5903	12.2573	15.7862	9.2273	6.5589	10.3009	14.1559	8.7373	5.4186	7.6898	7.0825	6.8651	11.5673	88.2953	
	S	117.396	84.662	86.166	104.039	61.020	100.741	84.433	74.368	100.663	117.304	101.081	87.697	92.070	93.776	
3	T	2.5781	12.1138	15.7590	9.2364	6.5226	10.2601	14.0895	8.6659	5.4236	7.7324	7.1107	6.7911	11.5919	88.0266	
	S	117.952	85.665	86.314	103.937	61.360	101.142	84.831	74.980	100.571	116.658	100.681	88.652	91.874	94.062	
4	T	2.5817	12.0863	15.6593	9.1868	6.4725	10.2601	14.2391	8.7943	5.4448	7.7205	7.1084	6.7294	11.5891	87.9739	
	S	117.787	85.860	86.864	104.498	61.835	101.142	83.940	73.886	100.179	116.838	100.713	89.465	91.897	94.119	
5	T	2.5762	12.0990	15.7777	9.2216	6.5561	10.3068	14.2257	8.7913	5.4344	7.8449	7.9129	7.3129	11.8060	89.8621	
	S	118.039	85.770	86.212	104.103	61.047	100.684	84.019	73.911	100.371	114.985	90.474	82.326	90.208	92.141	
6	T	2.6351	12.4970	15.6652	9.1961	6.4691	10.2578	14.2883	8.8716	5.4167	7.7765	7.1070	6.8921	11.6319	88.7509	
	S	115.400	83.038	86.831	104.392	61.868	101.165	83.651	73.242	100.699	115.996	100.733	87.353	91.559	93.295	
7	T	2.5754	12.0538	15.7326	9.2827	6.4499	10.3348	14.1822	8.7599	5.4223	7.9240	7.9905	7.1626	11.7919	89.7478	
	S	118.075	86.091	86.459	103.418	62.052	100.411	84.277	74.176	100.595	113.837	89.595	84.054	90.316	92.259	
8	T	2.5888	12.1581	15.6714	9.2093	6.4621	10.3022	14.2088	8.7920	5.4168	7.7339	7.3295	7.1109	11.6951	88.7987	
	S	117.464	85.353	86.797	104.242	61.935	100.729	84.119	73.905	100.697	116.635	97.675	84.665	91.064	93.245	
9	T	2.5967	12.3045	15.7776	9.2895	6.4881	10.3488	14.3438	8.8645	5.4793	7.8767	7.3640	7.0093	11.6076	89.2290	
	S	117.107	84.337	86.213	103.342	61.686	100.275	83.327	73.301	99.548	114.521	97.217	85.892	91.750	92.795	
10	T	2.5841	12.1149	15.6683	9.2233	6.4450	10.3569	14.2561	8.8175	5.4386	7.9060	7.3175	6.8310	11.6275	88.6623	
	S	117.678	85.657	86.814	104.084	62.099	100.197	83.840	73.691	100.293	114.096	97.835	88.134	91.593	93.388	
11	T	2.5976	12.1976	16.0356	9.2900	6.7456	10.2907	14.2628	8.8517	5.4111	7.8135	7.2409	6.9958	11.5392	88.9737	
	S	117.066	85.076	84.825	103.337	59.332	100.841	83.800	73.407	100.803	115.447	98.870	86.058	92.294	93.061	
12	T	2.5897	12.1293	15.7121	9.2690	6.4431	10.3701	14.2045	8.7712	5.4333	7.9993	7.2698	6.7783	11.5754	88.6285	
	S	117.423	85.555	86.572	103.571	62.117	100.069	84.144	74.080	100.391	112.766	98.477	88.820	92.005	93.424	
13	T	2.5987	12.1410	15.7487	9.2849	6.4638	10.3253	14.2630	8.7966	5.4664	7.9697	7.2524	6.8828	11.6616	88.8432	
	S	117.017	85.473	86.371	103.394	61.918	100.503	83.799	73.866	99.783	113.184	98.713	87.471	91.325	93.198	
14	T	2.6296	12.2818	15.8432	9.3427	6.5005	10.3527	14.2094	8.7502	5.4592	8.0372	7.4197	6.8885	11.6126	89.2747	
	S	115.642	84.493	85.856	102.754	61.569	100.237	84.115	74.258	99.915	112.234	96.488	87.399	91.711	92.747	
15	T	2.5886	12.1288	15.8157	9.3408	6.4749	10.4887	14.4571	8.9904	5.4667	8.1091	7.3634	6.9255	11.5389	89.4158	
	S	117.473	85.559	86.005	102.775	61.812	98.938	82.674	72.274	99.778	111.239	97.225	86.932	92.296	92.601	
16	T	2.6057	12.1962	15.8288	9.3624	6.4664	10.4012	14.2501	8.7832	5.4669	8.0330	7.3194	6.9672	11.6163	89.2179	
	S	116.702	85.086	85.934	102.538	61.893	99.770	83.875	73.979	99.774	112.292	97.810	86.411	91.682	92.806	
17	T	2.6021	12.1715	15.7490	9.3063	6.4427	10.3841	14.2709	8.8013	5.4696	7.9774	7.2683	6.8934	11.4821	88.7988	
	S	116.864	85.259	86.369	103.156	62.121	99.934	83.753	73.827	99.725	113.075	98.497	87.337	92.753	93.245	
18	T	2.5930	12.1393	15.8149	9.3655	6.4494	10.2893	14.2335	8.7526	5.4809	8.0295	7.2847	6.9098	11.5438	88.8378	
	S	117.274	85.485	86.009	102.504	62.057	100.855	83.973	74.238	99.519	112.341	98.276	87.129	92.257	93.204	
19	T	2.5883	12.2632	15.7891	9.3335	6.4556	10.3481	14.3014	8.8439	5.4575	8.0404	7.3533	6.9336	11.5449	89.1623	
	S	117.487	84.621	86.150	102.855	61.997	100.282	83.574	73.471	99.946	112.189	97.359	86.830	92.249	92.864	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5817	12.2097	15.7015	9.2784	6.4231	10.3633	14.1804	8.7406	5.4398	8.0696	7.3785	6.9394	11.5926	89.0167	
	S	117.787	84.992	86.630	103.466	62.311	100.135	84.287	74.340	100.271	111.783	97.026	86.758	91.869	93.016	
21	T	2.5931	12.1797	15.7691	9.3315	6.4376	10.3561	14.1778	8.7438	5.4340	8.0150	7.2085	6.8283	11.7443	88.8719	
	S	117.269	85.201	86.259	102.877	62.170	100.204	84.303	74.312	100.378	112.545	99.315	88.169	90.682	93.168	
22	T	2.6232	12.4817	16.1799	9.7020	6.4779	10.4631	14.4795	8.9829	5.4966	8.3185	7.5767	7.1560	11.6655	90.9441	
	S	115.924	83.140	84.069	98.949	61.783	99.180	82.546	72.334	99.235	108.438	94.488	84.132	91.295	91.045	
23	T	2.7709														
	S	109.744														

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 2 - Thompson, Parker

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9123	12.4339	15.5905	9.1384	6.4521	10.1976	14.0378	8.6659	5.3719	7.6251	6.9818	6.7024	11.2907	87.7721	144.3024
	S	104.416	83.460	87.247	105.051	62.031	101.762	85.143	74.980	101.538	118.299	102.539	89.825	94.325	94.335	54.856
2	T	2.5257	11.7825	15.3117	8.9598	6.3519	10.0726	13.9387	8.5972	5.3415	7.5401	6.6769	6.5368	11.2862	85.6712	
	S	120.399	88.074	88.836	107.145	63.009	103.025	85.749	75.580	102.116	119.633	107.222	92.101	94.363	96.649	
3	T	2.5308	11.7114	15.3090	8.9816	6.3274	10.0157	13.8386	8.5138	5.3248	7.5246	6.6196	6.5144	11.3116	85.3757	
	S	120.156	88.608	88.851	106.885	63.253	103.610	86.369	76.320	102.437	119.880	108.150	92.418	94.151	96.983	
4	T	2.5164	11.7060	15.1985	8.9301	6.2684	9.9814	13.8194	8.5032	5.3162	7.5156	6.5792	6.4459	11.2521	85.0145	
	S	120.844	88.649	89.497	107.502	63.848	103.966	86.489	76.415	102.602	120.023	108.814	93.400	94.649	97.395	
5	T	2.5036	11.6972	15.2306	8.9550	6.2756	9.9594	13.8574	8.5403	5.3171	7.5096	6.5660	6.4896	11.1934	85.0068	
	S	121.461	88.716	89.309	107.203	63.775	104.196	86.252	76.083	102.585	120.119	109.033	92.771	95.145	97.404	
6	T	2.5168	11.7247	15.1530	8.9154	6.2376	9.9808	13.8513	8.5308	5.3205	7.5218	6.6102	6.4772	11.3204	85.1562	
	S	120.824	88.508	89.766	107.679	64.164	103.972	86.290	76.168	102.519	119.924	108.304	92.948	94.078	97.233	
7	T	2.5068	11.7022	15.1497	8.9128	6.2369	9.9747	13.7960	8.4845	5.3115	7.5240	6.6037	6.4600	11.2314	84.9485	
	S	121.306	88.678	89.786	107.710	64.171	104.036	86.636	76.584	102.693	119.889	108.410	93.196	94.823	97.471	
8	T	2.5044	11.6866	15.1289	8.8975	6.2314	9.9563	13.8236	8.5133	5.3103	7.5155	6.5780	6.4807	11.3724	85.0464	
	S	121.423	88.796	89.909	107.895	64.228	104.228	86.463	76.324	102.716	120.025	108.834	92.898	93.648	97.359	
9	T	2.5089	11.7860	15.2064	8.9433	6.2631	9.9255	13.8498	8.5258	5.3240	7.5183	6.5728	6.4299	11.3398	85.1374	
	S	121.205	88.047	89.451	107.343	63.902	104.552	86.299	76.213	102.452	119.980	108.920	93.632	93.917	97.255	
10	T	2.5075	11.7499	15.1893	8.8932	6.2961	9.9230	13.8591	8.5474	5.3117	7.5110	6.5887	6.4929	11.2861	85.1075	
	S	121.273	88.318	89.552	107.948	63.567	104.578	86.241	76.020	102.689	120.097	108.657	92.724	94.364	97.289	
11	T	2.4979	11.8183	15.1702	8.9023	6.2679	9.9345	13.8709	8.5603	5.3106	7.5203	6.6071	6.4943	11.3326	85.2461	
	S	121.739	87.807	89.664	107.837	63.853	104.457	86.168	75.905	102.711	119.948	108.355	92.704	93.977	97.131	
12	T	2.5031	11.7978	15.2261	8.8957	6.3304	9.9418	13.8515	8.5350	5.3165	7.5141	6.6126	6.5569	11.3271	85.3310	
	S	121.486	87.959	89.335	107.917	63.223	104.380	86.289	76.130	102.597	120.047	108.264	91.819	94.022	97.034	
13	T	2.5029	11.8652	15.2716	8.9177	6.3539	9.9837	13.9489	8.6244	5.3245	7.4954	6.7519	6.5800	11.3772	85.7768	
	S	121.495	87.460	89.069	107.651	62.989	103.942	85.686	75.341	102.442	120.347	106.031	91.496	93.608	96.530	
14	T	2.5034	11.8199	15.2048	8.9369	6.2679	9.9597	13.8424	8.5240	5.3184	7.5261	6.6530	6.4996	11.3742	85.3831	
	S	121.471	87.795	89.460	107.420	63.853	104.193	86.345	76.229	102.560	119.856	107.607	92.628	93.633	96.975	
15	T	2.5045	11.8568	15.2200	8.9224	6.2976	9.9664	13.8689	8.5501	5.3188	7.5120	6.6504	6.4400	11.6124	85.6314	
	S	121.418	87.522	89.371	107.594	63.552	104.123	86.180	75.996	102.552	120.081	107.649	93.485	91.712	96.694	
16	T	2.5089	11.7863	15.2277	8.8947	6.3330	9.9689	13.9112	8.5840	5.3272	7.5041	6.5943	6.4852	11.3545	85.3411	
	S	121.205	88.045	89.326	107.929	63.197	104.096	85.918	75.696	102.390	120.207	108.565	92.834	93.795	97.022	
17	T	2.4986	11.8536	15.2536	8.9487	6.3049	9.9200	13.9527	8.6396	5.3131	7.5063	6.6618	6.5213	11.4095	85.5774	
	S	121.705	87.545	89.174	107.278	63.479	104.610	85.663	75.209	102.662	120.172	107.465	92.320	93.343	96.755	
18	T	2.5078	11.9274	15.2562	8.9507	6.3055	9.9677	13.9107	8.5924	5.3183	7.5048	6.6595	6.5304	11.4000	85.6645	
	S	121.258	87.004	89.159	107.254	63.473	104.109	85.921	75.622	102.562	120.196	107.502	92.191	93.421	96.656	
19	T	2.5046	11.9932	15.2568	8.9386	6.3182	9.9577	13.9909	8.6689	5.3220	7.5146	6.6472	6.5414	11.4367	85.8431	
	S	121.413	86.526	89.155	107.399	63.345	104.214	85.429	74.954	102.491	120.039	107.701	92.036	93.121	96.455	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 2 - Thompson, Parker

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5118	11.8926	15.3238	8.9647	6.3591	9.9764	13.8935	8.5757	5.3178	7.5151	6.7626	6.5344	11.3937	85.8039	
	S	121.065	87.258	88.766	107.087	62.938	104.018	86.028	75.769	102.571	120.031	105.863	92.135	93.473	96.499	
21	T	2.5095	11.9440	15.2495	8.9700	6.2795	10.0168	13.9926	8.6849	5.3077	7.4985	6.7164	6.5674	11.4167	85.9114	
	S	121.176	86.883	89.198	107.023	63.736	103.599	85.419	74.816	102.767	120.297	106.591	91.672	93.284	96.378	
22	T	2.5079	12.0238	15.4264	9.0580	6.3684	9.9671	13.9054	8.6108	5.2946	7.4918	6.8588	6.6784	11.4808	86.3404	
	S	121.253	86.306	88.175	105.984	62.846	104.115	85.954	75.460	103.021	120.404	104.378	90.148	92.764	95.899	
23	T	2.8532	13.9482	17.0604	10.4129	6.6475	11.1095	16.2363	10.2748	5.9615	9.0691	8.8889				
	S	106.579	74.399	79.730	92.193	60.207	93.409	73.615	63.239	91.496	99.464	80.540				

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.8176	13.7671	16.4104	9.4944	6.9160	10.3706	14.8372	9.4131	5.4241	8.8204	7.8644	7.1709	12.4320	94.4906	
	S	107.926	75.377	82.888	101.112	57.870	100.064	80.556	69.029	100.561	102.268	91.032	83.957	85.666	87.628	
2	T	2.6588	13.3772	16.1713	9.4352	6.7361	10.3215	14.8829	9.3885	5.4944	8.2460	7.9759	7.0244	12.4303	93.0883	
	S	114.371	77.574	84.114	101.747	59.415	100.540	80.309	69.209	99.275	109.392	89.759	85.708	85.678	88.948	
3	T	2.6471	13.2418	16.2338	9.3680	6.8658	10.3254	14.8128	9.3449	5.4679	8.3767	7.6521	7.0951	12.2658	92.6506	
	S	114.877	78.368	83.790	102.477	58.293	100.502	80.689	69.532	99.756	107.685	93.557	84.854	86.827	89.368	
4	T	2.6220	13.4194	16.3470	9.6179	6.7291	10.3087	14.7815	9.3198	5.4617	8.2356	8.1234	6.9486	12.4703	93.2565	
	S	115.977	77.330	83.210	99.814	59.477	100.665	80.860	69.720	99.869	109.530	88.129	86.643	85.403	88.787	
5	T	2.6216	13.3155	16.0527	9.4216	6.6311	10.3113	14.8987	9.4482	5.4505	8.2364	7.7502	7.1209	12.3581	92.6654	
	S	115.994	77.934	84.735	101.894	60.356	100.640	80.224	68.772	100.074	109.519	92.373	84.546	86.178	89.354	
6	T	2.6185	13.3822	16.1632	9.4630	6.7002	10.2979	14.9422	9.4879	5.4543	8.1626	7.7313	7.2466	12.4252	92.9697	
	S	116.132	77.545	84.156	101.448	59.734	100.771	79.990	68.484	100.005	110.510	92.599	83.080	85.713	89.061	
7	T	2.6585	13.4918	16.0688	9.4268	6.6420	10.2907	15.0350	9.5224	5.5126	8.2816	7.7144	7.1430	12.2864	92.9702	
	S	114.384	76.915	84.650	101.837	60.257	100.841	79.496	68.236	98.947	108.922	92.802	84.285	86.681	89.061	
8	T	2.6185	13.4874	16.2827	9.6039	6.6788	10.3796	14.8930	9.4302	5.4628	8.4166	7.8540			111.0524	23.3496
	S	116.132	76.940	83.538	99.959	59.925	99.978	80.254	68.903	99.849	107.175	91.152			74.559	37.435
9	T			16.3580	9.4601	6.8979	11.0678	15.5352	9.6333	5.9019	8.5359	8.0195	7.3303	12.3019	102.0006	
	S			83.154	101.479	58.022	93.761	76.937	67.451	92.420	105.677	89.271	82.131	86.572	81.176	
10	T	2.6765	13.6298	16.7135	9.8528	6.8607	10.4188	16.6251	10.2011	6.4240	8.8315	8.1604			223.9963	
	S	113.615	76.137	81.385	97.434	58.336	99.601	71.893	63.696	84.909	102.140	87.730			36.965	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SPO to SF	SF to PI
1	T 129.0853	
	S 61.323	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	95.3776
	S	80.057
9	T 94.3258	
	S 83.921	
10	T	97.2655
	S	78.503

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 21 - Lloyd, Jordan

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9287	13.0105	15.6895	8.9952	6.6943	10.3071	14.5460	9.2165	5.3295	7.5576	6.9748	6.5205	11.5106	89.0453	142.5871
	S	103.831	79.761	86.697	106.724	59.786	100.681	82.169	70.501	102.346	119.356	102.642	92.331	92.523	92.986	55.516
2	T	2.5314	12.0707	15.8388	8.9446	6.8942	10.1575	14.3394	9.0344	5.3050	7.4808	6.9229	6.6171	11.4706	87.4292	
	S	120.128	85.971	85.879	107.327	58.053	102.164	83.353	71.922	102.819	120.581	103.412	90.983	92.846	94.705	
3	T	2.5158	12.0582	15.4441	9.0242	6.4199	10.0569	14.0292	8.7247	5.3045	7.4925	6.7655	6.4970	11.4339	86.2931	
	S	120.872	86.060	88.074	106.381	62.342	103.186	85.196	74.475	102.829	120.393	105.818	92.665	93.144	95.952	
4	T	2.5054	11.8679	15.2632	8.9271	6.3361	9.9927	14.0350	8.7231	5.3119	7.4869	6.7586	6.5533	11.3670	85.8300	
	S	121.374	87.440	89.118	107.538	63.166	103.849	85.160	74.489	102.685	120.483	105.926	91.869	93.692	96.470	
5	T	2.5000	11.9828	15.3182	8.9498	6.3684	10.0615	13.9606	8.6648	5.2958	7.4644	6.7325	6.5176	11.4979	86.0355	
	S	121.636	86.601	88.798	107.265	62.846	103.138	85.614	74.990	102.998	120.846	106.336	92.372	92.626	96.239	
6	T	2.4971	11.8869	15.2843	8.9014	6.3829	10.0210	14.0250	8.7336	5.2914	7.4678	6.7617	6.5385	11.4216	85.9039	
	S	121.778	87.300	88.995	107.848	62.703	103.555	85.221	74.399	103.083	120.791	105.877	92.077	93.244	96.387	
7	T	2.4917	12.0321	15.3486	8.8815	6.4671	10.0486	13.9451	8.6512	5.2939	7.4782	6.7943	6.5144	11.4518	86.1048	
	S	122.042	86.247	88.622	108.090	61.887	103.271	85.709	75.108	103.035	120.623	105.369	92.418	92.998	96.162	
8	T	2.5059	11.8271	15.2541	8.9214	6.3327	9.9943	13.9344	8.6360	5.2984	7.4867	6.7255	6.5169	11.3722	85.6171	
	S	121.350	87.741	89.171	107.606	63.200	103.832	85.775	75.240	102.947	120.486	106.447	92.382	93.649	96.710	
9	T	2.4978	11.8635	15.2635	8.8922	6.3713	9.9780	13.9378	8.6339	5.3039	7.4838	6.7339	6.5317	11.5419	85.8319	
	S	121.743	87.472	89.116	107.960	62.817	104.002	85.754	75.258	102.840	120.533	106.314	92.173	92.273	96.468	
10	T	2.5145	11.8987	15.3641	8.9365	6.4276	10.0408	13.9588	8.6552	5.3036	7.5102	6.7550	6.4631	11.5745	86.0797	
	S	120.935	87.214	88.533	107.425	62.267	103.351	85.625	75.073	102.846	120.109	105.982	93.151	92.013	96.190	
11	T	2.5098	11.8779	15.2684	8.9351	6.3333	9.9863	14.0442	8.7378	5.3064	7.5068	6.7774	6.5453	11.4369	85.9530	
	S	121.161	87.366	89.088	107.441	63.194	103.915	85.105	74.363	102.792	120.164	105.632	91.981	93.120	96.332	
12	T	2.5067	11.8915	15.2973	8.9309	6.3664	10.0340	13.9253	8.6331	5.2922	7.4961	6.7905	6.5211	11.4661	85.9286	
	S	121.311	87.266	88.919	107.492	62.866	103.421	85.831	75.265	103.068	120.335	105.428	92.323	92.882	96.359	
13	T	2.5061	11.8696	15.2623	8.9001	6.3622	10.0158	13.9768	8.6752	5.3016	7.5142	6.8026	6.5128	11.6118	86.0720	
	S	121.340	87.427	89.123	107.864	62.907	103.609	85.515	74.900	102.885	120.045	105.241	92.440	91.717	96.199	
14	T	2.5154	11.9216	15.2692	8.9447	6.3245	10.0159	14.0055	8.7061	5.2994	7.5013	6.7483	6.5074	11.5556	86.0402	
	S	120.892	87.046	89.083	107.326	63.282	103.608	85.340	74.634	102.928	120.252	106.087	92.517	92.163	96.234	
15	T	2.5018	11.9255	15.3460	8.9279	6.4181	10.0649	14.0898	8.7826	5.3072	7.5072	6.7264	6.5820	11.4604	86.2040	
	S	121.549	87.018	88.637	107.528	62.359	103.104	84.829	73.984	102.776	120.157	106.433	91.468	92.929	96.051	
16	T	2.5098	11.9680	15.3746	8.9407	6.4339	10.0584	14.0190	8.7138	5.3052	7.4865	6.7169	6.5890	11.4674	86.1896	
	S	121.161	86.708	88.472	107.374	62.206	103.170	85.258	74.568	102.815	120.490	106.583	91.371	92.872	96.067	
17	T	2.4982	11.9820	15.3806	8.9318	6.4488	10.0583	14.0623	8.7565	5.3058	7.5061	6.7023	6.5115	11.7428	86.4441	
	S	121.724	86.607	88.438	107.481	62.062	103.171	84.995	74.205	102.803	120.175	106.815	92.459	90.694	95.784	
18	T	2.5125	12.0789	15.3659	8.9549	6.4110	10.0696	14.0436	8.7342	5.3094	7.5103	6.7084	6.4816	11.6392	86.4100	
	S	121.031	85.912	88.522	107.204	62.428	103.055	85.108	74.394	102.734	120.108	106.718	92.885	91.501	95.822	
19	T	2.5174	12.0985	15.3020	8.9591	6.3429	10.0434	14.1042	8.8017	5.3025	7.4781	6.7564	6.5807	11.4836	86.3643	
	S	120.796	85.773	88.892	107.154	63.098	103.324	84.743	73.824	102.867	120.625	105.960	91.487	92.741	95.873	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 21 - Lloyd, Jordan

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5006	11.9994	15.3535	8.9292	6.4243	10.0396	14.0356	8.7407	5.2949	7.4745	6.8099	6.5435	11.4775	86.2341	
	S	121.607	86.482	88.594	107.512	62.299	103.363	85.157	74.339	103.015	120.683	105.128	92.007	92.790	96.018	
21	T	2.4989	12.0375	15.3562	8.9591	6.3971	10.0422	14.1637	8.8611	5.3026	7.4635	6.8594	6.5567	11.5101	86.4882	
	S	121.690	86.208	88.578	107.154	62.564	103.337	84.387	73.329	102.865	120.861	104.369	91.821	92.527	95.736	
22	T	2.5015	12.1156	15.3396	8.9592	6.3804	10.0280	14.0740	8.7509	5.3231	7.5002	6.8605	6.5642	11.5445	86.5281	
	S	121.563	85.652	88.674	107.152	62.728	103.483	84.924	74.252	102.469	120.270	104.352	91.717	92.252	95.691	
23	T	2.6591	12.8955	16.6383	9.7008	6.9375	11.1128	15.0840	9.5310	5.5530	8.1062					
	S	114.359	80.472	81.753	98.961	57.690	93.381	79.238	68.175	98.227	111.278					

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 22 - Rickards, Garth

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9627	14.3959	15.8435	9.0951	6.7484	10.1633	14.6265	9.2987	5.3278	7.5692	7.2467	7.0480	11.6093	91.4651	138.2859
	S	102.640	72.085	85.854	105.551	59.307	102.105	81.717	69.878	102.379	119.173	98.791	85.421	91.737	90.526	57.243
2	T	2.5318	12.3123	15.4483	9.0263	6.4220	10.1051	14.0865	8.7820	5.3045	7.5869	7.0550	6.7479	11.5253	87.3991	
	S	120.109	84.284	88.050	106.356	62.321	102.693	84.849	73.989	102.829	118.895	101.475	89.220	92.405	94.738	
3	T	2.5302	12.0754	15.3261	8.9788	6.3473	10.0958	14.0957	8.7983	5.2974	7.5629	6.9433	6.7473	11.5668	86.9435	
	S	120.185	85.937	88.752	106.919	63.055	102.788	84.794	73.852	102.966	119.272	103.108	89.228	92.074	95.234	
4	T	2.5340	12.3106	15.5280	9.0688	6.4592	10.1251	14.2965	9.0113	5.2852	7.4901	7.1246	6.5867	11.4680	87.4636	
	S	120.004	84.295	87.598	105.857	61.962	102.491	83.603	72.106	103.204	120.432	100.484	91.403	92.867	94.668	
5	T	2.5121	12.1217	15.4045	8.9438	6.4607	10.0796	14.0844	8.7765	5.3079	7.5267	6.7892	6.5303	11.3725	86.4210	
	S	121.050	85.609	88.301	107.337	61.948	102.953	84.862	74.036	102.763	119.846	105.448	92.193	93.647	95.810	
6	T	2.5092	11.9654	15.2794	8.9640	6.3154	10.1039	14.1696	8.8598	5.3098	7.5039	6.7045	6.5118	11.4862	86.2339	
	S	121.190	86.727	89.024	107.095	63.373	102.706	84.352	73.339	102.726	120.210	106.780	92.455	92.720	96.018	
7	T	2.4992	11.9430	15.2084	8.9297	6.2787	10.0288	13.9740	8.6924	5.2816	7.4929	6.9347	6.5713	11.4513	86.1036	
	S	121.675	86.890	89.439	107.506	63.744	103.475	85.532	74.752	103.274	120.387	103.236	91.617	93.003	96.163	
8	T	2.4948	11.9685	15.2741	8.9607	6.3134	10.0224	14.0359	8.7307	5.3052	7.5078	6.7170	6.5975	11.4990	86.1170	
	S	121.890	86.705	89.054	107.134	63.393	103.541	85.155	74.424	102.815	120.148	106.582	91.254	92.617	96.148	
9	T	2.5159	11.9677	15.2300	8.9133	6.3167	10.0350	14.0555	8.7583	5.2972	7.5249	6.7705	6.6281	11.5779	86.3055	
	S	120.868	86.711	89.312	107.704	63.360	103.411	85.036	74.189	102.970	119.875	105.739	90.832	91.986	95.938	
10	T	2.5345	11.9668	15.2785	8.9325	6.3460	10.0566	14.5331	9.1163	5.4168	7.5841	6.8905	6.5658	11.4187	86.8286	
	S	119.981	86.717	89.029	107.473	63.068	103.189	82.242	71.276	100.697	118.939	103.898	91.694	93.268	95.360	
11	T	2.5133	12.2848	15.4103	9.0521	6.3582	10.0435	14.0760	8.7715	5.3045	7.5299	6.7621	6.6393	11.5203	86.7795	
	S	120.993	84.472	88.267	106.053	62.947	103.323	84.912	74.078	102.829	119.795	105.871	90.679	92.446	95.414	
12	T	2.5197	12.0392	15.3382	8.9873	6.3509	10.0687	14.1469	8.8205	5.3264	7.5390	6.8746	6.6500	11.3308	86.5071	
	S	120.685	86.196	88.682	106.817	63.019	103.065	84.487	73.666	102.406	119.651	104.138	90.533	93.992	95.715	
13	T	2.5055	11.9499	15.2787	8.9459	6.3328	10.0928	14.1160	8.8072	5.3088	7.5305	6.7339	6.5505	11.4093	86.1671	
	S	121.369	86.840	89.028	107.312	63.199	102.819	84.672	73.777	102.745	119.786	106.314	91.908	93.345	96.092	
14	T	2.5029	11.8490	15.1980	8.9324	6.2656	10.0619	14.1950	8.8755	5.3195	7.5292	6.8425	6.6162	11.3991	86.1938	
	S	121.495	87.579	89.500	107.474	63.877	103.134	84.201	73.210	102.539	119.806	104.627	90.996	93.428	96.063	
15	T	2.5047	11.9331	15.2832	8.9739	6.3093	10.0284	14.0737	8.7494	5.3243	7.5293	6.8571	6.6530	11.3555	86.2180	
	S	121.408	86.962	89.001	106.977	63.434	103.479	84.926	74.265	102.446	119.805	104.404	90.492	93.787	96.036	
16	T	2.5055	11.9875	15.3598	9.0187	6.3411	10.0480	14.0959	8.7739	5.3220	7.5173	6.8092	6.5685	11.5758	86.4675	
	S	121.369	86.567	88.558	106.445	63.116	103.277	84.793	74.057	102.491	119.996	105.139	91.656	92.002	95.759	
17	T	2.5060	12.1974	15.3995	9.0382	6.3613	10.0289	14.1415	8.8420	5.2995	7.5333	6.8083	6.5984	11.4496	86.6629	
	S	121.345	85.078	88.329	106.216	62.916	103.474	84.519	73.487	102.926	119.741	105.152	91.241	93.016	95.543	
18	T	2.5030	12.0737	15.3815	9.0289	6.3526	10.0524	14.0981	8.7947	5.3034	7.5311	7.0007	6.6630	11.5475	86.8510	
	S	121.491	85.949	88.433	106.325	63.002	103.232	84.779	73.882	102.850	119.776	102.263	90.357	92.228	95.336	
19	T	2.5272	12.0530	15.4158	9.0594	6.3564	10.0765	14.0332	8.7311	5.3021	7.5151	6.7771	6.6602	11.5870	86.6451	
	S	120.327	86.097	88.236	105.967	62.964	102.985	85.171	74.420	102.875	120.031	105.636	90.395	91.913	95.562	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 22 - Rickards, Garth

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5152	12.0699	15.3549	9.0254	6.3295	10.0641	14.2449	8.9136	5.3313	7.5266	6.8627	6.6812	11.4593	86.7788	
	S	120.901	85.976	88.586	106.366	63.232	103.112	83.906	72.897	102.312	119.848	104.319	90.110	92.938	95.415	
21	T	2.5219	12.2507	15.2735	8.9633	6.3102	10.0296	14.1257	8.8099	5.3158	7.5027	6.8013	6.5952	11.5172	86.6178	
	S	120.580	84.708	89.058	107.103	63.425	103.466	84.614	73.755	102.610	120.229	105.261	91.285	92.470	95.592	
22	T	2.5202	12.2269	15.3681	9.0252	6.3429	10.0982	14.2076	8.8970	5.3106	7.5335	6.9764	6.9153	11.7322	87.5784	
	S	120.661	84.872	88.510	106.369	63.098	102.764	84.126	73.033	102.711	119.738	102.619	87.060	90.776	94.544	
23	T	2.6227	13.1945	15.6678	9.0272	6.6406	10.3675	14.4840	9.1268	5.3572						
	S	115.946	78.648	86.817	106.345	60.270	100.094	82.521	71.194	101.817						

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 23 - Luo, Yufeng

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0878	14.4192	25.1560	9.2148	7.3460	17.5944	14.7999	9.4980	5.3019	8.0080	7.2714	6.9876	11.5062	94.4741	129.4699
	S	98.481	71.968	54.072	104.180	54.482	58.981	80.759	68.412	102.879	112.643	98.455	86.159	92.559	87.643	61.141
2	T	2.5991	12.5296	15.8451	9.0487	6.7964	10.3414	14.3061	9.0149	5.2912	7.5016	7.0315	6.9341	11.5430	88.6315	
	S	116.999	82.822	85.845	106.093	58.888	100.347	83.547	72.078	103.087	120.247	101.815	86.824	92.264	93.421	
3	T	2.5362	12.0213	15.3883	8.9435	6.4448	10.0755	14.2127	8.9274	5.2853	7.5017	6.8758	6.9632	11.5958	87.1705	
	S	119.900	86.324	88.394	107.341	62.101	102.995	84.096	72.784	103.202	120.245	104.120	86.461	91.844	94.986	
4	T	2.5339	12.2399	15.6547	9.0002	6.6545	10.1267	14.1377	8.8807	5.2570	7.7035	7.0334	6.8958	11.5292	87.8548	
	S	120.009	84.782	86.889	106.664	60.144	102.474	84.542	73.167	103.758	117.096	101.787	87.306	92.374	94.246	
5	T	2.5304	12.2072	15.7470	9.0694	6.6776	10.0257	14.2261	8.9502	5.2759	7.4883	7.1884	6.6953	11.4982	87.6066	
	S	120.175	85.009	86.380	105.850	59.936	103.507	84.017	72.599	103.386	120.461	99.592	89.921	92.623	94.513	
6	T	2.5172	11.9952	15.2767	8.9556	6.3211	10.0075	14.1187	8.8028	5.3159	7.4966	6.6812	6.6552	11.4732	86.2215	
	S	120.805	86.512	89.039	107.195	63.316	103.695	84.656	73.814	102.608	120.327	107.153	90.462	92.825	96.032	
7	T	2.5150	11.8693	15.3035	8.9509	6.3526	10.0722	14.0892	8.7713	5.3179	7.5370	7.7587	6.8417	11.5058	87.4924	
	S	120.911	87.430	88.883	107.252	63.002	103.029	84.833	74.079	102.570	119.682	92.272	87.996	92.562	94.637	
8	T	2.5176	12.0391	15.3549	9.0344	6.3205	10.1245	14.0735	8.7532	5.3203	7.5241	6.8344	6.6229	11.5299	86.6209	
	S	120.786	86.196	88.586	106.261	63.322	102.497	84.928	74.233	102.523	119.887	104.751	90.904	92.369	95.589	
9	T	2.5183	12.0396	15.4275	9.0557	6.3718	10.0639	14.1462	8.8315	5.3147	7.5246	6.9994	6.5178	11.6783	86.9156	
	S	120.752	86.193	88.169	106.011	62.812	103.114	84.491	73.574	102.631	119.880	102.281	92.369	91.195	95.265	
10	T	2.5193	12.0903	15.3322	8.9952	6.3370	10.0228	14.0636	8.7428	5.3208	7.5407	6.9422	6.6463	11.4950	86.6524	
	S	120.705	85.831	88.717	106.724	63.157	103.537	84.987	74.321	102.514	119.624	103.124	90.584	92.649	95.554	
11	T	2.5268	12.0952	15.2867	8.9418	6.3449	10.0042	14.0733	8.7784	5.2949	7.5106	6.8483	6.5824	11.5736	86.5011	
	S	120.346	85.797	88.981	107.361	63.079	103.729	84.929	74.019	103.015	120.103	104.538	91.463	92.020	95.721	
12	T	2.5157	12.1464	15.3117	8.9893	6.3224	10.0923	14.1559	8.8541	5.3018	7.5278	6.8226	6.5361	11.5546	86.6631	
	S	120.877	85.435	88.836	106.794	63.303	102.824	84.433	73.387	102.881	119.829	104.932	92.111	92.171	95.542	
13	T	2.5134	12.1153	15.3460	8.9990	6.3470	10.0678	14.0709	8.7687	5.3022	7.5188	6.8234	6.5555	11.4682	86.4793	
	S	120.988	85.654	88.637	106.679	63.058	103.074	84.943	74.101	102.873	119.972	104.920	91.838	92.865	95.745	
14	T	2.5115	12.1278	15.3306	8.9722	6.3584	10.0716	14.1920	8.8485	5.3435	7.5510	6.8298	6.6241	11.3853	86.6237	
	S	121.079	85.566	88.726	106.997	62.945	103.035	84.218	73.433	102.078	119.460	104.821	90.887	93.542	95.586	
15	T	2.5073	12.0961	15.3388	8.9653	6.3735	10.0266	14.0997	8.7889	5.3108	7.5098	6.8885	6.6654	11.4721	86.6043	
	S	121.282	85.790	88.679	107.080	62.796	103.497	84.770	73.931	102.707	120.116	103.928	90.324	92.834	95.607	
16	T	2.5200	12.1588	15.4045	9.0258	6.3787	10.0499	14.1791	8.8551	5.3240	7.5008	6.9319	6.6006	11.4633	86.8089	
	S	120.671	85.348	88.301	106.362	62.744	103.257	84.295	73.378	102.452	120.260	103.277	91.211	92.905	95.382	
17	T	2.5031	12.1621	15.3341	8.9689	6.3652	10.0273	14.2976	8.9240	5.3736	7.5622	6.8849	6.6125	11.4873	86.8711	
	S	121.486	85.325	88.706	107.037	62.877	103.490	83.596	72.812	101.506	119.283	103.982	91.047	92.711	95.314	
18	T	2.5147	12.3641	15.5017	9.1029	6.3988	10.1690	14.2735	8.9339	5.3396	7.5316	6.8917	6.7082	11.4131	87.3676	
	S	120.925	83.931	87.747	105.461	62.547	102.048	83.738	72.731	102.153	119.768	103.880	89.748	93.314	94.772	
19	T	2.5172	12.1908	15.4075	9.0087	6.3988	10.0631	14.1868	8.8664	5.3204	7.5097	6.8453	6.5853	11.5009	86.8066	
	S	120.805	85.124	88.283	106.564	62.547	103.122	84.249	73.285	102.521	120.117	104.584	91.423	92.601	95.384	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 23 - Luo, Yufeng

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5077	12.3026	15.4010	9.0082	6.3928	10.0809	14.2602	8.9440	5.3162	7.4936	6.9520	6.6673	11.5326	87.1979	
	S	121.263	84.350	88.321	106.570	62.606	102.940	83.816	72.649	102.602	120.375	102.979	90.298	92.347	94.956	
21	T	2.5186	12.2986	15.4086	9.0487	6.3599	10.0626	14.1793	8.8728	5.3065	7.4889	6.8280	6.6048	11.6706	87.0600	
	S	120.738	84.378	88.277	106.093	62.930	103.127	84.294	73.232	102.790	120.451	104.849	91.153	91.255	95.107	
22	T	2.5224	12.2130	15.3651	8.9871	6.3780	10.0450	14.2612	8.9282	5.3330	7.5045	6.7980	6.6735	11.5598	86.9425	
	S	120.556	84.969	88.527	106.820	62.751	103.308	83.810	72.778	102.279	120.201	105.312	90.214	92.130	95.235	
23	T	2.6736	12.7633	16.7749	9.8592	6.9157	10.1688									
	S	113.738	81.306	81.087	97.371	57.872	102.050									

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 3 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9468	13.8037	15.8818	9.1565	6.7253	10.2687	14.5572	9.2161	5.3411	7.5323	7.1609	6.8525	11.5921	90.5960	139.4798
	S	103.194	75.177	85.647	104.844	59.511	101.057	82.106	70.504	102.124	119.757	99.975	87.858	91.873	91.395	56.753
2	T	2.5432	12.1885	15.4140	9.0129	6.4011	10.1731	14.2027	8.8876	5.3151	7.4878	7.0686	6.6905	11.4380	87.2064	
	S	119.570	85.140	88.246	106.514	62.525	102.007	84.155	73.110	102.624	120.469	101.280	89.985	93.111	94.947	
3	T	2.5390	12.0423	15.4622	8.9976	6.4646	10.1462	14.1273	8.8110	5.3163	7.4923	6.9698	6.6184	11.7179	87.1154	
	S	119.768	86.174	87.971	106.695	61.911	102.277	84.604	73.746	102.600	120.396	102.716	90.965	90.887	95.046	
4	T	2.5071	12.3677	15.4144	9.0105	6.4039	10.1113	13.9919	8.6672	5.3247	7.5336	6.8691	6.5784	11.3420	86.7155	
	S	121.292	83.906	88.244	106.542	62.497	102.630	85.423	74.969	102.439	119.736	104.222	91.519	93.899	95.485	
5	T	2.5195	12.2288	15.2304	8.9652	6.2652	10.1090	13.9845	8.6786	5.3059	7.5035	6.7367	6.7124	11.2960	86.3208	
	S	120.695	84.859	89.310	107.081	63.881	102.654	85.468	74.871	102.802	120.217	106.270	89.692	94.281	95.921	
6	T	2.5256	11.8064	15.2940	8.9781	6.3159	10.0847	13.9842	8.6757	5.3085	7.5115	6.7127	6.5108	11.2900	85.7199	
	S	120.403	87.895	88.939	106.927	63.368	102.901	85.470	74.896	102.751	120.089	106.650	92.469	94.331	96.594	
7	T	2.5168	11.8882	15.2295	8.9332	6.2963	10.0265	13.8728	8.5748	5.2980	7.5165	6.8642	6.6276	11.3176	85.8597	
	S	120.824	87.291	89.315	107.464	63.565	103.498	86.156	75.777	102.955	120.009	104.296	90.839	94.101	96.436	
8	T	2.5226	11.9306	15.3283	8.9967	6.3316	10.0195	13.9440	8.6186	5.3254	7.5150	6.7022	6.5281	11.3777	85.8680	
	S	120.547	86.980	88.740	106.706	63.211	103.571	85.716	75.392	102.425	120.033	106.817	92.224	93.604	96.427	
9	T	2.5276	11.8549	15.3828	9.0289	6.3539	10.0663	13.9599	8.6495	5.3104	7.5077	6.7973	6.5599	11.3115	85.9679	
	S	120.308	87.536	88.425	106.325	62.989	103.089	85.619	75.123	102.714	120.149	105.323	91.777	94.152	96.315	
10	T	2.5176	11.8255	15.2539	8.9210	6.3329	10.0394	13.9574	8.6572	5.3002	7.5158	7.4489	6.6667	11.5878	86.8130	
	S	120.786	87.753	89.172	107.611	63.198	103.365	85.634	75.056	102.912	120.020	96.109	90.306	91.907	95.377	
11	T	2.5220	11.9149	15.2445	8.9332	6.3113	10.0569	13.9508	8.6489	5.3019	7.5296	6.6683	6.5218	11.3534	85.7622	
	S	120.575	87.095	89.227	107.464	63.414	103.186	85.674	75.128	102.879	119.800	107.360	92.313	93.804	96.546	
12	T	2.5232	11.9318	15.3116	8.9731	6.3385	10.0427	13.8883	8.5805	5.3078	7.5219	6.7619	6.5070	11.6556	86.1440	
	S	120.518	86.972	88.836	106.986	63.142	103.332	86.060	75.727	102.765	119.923	105.874	92.523	91.372	96.118	
13	T	2.5494	11.8965	15.3749	9.0024	6.3725	10.0823	13.9699	8.6558	5.3141	7.5343	6.8092	6.6620	11.3131	86.1916	
	S	119.279	87.230	88.471	106.638	62.805	102.926	85.557	75.068	102.643	119.725	105.139	90.370	94.139	96.065	
14	T	2.5292	11.9746	15.3324	9.0081	6.3243	10.0668	13.9604	8.6340	5.3264	7.5448	7.1406	6.5294	11.7019	86.7801	
	S	120.232	86.661	88.716	106.571	63.284	103.084	85.616	75.257	102.406	119.559	100.259	92.205	91.011	95.414	
15	T	2.5250	11.9615	15.3260	8.9643	6.3617	10.0941	13.8939	8.5801	5.3138	7.5144	6.7739	6.5590	11.3991	86.0469	
	S	120.432	86.756	88.753	107.091	62.912	102.805	86.025	75.730	102.649	120.042	105.686	91.789	93.428	96.227	
16	T	2.5274	11.8919	15.2648	8.9410	6.3238	10.0473	13.9847	8.6841	5.3006	7.4946	6.8365	6.6375	11.3156	86.0003	
	S	120.318	87.263	89.109	107.371	63.289	103.284	85.467	74.823	102.904	120.359	104.719	90.704	94.118	96.279	
17	T	2.5096	11.8764	15.3271	8.9672	6.3599	10.0673	14.0760	8.7139	5.3621	7.5492	6.7602	6.6662	11.2948	86.1268	
	S	121.171	87.377	88.747	107.057	62.930	103.079	84.912	74.567	101.724	119.489	105.901	90.313	94.291	96.137	
18	T	2.5083	11.9675	15.3387	9.0246	6.3141	10.0190	13.9524	8.6456	5.3068	7.5088	6.7206	6.5224	11.4104	85.9481	
	S	121.234	86.712	88.679	106.376	63.386	103.576	85.665	75.156	102.784	120.132	106.525	92.304	93.336	96.337	
19	T	2.5110	11.8590	15.3697	9.0346	6.3351	10.0510	13.9782	8.6565	5.3217	7.5007	6.8162	6.5109	11.3683	85.9650	
	S	121.104	87.505	88.501	106.258	63.176	103.246	85.507	75.062	102.496	120.262	105.031	92.467	93.682	96.318	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 3 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5026	11.9581	15.3314	8.9787	6.3527	10.0195	13.9033	8.5977	5.3056	7.4874	6.8051	6.6663	11.3899	86.0636	
	S	121.510	86.780	88.722	106.920	63.001	103.571	85.967	75.575	102.807	120.475	105.202	90.312	93.504	96.208	
21	T	2.5200	11.8847	15.2814	8.9476	6.3338	10.0264	13.9154	8.6161	5.2993	7.4664	6.7358	6.6551	11.3319	85.8171	
	S	120.671	87.316	89.012	107.291	63.189	103.499	85.892	75.414	102.930	120.814	106.284	90.464	93.982	96.484	
22	T	2.5067	12.1950	15.3967	9.0139	6.3828	10.1159	14.0143	8.7179	5.2964	7.5018	6.8292	6.8152	11.3927	86.7675	
	S	121.311	85.094	88.345	106.502	62.704	102.584	85.286	74.533	102.986	120.244	104.831	88.339	93.481	95.427	
23	T	2.5425	12.4902	16.1392	9.4899	6.6493	10.4767	14.8388	9.4333	5.4055	8.1868					
	S	119.603	83.083	84.281	101.160	60.191	99.051	80.547	68.881	100.907	110.183					

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 33 - Agren, Ayla

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0044	13.7498	15.8895	9.1519	6.7376	10.3172	14.5098	9.1499	5.3599	7.6123	7.0795	6.8047	11.6394	90.6066	140.6505
	S	101.215	75.472	85.605	104.896	59.402	100.582	82.374	71.014	101.766	118.498	101.124	88.475	91.500	91.384	56.281
2	T	2.5505	12.2006	15.3278	8.9197	6.4081	10.2337	14.1127	8.7943	5.3184	7.5277	6.9144	6.7925	11.4998	87.1597	
	S	119.228	85.055	88.742	107.627	62.456	101.403	84.692	73.886	102.560	119.830	103.539	88.634	92.610	94.998	
3	T	2.5627	12.0633	15.2827	8.9371	6.3456	10.1469	14.1245	8.8076	5.3169	7.5391	7.0765	6.7507	11.7892	87.3356	
	S	118.660	86.023	89.004	107.417	63.072	102.270	84.621	73.774	102.589	119.649	101.167	89.183	90.337	94.807	
4	T	2.5714	12.7772	15.4312	8.9200	6.5112	10.2384	14.1017	8.7808	5.3209	7.5152	6.9965	6.6756	11.3660	87.6732	
	S	118.259	81.217	88.148	107.623	61.468	101.356	84.758	73.999	102.512	120.029	102.324	90.186	93.701	94.442	
5	T	2.5320	12.1955	15.2950	8.9313	6.3637	10.0748	13.9996	8.6945	5.3051	7.4932	6.8791	6.7070	11.3500	86.5262	
	S	120.099	85.091	88.933	107.487	62.892	103.002	85.376	74.734	102.817	120.382	104.070	89.764	93.833	95.694	
6	T	2.5286	11.9611	15.2015	8.9194	6.2821	10.0789	14.0084	8.7158	5.2926	7.4639	6.8121	6.6846	11.2768	86.0159	
	S	120.261	86.759	89.480	107.631	63.709	102.960	85.322	74.551	103.060	120.854	105.094	90.065	94.442	96.261	
7	T	2.5131	11.9087	15.2322	8.8683	6.3639	10.1194	13.9689	8.6664	5.3025	7.4869	7.1431	6.6960	11.2958	86.3641	
	S	121.002	87.140	89.299	108.251	62.890	102.548	85.563	74.976	102.867	120.483	100.224	89.911	94.283	95.873	
8	T	2.5350	12.0065	15.1998	8.9015	6.2983	10.0677	13.9790	8.6815	5.2975	7.4827	6.9005	6.6071	11.4516	86.2299	
	S	119.957	86.430	89.490	107.847	63.545	103.075	85.502	74.846	102.965	120.551	103.747	91.121	93.000	96.022	
9	T	2.5272	11.9388	15.2075	8.8893	6.3182	10.0387	13.9712	8.6600	5.3112	7.5006	6.9280	6.7653	11.3876	86.2649	
	S	120.327	86.921	89.445	107.995	63.345	103.373	85.549	75.031	102.699	120.263	103.336	88.990	93.523	95.983	
10	T	2.5298	11.9276	15.2142	8.8998	6.3144	10.1045	13.9789	8.6796	5.2993	7.4998	6.9411	6.6288	11.3644	86.1891	
	S	120.204	87.002	89.405	107.868	63.383	102.700	85.502	74.862	102.930	120.276	103.141	90.823	93.714	96.068	
11	T	2.5908	12.8197	15.3086	8.9811	6.3275	10.0864	13.9002	8.6008	5.2994	7.4941	6.8868	6.5724	11.4687	87.1277	
	S	117.373	80.948	88.854	106.891	63.252	102.884	85.986	75.548	102.928	120.367	103.954	91.602	92.861	95.033	
12	T	2.5392	11.9662	15.2577	8.9537	6.3040	10.0747	13.9708	8.6632	5.3076	7.5045	6.8557	6.6158	11.4626	86.2472	
	S	119.759	86.722	89.150	107.218	63.488	103.003	85.552	75.004	102.769	120.201	104.425	91.001	92.911	96.003	
13	T	2.5273	11.9639	15.2000	8.9265	6.2735	10.0769	13.9077	8.6123	5.2954	7.4981	6.8029	6.7042	11.2962	85.9772	
	S	120.322	86.738	89.489	107.545	63.796	102.981	85.940	75.447	103.005	120.303	105.236	89.801	94.279	96.305	
14	T	2.5265	11.9252	15.2745	8.9838	6.2907	10.0723	13.8936	8.5961	5.2975	7.5054	6.7770	6.6056	11.3254	85.9055	
	S	120.361	87.020	89.052	106.859	63.622	103.028	86.027	75.589	102.965	120.186	105.638	91.142	94.036	96.385	
15	T	2.5183	11.9590	15.1774	8.9066	6.2708	10.0308	13.9652	8.6416	5.3236	7.4931	6.7573	6.6373	11.3243	85.8627	
	S	120.752	86.774	89.622	107.785	63.824	103.454	85.586	75.191	102.460	120.383	105.946	90.706	94.046	96.433	
16	T	2.5098	11.9199	15.1742	8.8739	6.3003	10.0519	14.0039	8.6864	5.3175	7.4770	6.9649	6.7139	11.3315	86.1470	
	S	121.161	87.058	89.641	108.182	63.525	103.237	85.350	74.803	102.577	120.643	102.788	89.671	93.986	96.115	
17	T	2.5184	11.9044	15.2726	8.9138	6.3588	10.0837	14.1867	8.8689	5.3178	7.5104	6.9840	6.7070	11.3640	86.5312	
	S	120.748	87.172	89.063	107.698	62.941	102.911	84.250	73.264	102.571	120.106	102.507	89.764	93.717	95.688	
18	T	2.5387	12.1108	15.3156	8.9560	6.3596	10.1215	14.0711	8.7581	5.3130	7.5322	6.9630	6.7675	11.3645	86.7849	
	S	119.782	85.686	88.813	107.191	62.933	102.527	84.942	74.191	102.664	119.759	102.816	88.961	93.713	95.408	
19	T	2.5523	12.0634	15.3418	9.0018	6.3400	10.0872	14.0105	8.6994	5.3111	7.5276	6.8940	6.6412	11.4337	86.5517	
	S	119.144	86.023	88.662	106.645	63.127	102.876	85.309	74.692	102.701	119.832	103.845	90.653	93.146	95.665	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 33 - Agren, Ayla

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5211	12.1017	15.3882	8.9979	6.3903	10.0850	14.0648	8.7379	5.3269	7.5103	6.8635	6.8087	11.3784	86.7217	
	S	120.618	85.751	88.394	106.692	62.630	102.898	84.980	74.363	102.396	120.108	104.307	88.423	93.598	95.478	
21	T	2.5373	12.0766	15.2933	8.9580	6.3353	10.1178	14.0497	8.7362	5.3135	7.5099	6.8985	6.8274	11.4034	86.7139	
	S	119.848	85.929	88.943	107.167	63.174	102.565	85.071	74.377	102.654	120.114	103.778	88.181	93.393	95.486	
22	T	2.5544	12.2000	15.3317	8.9537	6.3780	10.1108	14.2248	8.8763	5.3485	7.5670	7.1539	6.8960	11.4013	87.4399	
	S	119.046	85.060	88.720	107.218	62.751	102.636	84.024	73.203	101.983	119.208	100.073	87.304	93.410	94.694	
23	T	2.5769	12.3332	15.3432	8.9382	6.4050	10.1490	14.3219	8.9857	5.3362						
	S	118.006	84.141	88.653	107.404	62.487	102.249	83.455	72.312	102.218						

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	5.1821	20.1625	18.6097	11.1551	7.4546	11.5508	16.1798	10.1679	6.0119	9.4918	9.3264	13.6917	27.0071	249.5659	148.7917
	S	58.681	51.468	73.092	86.059	53.689	89.840	73.872	63.904	90.729	95.034	76.762	43.972	39.434	33.178	5.875
2	T			18.2464	11.2761	6.9703	10.3877	14.6499	9.2651	5.3848	8.4437	8.0296	7.4147	11.7711	116.0149	
	S			74.548	85.136	57.419	99.900	81.586	70.131	101.295	106.831	89.159	81.196	90.476	71.370	
3	T	2.5906	12.5930	15.5112	9.0627	6.4485	10.2732	14.4598	9.0697	5.3901	7.8502	7.1744	6.8844	11.4592	88.7960	
	S	117.382	82.405	87.693	105.929	62.065	101.013	82.659	71.642	101.196	114.907	99.787	87.451	92.938	93.247	
4	T	2.5627	12.1173	15.3383	8.9725	6.3658	10.1664	14.2527	8.9054	5.3473	7.5690	6.8800	6.7674	11.3938	87.0476	
	S	118.660	85.640	88.682	106.994	62.871	102.074	83.860	72.964	102.006	119.176	104.057	88.963	93.472	95.120	
5	T	2.5443	11.8914	15.6272	8.8823	6.7449	10.2549	14.1287	8.8015	5.3272	7.5392	6.7204	6.7210	11.3905	86.8176	
	S	119.518	87.267	87.042	108.080	59.338	101.193	84.596	73.825	102.390	119.647	106.528	89.577	93.499	95.372	
6	T	2.5346	11.8666	15.4050	8.8786	6.5264	10.0982	14.1163	8.7689	5.3474	7.5370	6.7576	6.7094	11.2943	86.3190	
	S	119.976	87.449	88.298	108.125	61.324	102.764	84.670	74.100	102.004	119.682	105.941	89.732	94.295	95.923	
7	T	2.5185	11.9472	15.4362	8.9249	6.5113	10.2247	14.0350	8.6973	5.3377	7.6332	6.8109	6.7343	11.3146	86.6546	
	S	120.743	86.859	88.119	107.564	61.467	101.492	85.160	74.710	102.189	118.174	105.112	89.400	94.126	95.552	
8	T	2.5279	11.9485	15.3130	8.9110	6.4020	10.1678	14.0057	8.6937	5.3120	7.5169	6.7432	6.7649	11.2938	86.2817	
	S	120.294	86.850	88.828	107.732	62.516	102.060	85.339	74.741	102.683	120.002	106.168	88.995	94.300	95.965	
9	T	2.5265	11.9174	15.4690	8.9587	6.5103	10.2331	14.0853	8.7582	5.3271	7.5457	7.0590	6.8165	11.3158	86.9683	
	S	120.361	87.077	87.932	107.158	61.476	101.409	84.856	74.190	102.392	119.544	101.418	88.322	94.116	95.207	
10	T	2.5326	11.9529	15.3791	8.9847	6.3944	10.1142	14.0857	8.7435	5.3422	7.5209	6.7787	6.6419	11.3569	86.3629	
	S	120.071	86.818	88.446	106.848	62.590	102.601	84.854	74.315	102.103	119.938	105.612	90.644	93.776	95.875	
11	T	2.5247	11.8964	15.7212	8.8847	6.8365	10.0935	14.2627	8.9259	5.3368	7.5501	6.8585	6.6829	11.3695	86.9595	
	S	120.446	87.230	86.522	108.051	58.543	102.811	83.801	72.796	102.206	119.475	104.383	90.087	93.672	95.217	
12	T	2.5300	11.9914	15.4505	9.0124	6.4381	10.1308	14.2976	8.7921	5.5055	8.0819	6.8803	6.6726	11.4362	87.4713	
	S	120.194	86.539	88.038	106.520	62.165	102.433	83.596	73.904	99.074	111.613	104.052	90.227	93.125	94.660	
13	T	2.5284	11.9827	15.4933	8.8956	6.5977	10.0277	14.0392	8.7085	5.3307	7.5104	6.8117	6.6601	11.4042	86.4577	
	S	120.270	86.602	87.795	107.919	60.662	103.486	85.135	74.614	102.323	120.106	105.100	90.396	93.387	95.769	
14	T	2.5228	12.0168	15.3003	8.9617	6.3386	10.1035	14.0498	8.7178	5.3320	7.5002	6.7859	6.5722	11.4807	86.3322	
	S	120.537	86.356	88.902	107.123	63.141	102.710	85.071	74.534	102.298	120.270	105.500	91.605	92.764	95.909	
15	T	2.5263	11.9488	15.3129	8.9495	6.3634	10.0949	14.0131	8.6856	5.3275	7.5106	6.7823	6.7476	11.4069	86.3434	
	S	120.370	86.848	88.829	107.269	62.895	102.797	85.294	74.810	102.385	120.103	105.556	89.224	93.365	95.896	
16	T	2.5122	12.0552	15.4245	8.9641	6.4604	10.0672	14.0495	8.7373	5.3122	7.5399	7.0471	6.7721	11.5508	87.0185	
	S	121.046	86.081	88.186	107.094	61.951	103.080	85.073	74.368	102.680	119.636	101.589	88.901	92.201	95.152	
17	T	2.5210	12.5117	15.3319	9.0412	6.2907	10.0620	14.0491	8.7257	5.3234	7.5018	6.7852	6.6404	11.6132	87.0163	
	S	120.623	82.941	88.719	106.181	63.622	103.133	85.075	74.467	102.464	120.244	105.510	90.664	91.706	95.155	
18	T	2.5154	11.9600	15.2458	8.8925	6.3533	10.0390	14.0208	8.7175	5.3033	7.4806	6.9705	6.8003	11.4674	86.4998	
	S	120.892	86.766	89.220	107.956	62.995	103.370	85.247	74.537	102.852	120.585	102.706	88.532	92.872	95.723	
19	T	2.5204	12.0189	15.2783	8.9516	6.3267	10.0933	14.0561	8.7675	5.2886	7.4740	6.9350	6.7329	11.5715	86.6804	
	S	120.652	86.341	89.030	107.243	63.260	102.813	85.033	74.112	103.138	120.691	103.231	89.418	92.036	95.523	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SPO to SF	SF to PI
1	T 133.6065	111.1509
	S 59.248	68.697
2	T 105.6382	
	S 74.934	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
20	T	2.5323	12.2968	15.6331	9.1278	6.5053	10.0865	14.1447	8.8326	5.3121	7.5391	6.9168	6.7866	11.4446	87.3805	
	S	120.085	84.390	87.009	105.173	61.523	102.883	84.500	73.565	102.682	119.649	103.503	88.711	93.057	94.758	
21	T	2.8016	14.2338		11.1240											
	S	108.542	72.906		86.300											

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 5 - McCusker, Austin (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9639	14.2609	15.8826	9.1829	6.6997	10.4594	14.8014	9.4341	5.3673	7.6297	7.1803	6.9395	11.5402	91.6579	135.8088
	S	102.598	72.767	85.643	104.542	59.738	99.215	80.751	68.875	101.625	118.228	99.705	86.756	92.286	90.336	58.287
2	T	2.5608	12.3046	15.6907	9.1631	6.5276	10.1167	14.2436	8.8918	5.3518	7.5573	6.9486	6.7481	11.6618	87.8322	
	S	118.748	84.337	86.690	104.768	61.313	102.576	83.913	73.075	101.920	119.361	103.029	89.217	91.324	94.271	
3	T	2.6060	12.1543	15.3863	9.0081	6.3782	10.1841	14.0318	8.6811	5.3507	7.5479	6.9007	6.7445	11.3086	86.8642	
	S	116.689	85.379	88.405	106.571	62.749	101.897	85.180	74.849	101.941	119.509	103.744	89.265	94.176	95.321	
4	T	2.5257	12.0896	15.5392	9.0925	6.4467	10.1351	14.2915	8.9675	5.3240	7.5007	7.0131	6.8414	11.2323	87.1686	
	S	120.399	85.836	87.535	105.582	62.083	102.389	83.632	72.459	102.452	120.262	102.082	88.000	94.816	94.988	
5	T	2.5104	12.1641	15.5458	9.1041	6.4417	10.1072	14.3916	9.0560	5.3356	7.5318	6.8630	6.7438	11.4006	87.2583	
	S	121.132	85.311	87.498	105.447	62.131	102.672	83.050	71.751	102.229	119.765	104.314	89.274	93.416	94.891	
6	T	2.5152	12.0797	15.3983	9.0291	6.3692	10.1108	14.2483	8.9176	5.3307	7.5316	6.7805	6.7119	11.3121	86.6884	
	S	120.901	85.907	88.336	106.323	62.838	102.636	83.886	72.864	102.323	119.768	105.584	89.698	94.147	95.515	
7	T	2.5170	12.0107	15.4382	9.0096	6.4286	10.1180	14.1839	8.8549	5.3290	7.5334	6.8004	6.7092	11.3090	86.6198	
	S	120.815	86.400	88.108	106.553	62.257	102.562	84.266	73.380	102.356	119.739	105.275	89.734	94.173	95.590	
8	T	2.5167	12.0468	15.3501	9.0203	6.3298	10.0322	14.0980	8.7707	5.3273	7.5416	6.8172	6.7980	11.2323	86.4329	
	S	120.829	86.141	88.614	106.427	63.229	103.440	84.780	74.084	102.389	119.609	105.015	88.562	94.816	95.797	
9	T	2.5155	12.0195	15.3845	9.0234	6.3611	10.0355	14.1396	8.8175	5.3221	7.5508	6.6977	6.6814	11.2453	86.2698	
	S	120.887	86.337	88.415	106.390	62.918	103.406	84.530	73.691	102.489	119.464	106.889	90.108	94.706	95.978	
10	T	2.5168	12.0151	15.3503	9.0011	6.3492	10.0184	14.2395	8.9129	5.3266	7.5337	6.6945	6.6493	11.3025	86.3201	
	S	120.824	86.369	88.612	106.654	63.036	103.582	83.937	72.903	102.402	119.735	106.940	90.543	94.227	95.922	
11	T	2.5139	12.0855	15.5329	9.0413	6.4916	10.1432	14.7716	9.3980	5.3736	7.5461	6.8460	6.7182	11.3294	87.4868	
	S	120.964	85.865	87.571	106.179	61.653	102.308	80.914	69.139	101.506	119.538	104.573	89.614	94.003	94.643	
12	T	2.5433	12.0305	15.4517	9.0331	6.4186	10.0994	14.2025	8.8780	5.3245	7.5290	6.7539	6.6522	11.3423	86.6048	
	S	119.565	86.258	88.031	106.276	62.354	102.751	84.156	73.189	102.442	119.809	105.999	90.503	93.896	95.607	
13	T	2.5166	12.0794	15.4190	9.0250	6.3940	10.0612	14.1146	8.7846	5.3300	7.5205	6.7452	6.6729	11.3414	86.4708	
	S	120.834	85.909	88.218	106.371	62.594	103.142	84.680	73.967	102.337	119.945	106.136	90.222	93.904	95.755	
14	T	2.5121	12.0544	15.4202	9.0249	6.3953	10.0747	14.2684	8.8746	5.3938	7.5760	6.6304	6.7250	11.2488	86.5100	
	S	121.050	86.087	88.211	106.372	62.581	103.003	83.767	73.217	101.126	119.066	107.974	89.523	94.677	95.711	
15	T	2.5268	12.1209	15.4229	8.9793	6.4436	10.0661	14.0823	8.7345	5.3478	7.5278	6.7042	6.4267	12.0621	86.9398	
	S	120.346	85.615	88.195	106.913	62.112	103.091	84.874	74.392	101.996	119.829	106.785	93.679	88.293	95.238	
16	T	2.5561	12.1482	15.5186	9.0424	6.4762	10.1818	14.1799	8.7654	5.4145	7.5931	6.7584	6.8779	11.2872	87.1012	
	S	118.967	85.422	87.651	106.167	61.800	101.920	84.290	74.129	100.740	118.798	105.929	87.533	94.355	95.062	
17	T	2.5348	12.1032	15.3738	9.0182	6.3556	10.0765	14.2047	8.8227	5.3820	7.5993	6.7419	6.6906	11.3136	86.6384	
	S	119.966	85.740	88.477	106.451	62.972	102.985	84.143	73.648	101.348	118.701	106.188	89.984	94.134	95.570	
18	T	2.5349	11.9614	15.3734	9.0033	6.3701	10.0675	14.1309	8.7458	5.3851	7.5959	6.7153	6.7165	11.2574	86.3532	
	S	119.962	86.756	88.479	106.628	62.829	103.077	84.583	74.295	101.290	118.754	106.609	89.637	94.604	95.885	
19	T	2.5310	11.9377	15.4905	9.0084	6.4821	10.0720	14.1657	8.7837	5.3820	7.5884	6.7301	6.7761	11.2138	86.5053	
	S	120.147	86.929	87.810	106.567	61.743	103.031	84.375	73.975	101.348	118.872	106.374	88.848	94.972	95.717	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 5 - McCusker, Austin (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.5281	12.0560	15.4195	9.0595	6.3600	10.0791	14.1051	8.7390	5.3661	7.5635	6.7104	6.7858	11.2387	86.4862
	S	120.284	86.076	88.215	105.966	62.929	102.958	84.737	74.353	101.648	119.263	106.687	88.721	94.762	95.738
21	T	2.5321	12.1144	15.4243	9.0618	6.3625	10.0962	14.2094	8.8468	5.3626	7.5542	6.8236	6.8577	11.3469	86.9588
	S	120.094	85.661	88.187	105.939	62.904	102.784	84.115	73.447	101.715	119.410	104.917	87.791	93.858	95.218
22	T	2.5447	12.2648	15.4413	9.0886	6.3527	10.1476	14.1611	8.7843	5.3768	7.5922	7.0357	6.9124	11.4641	87.5639
	S	119.500	84.610	88.090	105.627	63.001	102.263	84.402	73.970	101.446	118.812	101.754	87.096	92.899	94.560
23	T	2.6417	13.1365	16.1728	9.5226	6.6502	10.7925								
	S	115.112	78.996	84.106	100.813	60.183	96.153								

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 6 - Hanratty, Max

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9885	14.5865	16.7570	9.5754	7.1816	10.4112	14.4870	9.0964	5.3906	7.7769	7.3373	6.8849	11.7201	92.9494	131.0173
	S	101.754	71.143	81.174	100.257	55.730	99.674	82.503	71.432	101.186	115.990	97.571	87.444	90.870	89.081	60.419
2	T	2.5608	13.6766	16.1983	9.1249	7.0734	10.5814	15.1714	9.6708	5.5006	7.8952	7.2486	6.8280	11.6475	91.8078	
	S	118.748	75.876	83.973	105.207	56.582	98.071	78.782	67.189	99.163	114.252	98.765	88.173	91.436	90.188	
3	T	2.5995	12.3952	15.7998	9.1222	6.6776	10.4708	14.3497	8.9300	5.4197	7.5880	7.0471	6.7207	11.6786	88.6494	
	S	116.981	83.720	86.091	105.238	59.936	99.107	83.293	72.763	100.643	118.878	101.589	89.581	91.192	93.402	
4	T	2.5640	12.2744	15.8101	8.9827	6.8274	10.2082	14.2149	8.8284	5.3865	7.6362	7.2529	6.8589	11.4965	88.3161	
	S	118.600	84.544	86.035	106.872	58.621	101.656	84.083	73.600	101.263	118.128	98.707	87.776	92.637	93.754	
5	T	2.5674	12.1643	15.4513	9.0631	6.3882	10.1615	14.1005	8.7410	5.3595	7.5286	6.9376	6.9029	11.4239	87.2380	
	S	118.443	85.309	88.033	105.924	62.651	102.123	84.765	74.336	101.773	119.816	103.193	87.216	93.226	94.913	
6	T	2.5259	12.3069	15.7441	9.0512	6.6929	10.1470	14.1363	8.7848	5.3515	7.5223	6.9416	6.8223	11.6351	87.7815	
	S	120.389	84.321	86.396	106.063	59.799	102.269	84.550	73.966	101.926	119.916	103.133	88.247	91.533	94.325	
7	T	2.5455	12.1422	15.5105	9.0898	6.4207	10.2280	14.2543	8.8704	5.3839	7.6494	7.5254	6.7065	11.4848	88.0466	
	S	119.462	85.465	87.697	105.613	62.334	101.459	83.850	73.252	101.312	117.924	95.132	89.770	92.731	94.041	
8	T	2.5562	12.0350	15.4393	9.0583	6.3810	10.1506	14.1358	8.7543	5.3815	7.5613	7.0349	6.7100	11.3727	86.9958	
	S	118.962	86.226	88.102	105.980	62.722	102.233	84.553	74.223	101.357	119.298	101.765	89.724	93.645	95.177	
9	T	2.5322	12.1761	15.3873	9.0209	6.3664	10.1536	14.1779	8.7836	5.3943	7.5551	6.9184	6.7797	11.3055	86.9858	
	S	120.090	85.227	88.399	106.420	62.866	102.203	84.302	73.976	101.117	119.396	103.479	88.801	94.202	95.188	
10	T	2.5465	12.0361	15.4064	9.0351	6.3713	10.1260	14.0987	8.7482	5.3505	7.5672	6.8451	6.6145	11.4131	86.6536	
	S	119.415	86.218	88.290	106.252	62.817	102.481	84.776	74.275	101.945	119.205	104.587	91.019	93.314	95.553	
11	T	2.5404	12.0441	15.5405	9.1200	6.4205	10.1125	14.1020	8.7646	5.3374	7.5831	6.9231	6.6018	11.5925	87.0400	
	S	119.702	86.161	87.528	105.263	62.336	102.618	84.756	74.136	102.195	118.955	103.409	91.194	91.870	95.129	
12	T	2.5282	12.1347	15.5257	9.1666	6.3591	10.1215	14.0433	8.7119	5.3314	7.5636	6.9688	6.7859	11.5443	87.2160	
	S	120.280	85.517	87.611	104.728	62.938	102.527	85.110	74.585	102.310	119.261	102.731	88.720	92.253	94.937	
13	T	2.5341	12.1614	15.6709	9.1786	6.4923	10.1249	14.1783	8.8587	5.3196	7.6402	7.0283	6.7223	11.5226	87.5830	
	S	120.000	85.330	86.800	104.591	61.646	102.493	84.300	73.349	102.537	118.066	101.861	89.559	92.427	94.539	
14	T	2.5285	12.1872	15.6151	9.0514	6.5637	10.1258	14.2302	8.8848	5.3454	7.5295	7.1682	6.6719	11.6118	87.6682	
	S	120.265	85.149	87.110	106.061	60.976	102.483	83.992	73.133	102.042	119.802	99.873	90.236	91.717	94.447	
15	T	2.5161	12.1741	15.5272	9.0868	6.4404	10.1643	14.2355	8.8793	5.3562	7.5905	6.9867	6.6804	11.6436	87.5184	
	S	120.858	85.241	87.603	105.648	62.143	102.095	83.961	73.178	101.836	118.839	102.467	90.121	91.467	94.609	
16	T	2.5308	12.2301	15.5750	8.9905	6.5845	10.1523	14.1021	8.7504	5.3517	7.5152	6.9714	6.7393	11.5143	87.3305	
	S	120.156	84.850	87.334	106.779	60.783	102.216	84.755	74.256	101.922	120.029	102.692	89.334	92.494	94.812	
17	T	2.5479	12.1400	15.5075	9.0915	6.4160	10.0782	14.1870	8.8264	5.3606	7.5243	6.8902	6.6227	11.5884	87.0862	
	S	119.350	85.480	87.714	105.593	62.380	102.968	84.248	73.617	101.753	119.884	103.903	90.906	91.902	95.078	
18	T	2.5210	12.2188	15.5372	9.0838	6.4534	10.1292	14.2983	8.8009	5.4974	7.8762	6.9360	6.6281	11.7382	87.8830	
	S	120.623	84.929	87.546	105.683	62.018	102.449	83.592	73.830	99.220	114.528	103.216	90.832	90.729	94.216	
19	T	2.5222	12.1247	15.4481	8.9985	6.4496	10.0860	14.3503	8.9581	5.3922	7.5122	7.0035	6.7387	11.5767	87.3624	
	S	120.566	85.588	88.051	106.684	62.055	102.888	83.289	72.535	101.156	120.077	102.222	89.341	91.995	94.778	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 6 - Hanratty, Max

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5260	12.1850	15.5439	9.1160	6.4279	10.0732	14.2688	8.9060	5.3628	7.5182	6.9295	6.7067	11.5797	87.3310	
	S	120.384	85.164	87.509	105.309	62.264	103.019	83.765	72.959	101.711	119.982	103.313	89.768	91.971	94.812	
21	T	2.5165	12.1205	15.5243	9.0614	6.4629	10.2674	14.4484	9.0712	5.3772	7.5238	6.9330	6.6811	11.6814	87.6964	
	S	120.839	85.618	87.619	105.944	61.927	101.070	82.724	71.630	101.438	119.892	103.261	90.112	91.171	94.417	
22	T	2.5360	12.2089	15.5640	9.1185	6.4455	10.1362	14.2468	8.8806	5.3662	7.5024	6.8303	6.7208	11.4445	87.1899	
	S	119.910	84.998	87.396	105.280	62.094	102.378	83.894	73.168	101.646	120.234	104.814	89.579	93.058	94.965	
23	T	2.5808	13.4863		10.2158											
	S	117.828	76.947		93.972											

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0567	14.9009	16.8859	9.6260	7.2599	10.5827	14.5437	9.1704	5.3733	7.7389	7.2542	6.9592	12.0615	93.9837	131.2198
	S	99.483	69.642	80.554	99.730	55.128	98.059	82.182	70.855	101.512	116.560	98.689	86.511	88.297	88.100	60.326
2	T	2.5815	12.3880	16.2891	9.2401	7.0490	10.2424	14.1415	8.7671	5.3744	7.6066	6.8721	6.7346	11.5206	88.3764	
	S	117.796	83.769	83.505	103.895	56.778	101.317	84.519	74.115	101.491	118.587	104.176	89.396	92.443	93.690	
3	T	2.5532	12.0757	15.6063	9.1498	6.4565	10.2431	14.1152	8.7535	5.3617	7.6009	6.9371	6.9824	11.5697	87.6836	
	S	119.102	85.935	87.159	104.920	61.988	101.310	84.677	74.230	101.732	118.676	103.200	86.223	92.051	94.430	
4	T	2.5770	12.0949	15.8113	9.1174	6.6939	10.2432	14.2254	8.8402	5.3852	7.5861	6.8919	6.8930	11.5934	87.9162	
	S	118.002	85.799	86.029	105.293	59.790	101.309	84.021	73.502	101.288	118.908	103.877	87.342	91.863	94.181	
5	T	2.5729	12.1095	15.8852	9.1622	6.7230	10.3530	14.5980	9.2375	5.3605	7.5830	7.3816	6.9033	11.7157	89.1022	
	S	118.190	85.695	85.629	104.778	59.531	100.234	81.876	70.341	101.754	118.956	96.986	87.211	90.904	92.927	
6	T	2.5576	12.0242	15.5934	9.0600	6.5334	10.2444	14.2864	8.9117	5.3747	7.5973	6.9777	6.6250	11.5676	87.4736	
	S	118.897	86.303	87.231	105.960	61.259	101.297	83.662	72.912	101.486	118.732	102.600	90.875	92.067	94.657	
7	T	2.5476	12.0527	15.6007	9.1238	6.4769	10.1877	14.1561	8.7969	5.3592	7.6128	6.8414	6.6619	11.4066	87.0675	
	S	119.364	86.099	87.190	105.219	61.793	101.861	84.432	73.864	101.779	118.491	104.644	90.371	93.367	95.099	
8	T	2.5446	12.0974	15.5264	9.1249	6.4015	10.1809	14.1743	8.8008	5.3735	7.6053	6.8153	6.6982	11.4921	87.1345	
	S	119.504	85.781	87.607	105.207	62.521	101.929	84.324	73.831	101.508	118.607	105.044	89.882	92.672	95.026	
9	T	2.5450	12.1565	15.7187	9.2172	6.5015	10.1870	14.2310	8.8622	5.3688	7.6299	6.9105	6.7075	11.6258	87.7119	
	S	119.486	85.364	86.536	104.153	61.559	101.868	83.988	73.320	101.597	118.225	103.597	89.757	91.607	94.400	
10	T	2.5513	12.1896	15.6268	9.1329	6.4939	10.2240	14.2079	8.8324	5.3755	7.6241	6.9109	6.6786	11.5234	87.5366	
	S	119.191	85.132	87.045	105.114	61.631	101.499	84.124	73.567	101.470	118.315	103.591	90.145	92.421	94.589	
11	T	2.5510	12.1867	15.6337	9.1775	6.4562	10.2086	14.1682	8.7990	5.3692	7.6196	6.8079	6.6526	11.4595	87.2878	
	S	119.205	85.152	87.006	104.604	61.991	101.652	84.360	73.846	101.590	118.385	105.159	90.498	92.936	94.859	
12	T	2.5545	12.1342	15.5717	9.1466	6.4251	10.2166	14.3548	8.9420	5.4128	7.6462	6.8620	6.7702	11.5179	87.6281	
	S	119.041	85.521	87.353	104.957	62.291	101.573	83.263	72.665	100.771	117.973	104.330	88.926	92.465	94.490	
13	T	2.5579	12.1585	15.6174	9.1814	6.4360	10.1705	14.2473	8.8781	5.3692	7.6448	6.8931	6.6265	11.5378	87.4538	
	S	118.883	85.350	87.097	104.559	62.186	102.033	83.891	73.188	101.590	117.995	103.859	90.854	92.305	94.679	
14	T	2.5564	12.2648	15.6652	9.2342	6.4310	10.2160	14.2768	8.8849	5.3919	7.6434	6.9178	6.6518	11.5003	87.6925	
	S	118.953	84.610	86.831	103.961	62.234	101.579	83.718	73.132	101.162	118.016	103.488	90.509	92.606	94.421	
15	T	2.5470	12.1407	15.5531	9.1062	6.4469	10.2218	14.2408	8.8442	5.3966	7.6334	6.7837	6.6250	11.5825	87.3280	
	S	119.392	85.475	87.457	105.423	62.081	101.521	83.930	73.469	101.074	118.171	105.534	90.875	91.949	94.815	
16	T	2.5548	12.1819	15.6312	9.1728	6.4584	10.2236	14.3926	8.9842	5.4084	7.6300	6.7960	6.6023	11.4919	87.5043	
	S	119.027	85.186	87.020	104.657	61.970	101.503	83.045	72.324	100.853	118.224	105.343	91.187	92.674	94.624	
17	T	2.5446	12.1832	15.5923	9.1234	6.4689	10.2091	14.2385	8.8539	5.3846	7.6460	6.7907	6.6490	11.5555	87.4089	
	S	119.504	85.177	87.237	105.224	61.869	101.647	83.943	73.388	101.299	117.976	105.425	90.547	92.164	94.727	
18	T	2.5574	12.1995	15.6574	9.1635	6.4939	10.2241	14.4859	9.0250	5.4609	7.7298	6.8203	6.6560	11.4741	87.8045	
	S	118.906	85.063	86.874	104.763	61.631	101.498	82.510	71.997	99.884	116.697	104.967	90.452	92.818	94.300	
19	T	2.5455	12.1743	15.5898	9.1199	6.4699	10.2037	14.2576	8.8601	5.3975	7.6175	6.8563	6.6798	11.5084	87.4329	
	S	119.462	85.239	87.251	105.264	61.860	101.701	83.831	73.337	101.057	118.418	104.416	90.129	92.541	94.701	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5433	12.1885	15.5779	9.1524	6.4255	10.2175	14.3014	8.9061	5.3953	7.6064	6.7791	6.6729	11.5108	87.3978	
	S	119.565	85.140	87.318	104.891	62.287	101.564	83.574	72.958	101.098	118.590	105.605	90.222	92.522	94.739	
21	T	2.5380	12.2225	15.6947	9.1151	6.5796	10.2650	14.3487	8.9668	5.3819	7.6224	6.7961	6.5659	11.5787	87.6320	
	S	119.815	84.903	86.668	105.320	60.829	101.094	83.299	72.464	101.350	118.341	105.341	91.693	91.979	94.486	
22	T	2.5527	12.1609	15.5572	9.1358	6.4214	10.1999	14.3380	8.9435	5.3945	7.6225	6.7257	6.6016	11.5922	87.3507	
	S	119.125	85.333	87.434	105.081	62.327	101.739	83.361	72.653	101.113	118.340	106.444	91.197	91.872	94.790	
23	T	2.6617	13.0259		10.3821											
	S	114.247	79.666		92.467											

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 77 - Chastain, Sam (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0778	14.5099	16.7926	9.6332	7.1594	10.6670	14.8335	9.4098	5.4237	7.7412	7.1459	6.9731	11.7616	93.5026	129.4817
	S	98.801	71.519	81.002	99.655	55.902	97.284	80.576	69.053	100.569	116.525	100.185	86.338	90.549	88.554	61.135
2	T	2.6587	12.5304	16.3852	9.3441	7.0411	10.5490	15.1559	9.3900	5.7659	8.1860	7.1150	6.9990	11.8939	91.4731	
	S	114.376	82.817	83.016	102.739	56.842	98.372	78.862	69.198	94.600	110.194	100.620	86.019	89.542	90.518	
3	T	2.6226	12.2944	15.5635	9.1024	6.4611	10.3126	14.2896	8.8728	5.4168	7.6779	6.9600	6.7417	11.6687	88.1310	
	S	115.950	84.406	87.399	105.467	61.944	100.627	83.643	73.232	100.697	117.486	102.861	89.302	91.270	93.951	
4	T	2.6098	12.2395	15.6746	9.1837	6.4909	10.4056	14.3952	8.9779	5.4173	7.6393	6.9273	6.8285	11.7019	88.4217	
	S	116.519	84.785	86.779	104.533	61.660	99.728	83.030	72.375	100.688	118.080	103.346	88.167	91.011	93.642	
5	T	2.5851	12.1433	15.4696	9.1045	6.3651	10.1472	14.1379	8.7383	5.3996	7.6376	6.8507	6.8406	11.5530	87.3650	
	S	117.632	85.457	87.929	105.442	62.878	102.267	84.541	74.359	101.018	118.106	104.502	88.011	92.184	94.775	
6	T	2.5584	12.0799	15.6059	9.1257	6.4802	10.2239	14.2598	8.8577	5.4021	7.6332	7.0130	6.6871	11.6575	87.7187	
	S	118.860	85.905	87.161	105.197	61.762	101.500	83.818	73.357	100.971	118.174	102.083	90.031	91.357	94.393	
7	T	2.5533	12.1436	15.5828	9.1636	6.4192	10.1578	14.2088	8.7999	5.4089	7.7031	7.5394	6.8119	11.4859	88.1866	
	S	119.097	85.455	87.290	104.762	62.348	102.161	84.119	73.839	100.844	117.102	94.956	88.381	92.722	93.892	
8	T	2.5398	12.1338	15.5778	9.1469	6.4309	10.1671	14.2122	8.7876	5.4246	7.6665	6.8612	6.7118	11.5076	87.3778	
	S	119.730	85.524	87.318	104.954	62.235	102.067	84.099	73.942	100.552	117.661	104.342	89.700	92.548	94.761	
9	T	2.5642	12.4028	15.8127	9.3103	6.5024	10.2530	14.4025	8.9344	5.4681	7.6933	6.9698	6.7860	11.4331	88.3174	
	S	118.591	83.669	86.021	103.112	61.551	101.212	82.987	72.727	99.752	117.251	102.716	88.719	93.151	93.753	
10	T	2.5901	12.2975	15.7648	9.2449	6.5199	10.3373	14.2297	8.8073	5.4224	7.6673	6.8432	6.8429	11.5195	88.0923	
	S	117.405	84.385	86.283	103.841	61.385	100.387	83.995	73.777	100.593	117.648	104.616	87.981	92.452	93.992	
11	T	2.5934	12.2801	15.6366	9.2420	6.3946	10.2468	14.2240	8.7894	5.4346	7.6779	6.7716	6.7237	11.6940	87.8481	
	S	117.256	84.505	86.990	103.874	62.588	101.273	84.029	73.927	100.367	117.486	105.722	89.541	91.072	94.254	
12	T	2.6112	12.2366	15.6613	9.2066	6.4547	10.3150	14.2671	8.8444	5.4227	7.6553	6.7907	6.6824	11.5648	87.7844	
	S	116.456	84.805	86.853	104.273	62.006	100.604	83.775	73.467	100.587	117.833	105.425	90.094	92.090	94.322	
13	T	2.5815	12.2188	15.6915	9.1818	6.5097	10.2613	14.1443	8.7139	5.4304	7.6834	6.8611	6.7137	11.6227	87.7783	
	S	117.796	84.929	86.686	104.555	61.482	101.130	84.502	74.567	100.445	117.402	104.343	89.674	91.631	94.329	
14	T	2.5661	12.2242	15.6680	9.2180	6.4500	10.2397	14.8307	8.8911	5.9396	8.6760	7.0495	6.7592	11.6283	89.6417	
	S	118.503	84.891	86.816	104.144	62.051	101.344	80.591	73.081	91.834	103.970	101.555	89.071	91.587	92.368	
15	T	2.5712	12.3004	15.6250	9.1997	6.4253	10.2219	14.1730	8.7518	5.4212	7.6415	6.9697	6.7661	11.6201	87.8889	
	S	118.268	84.365	87.055	104.351	62.289	101.520	84.331	74.244	100.615	118.046	102.717	88.980	91.652	94.210	
16	T	2.5963	12.2288	15.5487	9.1675	6.3812	10.2627	14.1990	8.7583	5.4407	7.6732	6.8989	6.7299	11.5510	87.6885	
	S	117.125	84.859	87.482	104.718	62.720	101.116	84.177	74.189	100.254	117.558	103.771	89.458	92.200	94.425	
17	T	2.5936	12.4562	15.7315	9.2701	6.4614	10.3288	14.3812	8.8824	5.4988	7.7087	6.8685	6.8010	11.5231	88.3926	
	S	117.247	83.310	86.465	103.559	61.941	100.469	83.110	73.153	99.195	117.017	104.231	88.523	92.423	93.673	
18	T	2.5831	12.0780	15.4959	9.0966	6.3993	10.2423	14.2995	8.8501	5.4494	7.6552	7.0255	6.7435	11.5340	87.6570	
	S	117.723	85.919	87.780	105.534	62.542	101.318	83.585	73.420	100.094	117.834	101.902	89.278	92.336	94.459	
19	T	2.6154	12.3757	15.6443	9.1848	6.4595	10.2266	14.9631	9.4915	5.4716	7.7094	6.9679	7.0381	11.5460	89.0865	
	S	116.269	83.852	86.947	104.521	61.959	101.473	79.878	68.458	99.688	117.006	102.744	85.541	92.240	92.943	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 77 - Chastain, Sam (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5826	12.2751	15.7079	9.1882	6.5197	10.2822	14.2266	8.8008	5.4258	7.6650	7.0492	6.7334	11.6458	88.1678	
	S	117.746	84.539	86.595	104.482	61.387	100.925	84.014	73.831	100.530	117.684	101.559	89.412	91.449	93.912	
21	T	2.6886	12.4617	15.6028	9.2400	6.3628	10.2534	14.2408	8.8124	5.4284	7.6652	7.0237	6.8623	11.5249	88.3234	
	S	113.104	83.273	87.178	103.896	62.901	101.208	83.930	73.734	100.482	117.681	101.928	87.732	92.409	93.746	
22	T	2.5999	12.3152	15.8194	9.3122	6.5072	10.2771	14.2577	8.8220	5.4357	7.6838	6.9632	6.6940	11.8279	88.4382	
	S	116.963	84.264	85.985	103.091	61.505	100.975	83.830	73.654	100.347	117.396	102.813	89.938	90.041	93.625	
23	T	2.7385	13.2040													
	S	111.043	78.592													

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 8 - Martin, Anthony

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9290	12.7277	16.0119	9.0890	6.9229	10.1988	14.3405	9.0290	5.3115	7.5163	6.9431	6.6401	11.4063	88.7137	144.0529
	S	103.821	81.533	84.951	105.622	57.812	101.750	83.346	71.965	102.693	120.012	103.111	90.668	93.369	93.334	54.951
2	T	2.5103	12.0386	15.3828	8.9561	6.4267	10.0075	14.1608	8.7888	5.3720	7.5298	6.6808	6.4346	11.3959	86.1411	
	S	121.137	86.200	88.425	107.190	62.276	103.695	84.404	73.932	101.537	119.797	107.159	93.564	93.455	96.121	
3	T	2.5104	11.7900	15.3182	8.9402	6.3780	9.9424	13.8367	8.5335	5.3032	7.4796	6.7053	6.4500	11.3456	85.3782	
	S	121.132	88.018	88.798	107.380	62.751	104.374	86.381	76.144	102.854	120.601	106.768	93.340	93.869	96.980	
4	T	2.5052	11.8008	15.2780	8.9342	6.3438	9.9494	13.9283	8.5971	5.3312	7.5049	6.6709	6.4531	11.6078	85.6984	
	S	121.384	87.937	89.032	107.452	63.090	104.300	85.813	75.580	102.314	120.194	107.318	93.296	91.749	96.618	
5	T	2.5116	11.8671	15.3243	8.9464	6.3779	9.9990	13.8895	8.5845	5.3050	7.4893	6.6047	6.4345	11.5840	85.7040	
	S	121.075	87.446	88.763	107.306	62.752	103.783	86.053	75.691	102.819	120.445	108.394	93.565	91.937	96.612	
6	T	2.5101	11.9869	15.3420	8.9647	6.3773	9.9871	13.8971	8.5534	5.3437	7.5125	6.6261	6.5396	11.3435	85.7449	
	S	121.147	86.572	88.660	107.087	62.758	103.907	86.006	75.967	102.074	120.073	108.044	92.062	93.886	96.566	
7	T	2.5038	11.9253	15.2887	8.9283	6.3604	10.0053	13.9913	8.6648	5.3265	7.5080	6.6454	6.5739	11.3814	85.8231	
	S	121.452	87.019	88.969	107.523	62.925	103.718	85.426	74.990	102.404	120.145	107.730	91.581	93.574	96.478	
8	T	2.5213	11.9926	15.3180	8.9709	6.3471	9.9617	13.8574	8.5547	5.3027	7.5002	6.6394	6.4269	11.5124	85.7299	
	S	120.609	86.531	88.799	107.013	63.057	104.172	86.252	75.955	102.864	120.270	107.827	93.676	92.509	96.582	
9	T	2.5078	11.8634	15.3441	8.9686	6.3755	9.9493	13.8641	8.5572	5.3069	7.5006	6.6787	6.5247	11.3919	85.6246	
	S	121.258	87.473	88.648	107.040	62.776	104.302	86.210	75.933	102.782	120.263	107.193	92.272	93.487	96.701	
10	T	2.5047	11.8773	15.3297	8.9543	6.3754	9.9438	13.8682	8.5648	5.3034	7.4951	6.6020	6.5326	11.4189	85.5723	
	S	121.408	87.371	88.731	107.211	62.777	104.359	86.185	75.865	102.850	120.351	108.438	92.160	93.266	96.760	
11	T	2.5075	11.9154	15.3548	8.9848	6.3700	9.9565	13.8974	8.5847	5.3127	7.5129	6.6466	6.5267	11.3854	85.7032	
	S	121.273	87.091	88.586	106.847	62.830	104.226	86.004	75.690	102.670	120.066	107.711	92.243	93.541	96.612	
12	T	2.5063	11.9255	15.3759	8.9735	6.4024	9.9421	13.8510	8.5580	5.2930	7.5052	6.6415	6.5049	11.3703	85.6227	
	S	121.331	87.018	88.465	106.982	62.512	104.377	86.292	75.926	103.052	120.189	107.793	92.553	93.665	96.703	
13	T	2.5130	11.8798	15.2920	8.9451	6.3469	9.9653	13.9545	8.6366	5.3179	7.5067	6.5999	6.4928	11.4055	85.6095	
	S	121.007	87.352	88.950	107.321	63.059	104.134	85.652	75.235	102.570	120.165	108.473	92.725	93.376	96.718	
14	T	2.5156	11.9384	15.3527	8.9846	6.3681	9.9472	13.9406	8.6509	5.2897	7.4912	6.5896	6.4867	11.5044	85.7664	
	S	120.882	86.923	88.599	106.849	62.849	104.324	85.737	75.110	103.116	120.414	108.642	92.812	92.573	96.541	
15	T	2.5005	11.9285	15.2998	8.9379	6.3619	9.9547	14.0080	8.6887	5.3193	7.5004	6.7472	6.5872	11.4019	85.9282	
	S	121.612	86.996	88.905	107.408	62.910	104.245	85.325	74.784	102.543	120.266	106.105	91.396	93.405	96.360	
16	T	2.5062	11.8992	15.4065	9.0052	6.4013	9.9775	14.0469	8.6966	5.3503	7.4966	6.7090	6.5704	11.4639	86.0762	
	S	121.335	87.210	88.289	106.605	62.523	104.007	85.088	74.716	101.948	120.327	106.709	91.630	92.900	96.194	
17	T	2.4967	11.9366	15.3408	8.9353	6.4055	9.9512	14.0256	8.7020	5.3236	7.5012	6.7364	6.6256	11.4183	86.0324	
	S	121.797	86.937	88.667	107.439	62.482	104.282	85.218	74.669	102.460	120.253	106.275	90.867	93.271	96.243	
18	T	2.4917	12.0649	15.5066	9.0080	6.4986	9.9746	14.1354	8.7862	5.3492	7.5079	6.6803	6.5520	11.3990	86.3124	
	S	122.042	86.012	87.719	106.572	61.587	104.037	84.556	73.954	101.969	120.146	107.167	91.887	93.429	95.931	
19	T	2.5072	11.9612	15.3934	8.9407	6.4527	9.9238	13.9237	8.6125	5.3112	7.4923	6.7136	6.4847	11.3562	85.7561	
	S	121.287	86.758	88.364	107.374	62.025	104.570	85.841	75.445	102.699	120.396	106.636	92.841	93.781	96.553	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 8 - Martin, Anthony

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.5045	12.0422	15.4851	8.9647	6.5204	9.9421	13.9518	8.6447	5.3071	7.4837	6.6402	6.5275	11.5036	86.0807
	S	121.418	86.174	87.841	107.087	61.381	104.377	85.668	75.164	102.778	120.535	107.814	92.232	92.580	96.189
21	T	2.4989	12.0066	15.4910	8.9111	6.5799	10.0364	14.0970	8.7955	5.3015	7.4887	6.6292	6.6598	11.4975	86.4051
	S	121.690	86.430	87.808	107.731	60.826	103.396	84.786	73.876	102.887	120.454	107.993	90.400	92.629	95.828
22	T	2.5030	11.9525	15.3986	8.9695	6.4291	9.9701	13.9890	8.6941	5.2949	7.4813	6.6612	6.5533	11.5310	86.0400
	S	121.491	86.821	88.334	107.029	62.252	104.084	85.441	74.737	103.015	120.573	107.474	91.869	92.360	96.234
23	T	2.7429	14.0057	20.7097	13.1985	7.5112	12.2747	14.9062	9.5148	5.3914	7.8116				
	S	110.865	74.093	65.681	72.736	53.284	84.542	80.183	68.291	101.171	115.475				

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 80 - Megennis, Robert (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0533	14.1300	15.9902	9.3797	6.6105	10.2345	14.6988	9.3820	5.3168	7.6219	7.2599	7.0006	11.5789	91.5681	137.5712
	S	99.594	73.441	85.066	102.349	60.544	101.395	81.315	69.257	102.591	118.349	98.611	85.999	91.978	90.425	57.540
2	T	2.5446	12.3153	15.5976	9.1024	6.4952	10.1232	14.1825	8.8622	5.3203	7.4915	7.0228	6.7479	11.4644	87.4898	
	S	119.504	84.263	87.207	105.467	61.619	102.510	84.275	73.320	102.523	120.409	101.941	89.220	92.896	94.640	
3	T	2.5573	12.1334	15.3546	8.9529	6.4017	10.1100	14.1663	8.8611	5.3052	7.5002	7.0128	6.8061	11.3639	87.0046	
	S	118.911	85.527	88.588	107.228	62.519	102.644	84.371	73.329	102.815	120.270	102.086	88.457	93.718	95.167	
4	T	2.5329	12.2116	15.5429	9.0660	6.4769	10.0941	14.2874	9.0010	5.2864	7.4429	7.1008	6.6880	11.3981	87.2987	
	S	120.056	84.979	87.514	105.890	61.793	102.805	83.656	72.189	103.181	121.195	100.821	90.019	93.437	94.847	
5	T	2.5137	12.1074	15.5390	9.1291	6.4099	10.1210	14.2794	9.0063	5.2731	7.5104	7.0140	6.6838	11.5360	87.3047	
	S	120.973	85.710	87.536	105.158	62.439	102.532	83.703	72.146	103.441	120.106	102.069	90.075	92.320	94.840	
6	T	2.5168	12.0785	15.4410	8.9766	6.4644	10.0357	13.9495	8.6868	5.2627	7.4486	6.9705	6.7018	11.3167	86.4591	
	S	120.824	85.915	88.092	106.945	61.913	103.404	85.682	74.800	103.645	121.103	102.706	89.833	94.109	95.768	
7	T	2.5026	12.1131	15.5408	9.0193	6.5215	10.0789	13.9624	8.6869	5.2755	7.4570	6.9385	6.7232	11.4119	86.7284	
	S	121.510	85.670	87.526	106.438	61.370	102.960	85.603	74.799	103.394	120.966	103.179	89.547	93.324	95.470	
8	T	2.5041	12.0561	15.3160	8.9334	6.3826	10.0142	14.0849	8.7933	5.2916	7.4649	6.9192	6.6478	11.3300	86.3372	
	S	121.437	86.075	88.811	107.462	62.706	103.626	84.859	73.894	103.079	120.838	103.467	90.563	93.998	95.903	
9	T	2.4989	11.9674	15.4086	8.9750	6.4336	10.0587	14.0040	8.7146	5.2894	7.4613	6.8641	6.6605	11.3915	86.3150	
	S	121.690	86.713	88.277	106.964	62.209	103.167	85.349	74.561	103.122	120.897	104.298	90.390	93.491	95.928	
10	T	2.5030	12.0377	15.4625	8.9978	6.4647	14.2137	9.9598	8.9154	5.2983	7.4772	6.7763	6.6549	11.4202	86.5053	
	S	121.491	86.206	87.969	106.693	61.910	104.192	84.090	72.882	102.949	120.639	105.649	90.466	93.256	95.717	
11	T	2.4934	12.0420		8.9168			14.4272	9.0880	5.3392	7.4816	6.9873	6.7310	11.4120	88.2129	
	S	121.958	86.176		107.662			82.845	71.498	102.160	120.569	102.459	89.444	93.323	93.864	
12	T	2.5334	12.1318	15.3312	8.9484	6.3828	10.0491	14.0860	8.8061	5.2799	7.4504	7.0126	6.6624	11.5011	86.7580	
	S	120.033	85.538	88.723	107.282	62.704	103.266	84.852	73.787	103.308	121.073	102.089	90.365	92.600	95.438	
13	T	2.5061	12.0642	15.4587	9.0290	6.4297	10.0745	14.1642	8.8724	5.2918	7.4886	6.9301	6.7152	11.4368	86.8384	
	S	121.340	86.017	87.991	106.324	62.247	103.005	84.384	73.235	103.075	120.456	103.304	89.654	93.120	95.350	
14	T	2.5156	12.0916	15.3342	8.9301	6.4041	10.0121	14.0800	8.7765	5.3035	7.4911	6.8287	6.7325	11.4141	86.4999	
	S	120.882	85.822	88.705	107.502	62.495	103.647	84.888	74.036	102.848	120.416	104.838	89.424	93.306	95.723	
15	T	2.5013	12.0299	15.3614	8.9568	6.4046	10.0001	14.0638	8.7385	5.3253	7.4898	6.9572	6.7701	11.6706	86.8442	
	S	121.573	86.262	88.548	107.181	62.491	103.772	84.986	74.357	102.427	120.437	102.902	88.927	91.255	95.343	
16	T	2.5393	12.2108	15.6078	8.9333	6.6745	10.1812	14.2609	8.9767	5.2842	7.4345	6.9449	6.7965	11.3311	87.3070	
	S	119.754	84.984	87.150	107.463	59.964	101.926	83.811	72.384	103.224	121.332	103.084	88.582	93.989	94.838	
17	T	2.5016	12.1542	15.5388	9.0559	6.4829	9.9718	14.0588	8.7748	5.2840	7.5008	7.1410	6.8297	11.5860	87.2827	
	S	121.559	85.380	87.537	106.008	61.736	104.066	85.016	74.050	103.228	120.260	100.253	88.151	91.921	94.864	
18	T	2.5204	12.2343	15.4967	9.0532	6.4435	10.0599	14.0909	8.7856	5.3053	7.4662	6.8899	6.7633	11.4874	87.0090	
	S	120.652	84.821	87.775	106.040	62.113	103.155	84.823	73.959	102.813	120.817	103.907	89.017	92.710	95.163	
19	T	2.5069	12.1455	15.4001	8.9435	6.4566	10.0037	14.1430	8.8405	5.3025	7.4531	6.8649	6.8516	11.4349	86.8037	
	S	121.302	85.441	88.326	107.341	61.987	103.734	84.510	73.500	102.867	121.030	104.285	87.869	93.136	95.388	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 80 - Megennis, Robert (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5092	12.1752	15.4012	8.9556	6.4456	10.0609	14.1277	8.8338	5.2939	7.4344	6.9626	6.8045	11.3999	86.8756	
	S	121.190	85.233	88.320	107.195	62.093	103.145	84.602	73.555	103.035	121.334	102.822	88.478	93.422	95.309	
21	T	2.4952	12.2082	15.4727	9.0138	6.4589	10.0298	14.2113	8.9163	5.2950	7.4410	6.9725	6.6837	11.5137	87.0281	
	S	121.870	85.002	87.911	106.503	61.965	103.464	84.104	72.875	103.013	121.226	102.676	90.077	92.499	95.142	
22	T	2.5048	12.1294	15.4780	9.0321	6.4459	9.9981	14.1411	8.8297	5.3114	7.4612	6.9061	6.7622	11.6241	87.0050	
	S	121.403	85.555	87.881	106.288	62.090	103.792	84.522	73.589	102.695	120.898	103.663	89.031	91.620	95.167	
23	T	2.7996	12.9605	16.3168	9.5578	6.7590	10.7709									
	S	108.619	80.068	83.364	100.442	59.214	96.345									

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 81 - Cane, Jordan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9297	13.3537	15.7415	9.0905	6.6510	10.2386	14.5836	9.2385	5.3451	7.5367	7.0852	6.8063	11.3685	89.6438	140.0532
	S	103.796	77.711	86.410	105.605	60.176	101.354	81.957	70.333	102.048	119.687	101.043	88.454	93.680	92.366	56.521
2	T	2.5260	11.9447	15.4565	8.9392	6.5173	10.2418	14.2740	8.9535	5.3205	7.4771	7.1226	6.7380	11.4109	87.1916	
	S	120.384	86.878	88.004	107.392	61.410	101.323	83.735	72.572	102.519	120.641	100.512	89.351	93.332	94.963	
3	T	2.5242	11.8567	15.3879	8.9570	6.4309	10.1458	14.0851	8.7655	5.3196	7.5181	6.9675	6.7171	11.3408	86.5432	
	S	120.470	87.522	88.396	107.179	62.235	102.281	84.858	74.128	102.537	119.983	102.750	89.629	93.909	95.675	
4	T	2.5160	11.8147	15.2611	8.9517	6.3094	10.1166	13.9743	8.6387	5.3356	7.5475	6.6364	6.6650	11.3702	85.9018	
	S	120.863	87.834	89.130	107.242	63.433	102.577	85.530	75.216	102.229	119.516	107.876	90.329	93.666	96.389	
5	T	2.5111	11.8190	15.2395	8.9442	6.2953	10.0723	13.9867	8.6578	5.3289	7.5118	6.7168	6.7064	11.3959	85.9595	
	S	121.099	87.802	89.257	107.332	63.576	103.028	85.455	75.051	102.358	120.084	106.585	89.772	93.455	96.324	
6	T	2.5068	11.7934	15.2046	8.9179	6.2867	10.0497	13.9644	8.6416	5.3228	7.5104	6.7601	6.7278	11.4801	85.9973	
	S	121.306	87.992	89.462	107.649	63.663	103.260	85.591	75.191	102.475	120.106	105.902	89.486	92.769	96.282	
7	T	2.5152	11.8626	15.2026	8.9368	6.2658	10.0836	13.9761	8.6599	5.3162	7.5165	6.6815	6.5646	11.4511	85.8538	
	S	120.901	87.479	89.473	107.421	63.875	102.912	85.519	75.032	102.602	120.009	107.148	91.711	93.004	96.443	
8	T	2.5091	11.8462	15.2254	8.9232	6.3022	10.0319	13.9088	8.5980	5.3108	7.5054	6.7569	6.7451	11.3960	85.9248	
	S	121.195	87.600	89.339	107.585	63.506	103.443	85.933	75.573	102.707	120.186	105.952	89.257	93.454	96.363	
9	T	2.5134	11.8210	15.2818	8.9595	6.3223	10.0349	13.9485	8.6324	5.3161	7.5260	6.6752	6.6275	11.5058	85.9341	
	S	120.988	87.787	89.010	107.149	63.304	103.412	85.689	75.271	102.604	119.857	107.249	90.841	92.562	96.353	
10	T	2.5205	11.8113	15.2860	8.9290	6.3570	10.1920	14.5646	9.1436	5.4210	7.5897	6.7289	6.5463	11.4575	86.6968	
	S	120.647	87.859	88.985	107.515	62.959	101.818	82.064	71.063	100.619	118.851	106.393	91.967	92.952	95.505	
11	T	2.5247	11.8448	15.2269	8.9455	6.2814	10.0757	13.9012	8.5753	5.3259	7.5379	6.6559	6.5686	11.4487	85.7844	
	S	120.446	87.610	89.331	107.317	63.716	102.993	85.980	75.773	102.415	119.668	107.560	91.655	93.024	96.521	
12	T	2.5133	11.8557	15.2583	8.9651	6.2932	10.0794	14.0260	8.7064	5.3196	7.5333	6.6774	6.5415	11.4814	85.9663	
	S	120.993	87.530	89.147	107.082	63.597	102.955	85.215	74.632	102.537	119.741	107.214	92.035	92.759	96.317	
13	T	2.5142	11.7801	15.2467	8.9367	6.3100	10.1903	13.9608	8.6453	5.3155	7.5295	6.6858	6.6384	11.3905	85.9363	
	S	120.949	88.092	89.215	107.422	63.427	101.835	85.613	75.159	102.616	119.802	107.079	90.691	93.499	96.350	
14	T	2.5068	11.8264	15.2404	8.9680	6.2724	10.0723	14.0091	8.6897	5.3194	7.5284	6.7045	6.6798	11.4217	85.9894	
	S	121.306	87.747	89.251	107.047	63.808	103.028	85.318	74.775	102.541	119.819	106.780	90.129	93.244	96.291	
15	T	2.5132	11.8721	15.2408	8.9387	6.3021	10.1028	14.1021	8.7489	5.3532	7.5358	6.7761	6.7288	11.4383	86.3100	
	S	120.997	87.409	89.249	107.398	63.507	102.717	84.755	74.269	101.893	119.701	105.652	89.473	93.108	95.933	
16	T	2.5172	11.8421	15.4036	8.9489	6.4547	10.1975	13.9759	8.6463	5.3296	7.5232	6.7169	6.6479	11.4296	86.2539	
	S	120.805	87.630	88.306	107.276	62.006	101.763	85.521	75.150	102.344	119.902	106.583	90.562	93.179	95.996	
17	T	2.5135	11.9326	15.3395	8.9597	6.3798	10.0816	13.9847	8.6478	5.3369	7.5428	6.7272	6.6895	11.4752	86.2866	
	S	120.983	86.966	88.675	107.146	62.734	102.933	85.467	75.137	102.204	119.590	106.420	89.999	92.809	95.959	
18	T	2.5119	11.9727	15.3365	8.9894	6.3471	10.0713	14.0634	8.7190	5.3444	7.5334	6.7410	6.5906	11.4929	86.3137	
	S	121.060	86.674	88.692	106.792	63.057	103.038	84.989	74.524	102.061	119.739	106.202	91.349	92.666	95.929	
19	T	2.5091	11.9752	15.2799	8.9519	6.3280	10.0619	14.0062	8.6866	5.3196	7.5013	6.7643	6.7734	11.4306	86.3019	
	S	121.195	86.656	89.021	107.240	63.247	103.134	85.336	74.802	102.537	120.252	105.836	88.884	93.171	95.942	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 81 - Cane, Jordan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5018	11.9125	15.3711	8.9660	6.4051	10.0547	13.9476	8.6291	5.3185	7.4940	6.7159	6.5924	11.5518	86.1418	
	S	121.549	87.112	88.493	107.071	62.486	103.208	85.694	75.300	102.558	120.369	106.599	91.324	92.193	96.121	
21	T	2.5166	11.9099	15.3002	8.9639	6.3363	10.0874	14.0099	8.6759	5.3340	7.4975	6.7880	6.6763	11.5195	86.3053	
	S	120.834	87.131	88.903	107.096	63.164	102.874	85.313	74.894	102.260	120.313	105.467	90.177	92.452	95.938	
22	T	2.5079	12.0033	15.3028	8.9330	6.3698	10.0660	14.0077	8.6811	5.3266	7.5049	6.7821	6.7114	11.4749	86.3610	
	S	121.253	86.453	88.887	107.467	62.832	103.092	85.326	74.849	102.402	120.194	105.559	89.705	92.811	95.877	
23	T	2.5372	12.8213	16.8636	9.7300	7.1336	11.3597	14.6681	9.2497	5.4184	7.9251					
	S	119.853	80.938	80.661	98.664	56.105	91.352	81.485	70.248	100.667	113.821					

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 82 - Fischer, TJ (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9982	14.2485	15.9170	9.2580	6.6590	10.4280	15.1631	9.7539	5.4092	7.6096	7.2339	6.8270	11.5499	91.9752	132.5538
	S	101.424	72.831	85.458	103.694	60.103	99.514	78.825	66.617	100.838	118.540	98.966	88.186	92.209	90.024	59.718
2	T	2.5792	12.3368	15.5448	9.1354	6.4094	10.0971	14.2958	8.9677	5.3281	7.5218	7.0355	6.7872	11.4010	87.5992	
	S	117.901	84.116	87.504	105.086	62.444	102.775	83.607	72.457	102.373	119.924	101.757	88.703	93.413	94.521	
3	T	2.6006	12.6243	15.4837	9.1148	6.3689	10.1094	14.0165	8.6869	5.3296	7.5375	6.8265	6.7961	11.9589	87.9535	
	S	116.931	82.201	87.849	105.323	62.841	102.650	85.273	74.799	102.344	119.674	104.872	88.587	89.055	94.141	
4	T	2.5985	12.1391	15.6318	9.0905	6.5413	10.2390	14.1658	8.8051	5.3607	7.5587	6.7969	6.5958	11.4488	87.1744	
	S	117.026	85.486	87.017	105.605	61.185	101.350	84.374	73.795	101.751	119.339	105.329	91.277	93.023	94.982	
5	T	2.5385	11.9512	15.3490	9.0222	6.3268	10.0636	14.0457	8.6939	5.3518	7.5202	6.9202	6.5963	11.4894	86.4741	
	S	119.792	86.830	88.620	106.404	63.259	103.117	85.096	74.739	101.920	119.950	103.452	91.270	92.694	95.751	
6	T	2.5192	12.0341	15.6701	9.1618	6.5083	10.1506	14.1206	8.7864	5.3342	7.5185	6.7924	6.5272	11.5656	86.8983	
	S	120.709	86.232	86.804	104.783	61.495	102.233	84.644	73.952	102.256	119.977	105.399	92.236	92.083	95.284	
7	T	2.5337	12.0017	15.4629	9.0184	6.4445	10.0553	14.1627	8.7822	5.3805	7.5644	6.7936	6.6275	11.3422	86.5440	
	S	120.019	86.465	87.967	106.449	62.104	103.202	84.393	73.987	101.376	119.249	105.380	90.841	93.897	95.674	
8	T	2.5257	12.0804	15.4642	9.0868	6.3774	10.0662	13.9754	8.6393	5.3361	7.5325	6.7810	6.5897	11.4617	86.4768	
	S	120.399	85.902	87.960	105.648	62.757	103.090	85.524	75.211	102.220	119.754	105.576	91.362	92.918	95.748	
9	T	2.5351	12.0908	15.4996	9.1210	6.3786	10.0422	14.0606	8.7213	5.3393	7.5429	6.8006	6.6743	11.4068	86.6529	
	S	119.952	85.828	87.759	105.252	62.745	103.337	85.005	74.504	102.158	119.589	105.271	90.204	93.365	95.554	
10	T	2.5289	11.9932	15.4015	9.0342	6.3673	10.0795	14.0769	8.7275	5.3494	7.5593	6.8486	6.6264	11.4597	86.5740	
	S	120.246	86.526	88.318	106.263	62.857	102.954	84.907	74.451	101.966	119.329	104.534	90.856	92.934	95.641	
11	T	2.5245	12.0355	15.4714	9.0476	6.4238	10.0831	14.2401	8.8916	5.3485	7.5539	6.8587	6.7976	11.4330	86.9978	
	S	120.456	86.222	87.919	106.105	62.304	102.917	83.934	73.077	101.983	119.415	104.380	88.567	93.151	95.175	
12	T	2.5418	12.2036	15.4137	9.0280	6.3857	10.0554	14.1562	8.8125	5.3437	7.5333	7.0764	7.0787	11.4644	87.5235	
	S	119.636	85.035	88.248	106.336	62.676	103.201	84.431	73.733	102.074	119.741	101.169	85.050	92.896	94.603	
13	T	2.5451	12.0452	15.4282	9.0351	6.3931	10.1025	14.0876	8.7562	5.3314	7.5386	6.7663	6.7471	11.3332	86.5938	
	S	119.481	86.153	88.165	106.252	62.603	102.720	84.843	74.207	102.310	119.657	105.805	89.230	93.972	95.619	
14	T	2.5311	12.0414	15.4485	9.0388	6.4097	10.1027	14.1360	8.7910	5.3450	7.5401	6.7766	6.6924	11.4710	86.7398	
	S	120.142	86.180	88.049	106.209	62.441	102.718	84.552	73.913	102.049	119.633	105.644	89.960	92.843	95.458	
15	T	2.5263	12.0212	15.3960	9.0250	6.3710	10.0616	14.0363	8.6946	5.3417	7.5382	6.8441	6.6719	11.4979	86.5935	
	S	120.370	86.325	88.349	106.371	62.820	103.137	85.153	74.733	102.113	119.663	104.602	90.236	92.626	95.619	
16	T	2.5358	12.1146	15.4527	9.0445	6.4082	10.0838	14.2147	8.8881	5.3266	7.5015	6.8827	6.7467	11.4708	87.0033	
	S	119.919	85.659	88.025	106.142	62.455	102.910	84.084	73.106	102.402	120.249	104.016	89.236	92.844	95.169	
17	T	2.5225	12.2012	15.5921	9.1623	6.4298	10.0855	14.0721	8.7309	5.3412	7.5254	6.8765	6.7490	11.4498	87.0741	
	S	120.551	85.051	87.238	104.777	62.246	102.893	84.936	74.422	102.122	119.867	104.110	89.205	93.015	95.091	
18	T	2.5434	12.4106	15.6022	9.2003	6.4019	10.0589	14.1529	8.8031	5.3498	7.5498	6.9209	6.7319	11.4612	87.4318	
	S	119.561	83.616	87.182	104.344	62.517	103.165	84.451	73.812	101.958	119.479	103.442	89.432	92.922	94.702	
19	T	2.5377	12.1953	15.4419	9.0238	6.4181	10.0765	14.2123	8.8649	5.3474	7.5460	6.9296	6.7471	11.4188	87.1052	
	S	119.829	85.092	88.087	106.385	62.359	102.985	84.098	73.297	102.004	119.540	103.312	89.230	93.267	95.057	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 82 - Fischer, TJ (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5488	12.2202	15.5098	9.0933	6.4165	10.0666	14.0526	8.7255	5.3271	7.5207	6.8593	6.7919	11.4952	87.0651	
	S	119.307	84.919	87.701	105.572	62.375	103.086	85.054	74.468	102.392	119.942	104.371	88.642	92.647	95.101	
21	T	2.5210	12.1762	15.4579	9.0386	6.4193	10.1001	14.1124	8.7702	5.3422	7.5387	6.8355	6.7150	11.4381	86.8949	
	S	120.623	85.226	87.996	106.211	62.347	102.744	84.693	74.089	102.103	119.655	104.734	89.657	93.110	95.288	
22	T	2.5171	12.2062	15.5037	9.0977	6.4060	10.0804	14.1306	8.7918	5.3388	7.5319	6.9158	6.7872	11.4034	87.0763	
	S	120.810	85.016	87.736	105.521	62.477	102.945	84.584	73.907	102.168	119.763	103.518	88.703	93.393	95.089	
23	T	2.6170	13.0175	15.9705	9.3443	6.6262	10.5148									
	S	116.198	79.718	85.171	102.736	60.401	98.692									

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 83 - Munro, James (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.8760	14.1286	15.7895	9.1600	6.6295	10.2372	14.5942	9.2478	5.3464	7.5360	6.9898	7.0869	11.6342	90.8724	136.5762
	S	105.734	73.449	86.148	104.803	60.371	101.368	81.897	70.262	102.023	119.698	102.422	84.952	91.540	91.117	57.960
2	T	2.5243	12.3083	15.4726	9.0638	6.4088	10.1172	14.2124	8.8708	5.3416	7.5231	6.8432	6.7126	11.6443	87.3580	
	S	120.465	84.311	87.912	105.916	62.450	102.571	84.097	73.248	102.114	119.903	104.616	89.689	91.461	94.782	
3	T	2.5209	12.1533	15.3234	8.9909	6.3325	10.1346	14.1938	8.8551	5.3387	7.5397	6.8110	6.8242	11.6650	87.1659	
	S	120.628	85.386	88.768	106.775	63.202	102.394	84.208	73.378	102.170	119.639	105.111	88.222	91.299	94.991	
4	T	2.5272	12.3766	15.5288	9.0337	6.4951	10.1437	14.3227	8.9887	5.3340	7.5243	6.8065	6.7690	11.5038	87.5026	
	S	120.327	83.846	87.594	106.269	61.620	102.303	83.450	72.288	102.260	119.884	105.180	88.942	92.578	94.626	
5	T	2.5078	12.2266	15.5952	9.0891	6.5061	10.2610	14.3950	9.0498	5.3452	7.4918	6.8429	6.7415	11.5065	87.5683	
	S	121.258	84.875	87.221	105.621	61.516	101.133	83.031	71.800	102.046	120.404	104.621	89.304	92.556	94.555	
6	T	2.5101	12.0861	15.4212	8.9986	6.4226	10.0731	14.0428	8.7284	5.3144	7.4840	6.6780	6.5819	11.5179	86.3951	
	S	121.147	85.861	88.205	106.683	62.315	103.020	85.113	74.444	102.637	120.530	107.204	91.470	92.465	95.839	
7	T	2.5071	12.1653	15.3562	8.9842	6.3720	10.0587	13.9836	8.6716	5.3120	7.5038	6.6504	6.6588	11.5266	86.4105	
	S	121.292	85.302	88.578	106.854	62.810	103.167	85.474	74.931	102.683	120.212	107.649	90.414	92.395	95.822	
8	T	2.5105	12.0404	15.3608	8.9673	6.3935	10.0474	14.1129	8.7451	5.3678	7.5197	6.7238	6.6261	11.5678	86.5094	
	S	121.128	86.187	88.552	107.056	62.599	103.283	84.690	74.301	101.616	119.958	106.474	90.860	92.066	95.712	
9	T	2.5079	11.9876	15.3569	8.9445	6.4124	10.0160	14.0813	8.7541	5.3272	7.5107	6.7881	6.7188	11.5423	86.5096	
	S	121.253	86.567	88.574	107.329	62.415	103.607	84.880	74.225	102.390	120.101	105.465	89.606	92.269	95.712	
10	T	2.5107	12.0241	15.3583	8.9711	6.3872	10.0563	14.0357	8.7120	5.3237	7.5369	6.6907	6.7027	11.5184	86.4338	
	S	121.118	86.304	88.566	107.010	62.661	103.192	85.156	74.584	102.458	119.684	107.001	89.821	92.461	95.796	
11	T	2.5074	12.1748	15.6977	9.1313	6.5664	10.1913	14.8643	9.4957	5.3686	7.5586	6.6874	6.7274	11.5217	87.9306	
	S	121.277	85.236	86.651	105.133	60.951	101.825	80.409	68.428	101.601	119.340	107.053	89.492	92.434	94.165	
12	T	2.5208	12.0158	15.4209	8.9673	6.4536	10.0470	14.1363	8.8123	5.3240	7.5196	6.7450	6.6594	11.4730	86.5378	
	S	120.633	86.364	88.207	107.056	62.016	103.287	84.550	73.735	102.452	119.959	106.139	90.405	92.827	95.681	
13	T	2.5184	12.0701	15.3477	8.9393	6.4084	10.0470	14.1148	8.7899	5.3249	7.5215	6.7064	6.6796	11.4641	86.4696	
	S	120.748	85.975	88.627	107.391	62.454	103.287	84.679	73.923	102.435	119.929	106.750	90.132	92.899	95.756	
14	T	2.5090	12.0387	15.3724	8.9808	6.3916	10.0304	14.1210	8.7935	5.3275	7.5179	6.6655	6.7275	11.5836	86.5660	
	S	121.200	86.199	88.485	106.895	62.618	103.458	84.642	73.892	102.385	119.986	107.405	89.490	91.940	95.650	
15	T	2.5211	12.0655	15.3887	8.9697	6.4190	10.0270	14.1219	8.7795	5.3424	7.5083	6.7818	6.6620	12.7036	87.7799	
	S	120.618	86.008	88.391	107.027	62.350	103.493	84.636	74.010	102.099	120.140	105.563	90.370	83.835	94.327	
16	T	2.5451	12.2694	15.6310	9.0658	6.5652	10.1595	14.2129	8.8924	5.3205	7.4912	6.7219	6.7317	11.5133	87.2760	
	S	119.481	84.578	87.021	105.892	60.962	102.144	84.095	73.071	102.519	120.414	106.504	89.434	92.502	94.871	
17	T	2.5070	12.1621	15.4031	9.0049	6.3982	10.0335	14.2644	8.9077	5.3567	7.5129	6.8660	6.9410	11.5344	87.2244	
	S	121.297	85.325	88.309	106.609	62.553	103.426	83.791	72.945	101.827	120.066	104.269	86.738	92.333	94.928	
18	T	2.5104	12.2000	15.3617	8.9681	6.3936	10.0347	14.2001	8.8527	5.3474	7.5066	6.7254	6.6842	11.6512	86.8743	
	S	121.132	85.060	88.547	107.046	62.598	103.414	84.170	73.398	102.004	120.167	106.449	90.070	91.407	95.310	
19	T	2.5209	12.1680	15.4428	8.9755	6.4673	10.0138	14.1262	8.8005	5.3257	7.5009	6.7966	6.7008	11.5967	86.8667	
	S	120.628	85.283	88.082	106.958	61.885	103.630	84.611	73.834	102.419	120.258	105.333	89.847	91.836	95.318	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 83 - Munro, James (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5182	12.2087	15.4216	8.9788	6.4428	10.0494	14.1552	8.8267	5.3285	7.4980	6.7953	6.7535	11.5363	86.9362	
	S	120.757	84.999	88.203	106.919	62.120	103.263	84.437	73.614	102.365	120.305	105.354	89.146	92.317	95.242	
21	T	2.5114	12.1385	15.3791	8.9669	6.4122	10.0727	14.2773	8.9607	5.3166	7.4885	6.7139	6.6989	11.5911	86.8714	
	S	121.084	85.491	88.446	107.060	62.417	103.024	83.715	72.514	102.595	120.457	106.631	89.872	91.881	95.313	
22	T	2.5130	12.2107	15.3810	8.9600	6.4210	10.0429	14.2202	8.8591	5.3611	7.5142	6.7934	6.7514	11.7093	87.1361	
	S	121.007	84.985	88.436	107.143	62.331	103.329	84.051	73.345	101.743	120.045	105.383	89.173	90.953	95.024	
23	T	2.8212	13.0242	16.1372	9.4906	6.6466	10.6442									
	S	107.788	79.677	84.291	101.153	60.215	97.492									

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 9 - Franzoni, Victor

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9566	12.7944	15.5826	8.9652	6.6174	10.1648	14.2132	8.8933	5.3199	7.5192	6.8683	6.6600	11.3420	88.1011	142.1690
	S	102.852	81.108	87.291	107.081	60.481	102.090	84.093	73.063	102.531	119.966	104.234	90.397	93.899	93.983	55.680
2	T	2.5135	11.8228	15.2214	8.8607	6.3607	10.0153	13.9471	8.6179	5.3292	7.4757	6.7730	6.6277	11.3991	85.7956	
	S	120.983	87.773	89.363	108.344	62.922	103.614	85.697	75.398	102.352	120.664	105.700	90.838	93.428	96.508	
3	T	2.5296	11.7568	15.1833	8.8836	6.2997	9.9743	13.9220	8.6205	5.3015	7.4705	6.6558	6.5649	11.2748	85.3320	
	S	120.213	88.266	89.587	108.064	63.531	104.040	85.852	75.375	102.887	120.748	107.562	91.707	94.458	97.033	
4	T	2.5030	11.7441	15.1677	8.8278	6.3399	9.9615	13.8738	8.5778	5.2960	7.4547	6.6834	6.4858	11.2968	85.1708	
	S	121.491	88.362	89.679	108.747	63.128	104.174	86.150	75.751	102.994	121.004	107.117	92.825	94.274	97.216	
5	T	2.4891	11.7791	15.1929	8.9004	6.2925	10.0438	13.7629	8.4796	5.2833	7.4440	6.6288	6.5234	11.2654	85.1294	
	S	122.169	88.099	89.530	107.860	63.604	103.320	86.844	76.628	103.241	121.178	108.000	92.290	94.537	97.264	
6	T	2.4934	11.7429	15.1580	8.8655	6.2925	10.0165	13.8168	8.5259	5.2909	7.4474	6.6103	6.5064	11.3648	85.1565	
	S	121.958	88.371	89.737	108.285	63.604	103.602	86.505	76.212	103.093	121.122	108.302	92.531	93.710	97.233	
7	T	2.5016	11.8036	15.1888	8.8902	6.2986	10.0228	13.7922	8.4980	5.2942	7.4663	6.6251	6.4823	11.4237	85.3064	
	S	121.559	87.916	89.555	107.984	63.542	103.537	86.660	76.462	103.029	120.816	108.060	92.875	93.227	97.062	
8	T	2.5025	11.7734	15.1991	8.8831	6.3160	9.9951	13.8420	8.5415	5.3005	7.4683	6.6946	6.5477	11.4054	85.4281	
	S	121.515	88.142	89.494	108.070	63.367	103.824	86.348	76.072	102.906	120.783	106.938	91.948	93.377	96.924	
9	T	2.4937	11.7343	15.1906	8.8786	6.3120	9.9681	13.8029	8.5079	5.2950	7.4554	6.6225	6.5788	11.4316	85.2779	
	S	121.944	88.435	89.544	108.125	63.407	104.105	86.592	76.373	103.013	120.992	108.103	91.513	93.163	97.094	
10	T	2.4999	11.7879	15.1907	8.8675	6.3232	9.9835	13.8871	8.5589	5.3282	7.4755	6.6546	6.5529	11.3453	85.3774	
	S	121.641	88.033	89.543	108.261	63.295	103.944	86.067	75.918	102.371	120.667	107.581	91.875	93.871	96.981	
11	T	2.4805	11.8325	15.3951	8.8386	6.5565	9.9367	13.8275	8.5272	5.3003	7.4809	6.6847	6.5263	11.4243	85.5885	
	S	122.593	87.701	88.355	108.614	61.043	104.434	86.438	76.200	102.910	120.580	107.097	92.249	93.222	96.742	
12	T	2.5022	11.8557	15.2570	8.9152	6.3418	9.9932	13.9348	8.6502	5.2846	7.4592	6.6916	6.5436	11.4215	85.6588	
	S	121.529	87.530	89.154	107.681	63.109	103.843	85.773	75.116	103.216	120.931	106.986	92.005	93.245	96.663	
13	T	2.4963	11.8496	15.2475	8.9018	6.3457	9.9820	13.8114	8.5175	5.2939	7.4592	6.7083	6.5145	11.3833	85.4521	
	S	121.817	87.575	89.210	107.843	63.071	103.960	86.539	76.287	103.035	120.931	106.720	92.416	93.558	96.896	
14	T	2.4951	11.8618	15.2243	8.8944	6.3299	9.9809	13.8511	8.5723	5.2788	7.4384	6.7214	6.5583	11.3799	85.5112	
	S	121.875	87.485	89.346	107.933	63.228	103.971	86.291	75.799	103.329	121.269	106.512	91.799	93.586	96.829	
15	T	2.4922	11.9108	15.2839	8.8469	6.4370	9.9655	13.8418	8.5445	5.2973	7.4526	6.6955	6.5173	11.4063	85.5659	
	S	122.017	87.125	88.997	108.513	62.176	104.132	86.349	76.046	102.968	121.038	106.924	92.377	93.369	96.768	
16	T	2.4914	11.8324	15.2384	8.9002	6.3382	10.0081	13.8703	8.5678	5.3025	7.4516	6.6753	6.4792	11.4119	85.4586	
	S	122.056	87.702	89.263	107.863	63.145	103.689	86.172	75.839	102.867	121.054	107.247	92.920	93.324	96.889	
17	T	2.4894	11.9963	15.2644	8.9458	6.3186	9.9984	13.8642	8.5650	5.2992	7.4711	6.6807	6.5054	11.4238	85.6937	
	S	122.154	86.504	89.111	107.313	63.341	103.789	86.210	75.864	102.931	120.738	107.161	92.545	93.226	96.623	
18	T	2.4929	11.8763	15.2532	8.9039	6.3493	10.0277	13.9645	8.6488	5.3157	7.4732	6.7221	6.5558	11.4875	85.8532	
	S	121.983	87.378	89.177	107.818	63.035	103.486	85.590	75.129	102.612	120.704	106.501	91.834	92.709	96.444	
19	T	2.5042	11.9140	15.2457	8.8971	6.3486	9.9634	13.9493	8.6374	5.3119	7.4711	6.7775	6.5406	11.4395	85.8053	
	S	121.432	87.102	89.220	107.900	63.042	104.154	85.684	75.228	102.685	120.738	105.630	92.047	93.098	96.498	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 9 - Franzoni, Victor

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.4939	11.9274	15.2266	8.8769	6.3497	9.9777	14.0737	8.7790	5.2947	7.4466	6.7048	6.4387	11.5406	85.8300	
	S	121.934	87.004	89.332	108.146	63.031	104.005	84.926	74.014	103.019	121.135	106.776	93.504	92.283	96.470	
21	T	2.4983	11.9555	15.2446	8.9175	6.3271	10.0045	13.9483	8.6141	5.3342	7.4522	6.7243	6.5776	11.5115	85.9168	
	S	121.719	86.799	89.227	107.653	63.256	103.726	85.690	75.431	102.256	121.044	106.466	91.530	92.516	96.372	
22	T	2.5038	11.9919	15.3700	8.9531	6.4169	10.0363	14.0892	8.7533	5.3359	7.6626	7.0248	6.6307	12.3632	87.6725	
	S	121.452	86.536	88.499	107.225	62.371	103.397	84.833	74.232	102.224	117.721	101.912	90.797	86.143	94.442	
23	T	3.1558	14.4290	17.3462	10.6266	6.7196	10.4544	14.6093	9.0719	5.5374	7.9912	7.7281				
	S	96.359	71.920	78.416	90.339	59.561	99.262	81.813	71.625	98.504	112.880	92.637				

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 91 - Gabin, Luke

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9146	13.1235	15.8597	9.0830	6.7767	10.2285	14.5407	9.2261	5.3146	7.5480	7.0247	6.6373	11.3736	89.2506	140.7140
	S	104.334	79.074	85.766	105.692	59.059	101.454	82.199	70.428	102.633	119.508	101.913	90.706	93.638	92.772	56.255
2	T	2.5322	11.9394	15.4640	8.8237	6.6403	10.1969	14.2082	8.8910	5.3172	7.5145	6.9428	6.6208	11.3736	86.7924	
	S	120.090	86.916	87.961	108.798	60.272	101.769	84.122	73.082	102.583	120.041	103.115	90.932	93.638	95.400	
3	T	2.5421	11.7892	15.3523	8.9948	6.3575	10.0711	13.9958	8.6796	5.3162	7.5363	6.8480	6.5948	11.2857	86.0153	
	S	119.622	88.024	88.601	106.728	62.954	103.040	85.399	74.862	102.602	119.693	104.543	91.291	94.367	96.262	
4	T	2.5344	11.7912	15.2466	8.9802	6.2664	10.0572	13.9801	8.6468	5.3333	7.5339	6.9597	6.6132	11.2179	85.9342	
	S	119.985	88.009	89.215	106.902	63.869	103.183	85.495	75.146	102.273	119.732	102.865	91.037	94.938	96.353	
5	T	2.5217	11.8990	15.2045	8.9311	6.2734	10.0731	13.9268	8.6235	5.3033	7.5064	6.8554	6.5940	11.2900	85.8709	
	S	120.590	87.211	89.462	107.490	63.798	103.020	85.822	75.349	102.852	120.170	104.430	91.302	94.331	96.424	
6	T	2.5125	11.7687	15.2224	8.9323	6.2901	10.0734	13.8303	8.5336	5.2967	7.5121	6.7616	6.6383	11.2379	85.5572	
	S	121.031	88.177	89.357	107.475	63.628	103.017	86.421	76.143	102.980	120.079	105.879	90.693	94.769	96.777	
7	T	2.5203	11.7892	15.2361	8.9661	6.2700	10.0543	13.7965	8.4975	5.2990	7.5157	6.7961	6.5450	11.2137	85.4669	
	S	120.657	88.024	89.277	107.070	63.832	103.212	86.633	76.466	102.935	120.021	105.341	91.986	94.973	96.880	
8	T	2.5138	11.7035	15.1250	8.8953	6.2297	10.0116	13.8461	8.5506	5.2955	7.5073	6.8222	6.4401	11.4287	85.3983	
	S	120.969	88.668	89.932	107.922	64.245	103.652	86.322	75.991	103.003	120.156	104.938	93.484	93.186	96.957	
9	T	2.5244	11.8999	15.2270	8.9033	6.3237	9.9776	13.8341	8.5428	5.2913	7.5064	6.8555	6.5051	11.3776	85.7076	
	S	120.461	87.205	89.330	107.825	63.290	104.006	86.397	76.061	103.085	120.170	104.428	92.550	93.605	96.608	
10	T	2.5359	11.7729	15.2329	8.9514	6.2815	9.9924	13.8080	8.5181	5.2899	7.5193	6.8513	6.5218	11.4022	85.6367	
	S	119.914	88.145	89.295	107.246	63.715	103.852	86.560	76.281	103.112	119.964	104.492	92.313	93.403	96.688	
11	T	2.5149	11.8413	15.2267	8.9419	6.2848	10.0107	13.7872	8.4813	5.3059	7.5349	6.8155	6.5010	11.3135	85.5457	
	S	120.916	87.636	89.332	107.360	63.682	103.662	86.691	76.612	102.802	119.716	105.041	92.608	94.135	96.790	
12	T	2.5102	11.8002	15.2070	8.8974	6.3096	9.9775	13.8334	8.5410	5.2924	7.5192	6.8012	6.4694	11.3229	85.4410	
	S	121.142	87.941	89.447	107.897	63.431	104.007	86.402	76.077	103.064	119.966	105.262	93.060	94.057	96.909	
13	T	2.5066	11.7973	15.2637	8.9603	6.3034	9.9958	13.8391	8.5314	5.3077	7.5268	6.8700	6.4714	11.3690	85.6397	
	S	121.316	87.963	89.115	107.139	63.494	103.816	86.366	76.162	102.767	119.844	104.208	93.032	93.676	96.684	
14	T	2.4998	11.8205	15.2224	8.9189	6.3035	9.9823	13.8870	8.6009	5.2861	7.5132	6.7841	6.4980	11.3490	85.5563	
	S	121.646	87.790	89.357	107.637	63.493	103.957	86.068	75.547	103.187	120.061	105.527	92.651	93.841	96.778	
15	T	2.5015	11.9185	15.1340	8.8822	6.2518	9.9985	13.8420	8.5529	5.2891	7.4897	6.8053	6.6180	11.2934	85.6009	
	S	121.563	87.069	89.879	108.081	64.018	103.788	86.348	75.971	103.128	120.438	105.199	90.971	94.303	96.728	
16	T	2.5082	11.8835	15.3652	8.9353	6.4299	10.0538	13.8454	8.5552	5.2902	7.4953	6.8577	6.6587	11.3440	86.0118	
	S	121.239	87.325	88.526	107.439	62.245	103.217	86.327	75.951	103.107	120.348	104.395	90.415	93.882	96.266	
17	T	2.5071	11.9239	15.3674	8.9665	6.4009	9.9895	13.8717	8.5790	5.2927	7.5131	6.8454	6.5264	11.3687	85.9132	
	S	121.292	87.029	88.514	107.065	62.527	103.882	86.163	75.740	103.058	120.063	104.583	92.248	93.678	96.376	
18	T	2.4945	11.8456	15.4008	9.0548	6.3460	9.9721	13.9714	8.6941	5.2773	7.4606	6.9155	6.4589	11.4831	86.0025	
	S	121.905	87.604	88.322	106.021	63.068	104.063	85.548	74.737	103.359	120.908	103.522	93.212	92.745	96.276	
19	T	2.5002	11.9615	15.3122	8.9347	6.3775	9.9502	13.9825	8.6875	5.2950	7.4657	6.7483	6.5140	11.4167	85.8513	
	S	121.627	86.756	88.833	107.446	62.756	104.292	85.480	74.794	103.013	120.825	106.087	92.423	93.284	96.446	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 91 - Gabin, Luke

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
20	T	2.5035	11.9282	15.3801	8.9601	6.4200	9.9440	13.9791	8.7018	5.2773	7.4524	6.7740	6.4868	11.4015	85.8496	
	S	121.466	86.998	88.441	107.142	62.341	104.357	85.501	74.671	103.359	121.041	105.685	92.811	93.409	96.448	
21	T	2.4984	12.0201	15.2991	8.8378	6.4613	10.1158	14.2601	8.9680	5.2921	7.5068	6.7165	6.5361	11.4720	86.4249	
	S	121.714	86.333	88.909	108.624	61.942	102.585	83.816	72.455	103.070	120.164	106.590	92.111	92.835	95.806	
22	T	2.5065	11.9561	15.3823	9.0879	6.2944	9.9790	13.9986	8.7195	5.2791	7.4421	6.8022	6.5076	11.6339	86.2083	
	S	121.321	86.795	88.428	105.635	63.585	103.991	85.382	74.519	103.323	121.208	105.247	92.514	91.543	96.046	
23	T	2.7635	13.9005	20.8850	13.4635	7.4215	10.6641	14.5752	9.1068	5.4684	7.9569					
	S	110.038	74.654	65.129	71.304	53.928	97.310	82.004	71.350	99.747	113.366					

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 92 - Das, Cameron (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.9374	14.2456	16.1335	9.3627	6.7708	10.3530	15.0729	9.7189	5.3540	7.5831	7.0432	6.9027	11.5062	91.7776	
	S	103.524	72.845	84.311	102.535	59.111	100.234	79.296	66.857	101.878	118.955	101.645	87.219	92.559	90.218	
2	T	2.5894	12.2599	15.6889	9.0337	6.6552	10.1042	14.2916	8.9829	5.3087	7.4690	6.9808	6.7391	11.6324	87.7553	
	S	117.437	84.644	86.700	106.269	60.138	102.703	83.631	72.334	102.747	120.772	102.554	89.336	91.555	94.353	
3	T	2.5677	12.4793	15.3217	8.9511	6.3706	10.1153	14.1455	8.8213	5.3242	7.4970	7.0296	7.1128	12.0431	88.3120	
	S	118.429	83.156	88.778	107.249	62.824	102.590	84.495	73.660	102.448	120.321	101.842	84.643	88.432	93.758	
4	T	2.5984	12.2104	15.3777	8.9534	6.4243	10.3734	14.2944	8.9739	5.3205	7.5228	6.9098	6.6054	11.3869	87.2792	
	S	117.030	84.987	88.455	107.222	62.299	100.037	83.615	72.407	102.519	119.908	103.608	91.144	93.529	94.868	
5	T	2.5342	12.0041	15.3479	8.9357	6.4122	10.0918	13.9998	8.6845	5.3153	7.4733	6.9210	6.6896	11.4221	86.4838	
	S	119.995	86.448	88.626	107.434	62.417	102.829	85.375	74.820	102.620	120.702	103.440	89.997	93.240	95.740	
6	T	2.5229	12.0579	15.4098	8.8711	6.5387	10.2681	14.2098	8.9059	5.3039	7.4614	6.8320	6.6528	11.4314	86.8461	
	S	120.532	86.062	88.270	108.217	61.209	101.063	84.113	72.960	102.840	120.895	104.788	90.495	93.164	95.341	
7	T	2.5119	12.0797	15.7277	8.8997	6.8280	10.1654	14.9155	9.3908	5.5247	8.9892	8.4451		224.8687	141.6864	
	S	121.060	85.907	86.486	107.869	58.616	102.084	80.133	69.192	98.730	100.348	84.772		36.821	6.169	
8	T			15.7064	9.2203	6.4861	10.2990	14.0472	8.6737	5.3735	7.7104	7.1623	6.6724	11.7465	94.4508	
	S			86.603	104.118	61.705	100.760	85.087	74.913	101.508	116.991	99.955	90.229	90.665	87.665	
9	T	2.6020	12.1816	15.4492	9.1011	6.3481	10.1501	14.0705	8.7174	5.3531	7.6180	6.8027	6.5673	11.4772	86.9186	
	S	116.868	85.188	88.045	105.482	63.047	102.238	84.946	74.537	101.895	118.410	105.239	91.673	92.793	95.262	
10	T	2.5583	12.0187	15.4873	9.1454	6.3419	10.1160	14.4799	8.8327	5.6472	7.7006	6.8215	6.5522	11.5330	87.2675	
	S	118.864	86.343	87.829	104.971	63.108	102.583	82.544	73.564	96.588	117.140	104.949	91.884	92.344	94.881	
11	T	2.5538	12.0350	15.3917	9.0632	6.3285	10.1971	13.9806	8.6332	5.3474	7.6062	6.9257	6.7497	11.6195	87.0593	
	S	119.074	86.226	88.374	105.923	63.242	101.767	85.492	75.264	102.004	118.593	103.370	89.196	91.656	95.108	
12	T	3.1311	12.4459	15.3777	9.0478	6.3299	10.1295	14.0383	8.6691	5.3692	7.5962	6.8738	6.5874	11.5191	87.6990	
	S	97.120	83.379	88.455	106.103	63.228	102.446	85.140	74.953	101.590	118.750	104.150	91.393	92.455	94.414	
13	T	2.5694	12.1415	15.9586	9.3514	6.6072	10.0994	14.0782	8.7323	5.3459	7.5693	6.8151	6.6147	11.5832	87.4294	
	S	118.351	85.469	85.235	102.658	60.574	102.751	84.899	74.410	102.032	119.172	105.047	91.016	91.944	94.705	
14	T	2.5367	12.0622	15.4834	9.0926	6.3908	10.1363	14.0448	8.6766	5.3682	7.6002	7.0714	6.7187	11.5316	87.1853	
	S	119.877	86.031	87.851	105.580	62.626	102.377	85.101	74.888	101.608	118.687	101.240	89.607	92.355	94.970	
15	T	2.5486	12.2059	15.4735	9.1390	6.3345	10.1652	14.1227	8.7429	5.3798	7.6259	6.9910	6.5638	11.5962	87.2928	
	S	119.317	85.018	87.907	105.044	63.182	102.086	84.632	74.320	101.389	118.287	102.404	91.722	91.840	94.853	
16	T	2.5466	12.0710	15.4638	9.1183	6.3455	10.1948	15.5057	8.7612	6.7445	9.3295	7.2717	6.6122	11.5912	90.5865	
	S	119.411	85.969	87.962	105.283	63.073	101.790	77.083	74.165	80.874	96.687	98.451	91.051	91.880	91.404	
17	T	2.5420	12.1596	15.4253	9.0721	6.3532	10.1547	14.1059	8.7494	5.3565	7.5741	6.9367	6.6388	11.5196	87.0567	
	S	119.627	85.342	88.182	105.819	62.996	102.192	84.732	74.265	101.830	119.096	103.206	90.686	92.451	95.110	
18	T	2.5343	12.1699	15.4255	9.0672	6.3583	10.1550	14.0853	8.7242	5.3611	7.5670	6.9473	6.5144	11.7113	87.1100	
	S	119.990	85.270	88.180	105.876	62.946	102.189	84.856	74.479	101.743	119.208	103.049	92.418	90.938	95.052	
19	T	2.5393	12.1710	15.4079	9.0789	6.3290	10.0891	14.0975	8.7328	5.3647	7.5850	6.9857	6.6572	11.6179	87.1506	
	S	119.754	85.262	88.281	105.740	63.237	102.856	84.783	74.406	101.675	118.925	102.482	90.435	91.669	95.008	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 92 - Das, Cameron (R)

Lap	T/SPO to SF	SF to PI
1	T	136.2345
	S	58.105
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	90.2752
	S	84.582
8	T	87.3579
	S	90.615
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	
	S	
15	T	
	S	
16	T	
	S	
17	T	
	S	
18	T	
	S	
19	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

April 22, 2016

Section Data for Car 92 - Das, Cameron (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
20	T	2.5541	12.1742	15.3613	9.0078	6.3535	12.3689	14.3214	8.9647	5.3567	7.5663	6.9085	6.5767	11.6069	89.4383	
	S	119.060	85.240	88.549	106.574	62.993	83.898	83.457	72.481	101.827	119.219	103.627	91.542	91.756	92.578	
21	T	2.5623	12.8670	16.5961	10.0784	6.5177	11.5653	14.7547	9.3515	5.4032	8.2096					
	S	118.679	80.650	81.961	95.253	61.406	89.728	81.007	69.483	100.950	109.877					

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Race 1






April 22, 2016

Section Data for Car 92 - Das, Cameron (R)

Lap	T/SPO to SF	SF to PI
20	T	
	S	
21	T	
	S	

Report Support Information

Section Legend	
Name	Length
SF to I1	0.084470 miles
I1 to I2	0.288258 miles
I2 to I3	0.377841 miles
I2 to I3A	0.266667 miles
I3A to I3	0.111174 miles
I3 to I4	0.288258 miles
I4 to I5	0.332008 miles
I4 to I5A	0.180492 miles
I5A to I5	0.151515 miles
I5 to I6	0.250568 miles
I6 to I7	0.198864 miles
I7 to I8	0.167235 miles
I8 to SF	0.295833 miles
Lap	2.300000 miles
PI to PO	0.242803 miles
PO to SF	2.198864 miles
SF to PI	2.121023 miles
PO to I2	0.280871 miles
I7 to PI	0.304419 miles
PO to PI	1.903030 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

