

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Qualifications

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6368	12.4719	15.8322	9.4289	6.4033	10.3866	14.5372	9.0231	5.5141	7.8339	7.1489	7.1037	11.7971	89.7483	
	S	115.326	83.205	85.915	101.815	62.503	99.910	82.219	72.012	98.920	115.146	100.143	84.751	90.276	92.258	
2	T	2.6026	12.2538	15.6929	9.3412	6.3517	10.2776	14.3481	8.8620	5.4861	7.8054	7.1109	6.7209	11.6793	88.4915	
	S	116.841	84.686	86.678	102.771	63.011	100.970	83.302	73.321	99.425	115.567	100.678	89.578	91.187	93.568	
3	T	2.5922	12.2128	15.7029	9.3039	6.3990	10.2846	14.4293	8.9563	5.4730	7.7985	7.0883	6.7389	11.7229	88.5704	
	S	117.310	84.970	86.623	103.183	62.545	100.901	82.833	72.549	99.663	115.669	100.999	89.339	90.848	93.485	
4	T	2.5809	12.2173	15.5839	9.2507	6.3332	10.1828	14.3934	8.9204	5.4730	7.7886	6.9441	6.6748	11.5470	87.9128	
	S	117.824	84.939	87.284	103.776	63.195	101.910	83.040	72.841	99.663	115.816	103.096	90.197	92.232	94.184	
5	T	2.5905	12.2052	15.6395	9.2704	6.3691	10.3038	14.3499	8.8831	5.4668	7.7847	7.0236	6.6868	11.7257	88.3097	
	S	117.387	85.023	86.974	103.555	62.839	100.713	83.292	73.147	99.776	115.874	101.929	90.035	90.826	93.761	
6	T	2.5814	12.2376	15.6682	9.3607	6.3075	10.2563	14.4016	8.9138	5.4878	7.8067	7.0090	6.7482	11.5669	88.2759	
	S	117.801	84.798	86.815	102.556	63.453	101.179	82.993	72.895	99.394	115.548	102.141	89.216	92.073	93.797	
7	T	2.6078	12.3110	15.7104	9.3181	6.3923	10.3276	14.3998	8.9188	5.4810	7.7959	7.0514	6.6713	11.6709	88.5461	
	S	116.608	84.293	86.581	103.025	62.611	100.481	83.003	72.854	99.517	115.708	101.527	90.244	91.253	93.511	
8	T			16.0503	9.5518	6.4985	10.3865	14.3934	8.9013	5.4921	7.8359	7.0086			340.5760	247.0007
	S			84.748	100.505	61.588	99.911	83.040	72.998	99.316	115.117	102.147			24.312	3.539
9	T	2.6136	12.4876	15.8894	9.4705	6.4189	10.2783	14.4099	8.9264	5.4835	8.0141	8.2762	6.6878	11.6641	90.3210	
	S	116.349	83.101	85.606	101.367	62.351	100.963	82.945	72.792	99.472	112.557	86.502	90.021	91.306	91.673	
10	T	2.6050	12.4899	15.7686	9.3417	6.4269	10.7218	15.1782	9.6238	5.5544	8.2485	7.3780	7.1198	11.6605	91.1703	
	S	116.734	83.085	86.262	102.765	62.274	96.787	78.748	67.517	98.202	109.359	97.033	84.559	91.334	90.819	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SPO to SF	SF to PI
1	T	98.3394
	S	80.496
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	91.8428
	S	83.139
8	T	90.2883
	S	87.674
9	T	
	S	
10	T	94.4086
	S	80.879

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Qualifications

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5765	12.0352	15.3905	9.0646	6.3259	10.1850	14.5299	9.1207	5.4092	8.0437	7.2900	6.7024	11.6846	88.4378	
	S	118.025	86.224	88.381	105.906	63.268	101.888	82.260	71.242	100.838	112.143	98.204	89.825	91.146	93.625	
2	T	2.5471	11.8870	15.3705	9.0643	6.3062	10.1254	14.0219	8.6088	5.4131	7.6328	6.8268	6.7429	11.3915	86.5459	
	S	119.387	87.299	88.496	105.910	63.466	102.488	85.240	75.478	100.766	118.180	104.867	89.286	93.491	95.672	
3	T	2.5360	11.8001	15.3246	9.0421	6.2825	10.1041	13.9801	8.6196	5.3605	7.6114	6.7701	6.6156	11.4611	86.2031	
	S	119.910	87.942	88.761	106.170	63.705	102.704	85.495	75.383	101.754	118.512	105.746	91.004	92.923	96.052	
4	T	2.5386	11.8542	15.4475	9.0954	6.3521	10.0766	13.9867	8.6167	5.3700	7.6176	6.7359	6.5585	11.6405	86.4561	
	S	119.787	87.541	88.055	105.548	63.007	102.984	85.455	75.409	101.574	118.416	106.283	91.796	91.491	95.771	
5	T	2.5501	12.0994	15.5082	9.1288	6.3794	10.2493	14.2259	8.8232	5.4027	7.6659	6.7619	6.4963	11.7478	87.3048	
	S	119.247	85.767	87.710	105.162	62.737	101.249	84.018	73.644	100.960	117.670	105.874	92.675	90.655	94.840	
6	T			15.5043	9.1387	6.3656	10.1920	14.1384	8.7164	5.4220	7.6783	6.7911			356.4835	271.9223
	S			87.732	105.048	62.873	101.818	84.538	74.546	100.600	117.480	105.419			23.227	3.214
7	T	2.5448	11.9031	15.3034	9.0122	6.2912	10.0835	13.9857	8.5886	5.3971	7.6348	6.7098	6.5584	11.5340	86.2575	
	S	119.495	87.181	88.884	106.522	63.617	102.913	85.461	75.655	101.064	118.149	106.696	91.798	92.336	95.992	
8	T	2.5446	12.0250	15.4013	9.0722	6.3291	10.0787	13.9839	8.5932	5.3907	7.6351	6.7555	6.5849	11.6490	86.6580	
	S	119.504	86.297	88.319	105.818	63.236	102.962	85.472	75.615	101.184	118.145	105.974	91.428	91.424	95.548	
9	T	2.5359	12.0359	15.6106	9.0383	6.5723	10.2340	14.1967	8.7571	5.4396	7.6762	7.0000	6.5873	11.6480	87.5246	
	S	119.914	86.219	87.135	106.215	60.896	101.400	84.191	74.200	100.275	117.512	102.273	91.395	91.432	94.602	
10	T			18.0946	10.2431	7.8515	12.2469	14.4431	9.0131	5.4300	7.6714	6.8959			374.3362	279.6180
	S			75.173	93.722	50.975	84.734	82.754	72.092	100.452	117.586	103.817			22.119	3.126
11	T	2.5412	12.0846	15.3577	8.9980	6.3597	10.1651	14.4709	9.0045	5.4664	7.9199	8.3600	6.8314	11.6127	89.3435	
	S	119.664	85.872	88.570	106.690	62.932	102.087	82.595	72.161	99.783	113.896	85.635	88.129	91.710	92.676	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SPO to SF	SF to PI
1	T 94.9101	
	S 83.404	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	85.7071
	S	89.090
6	T 86.0072	
	S 92.038	
7	T	
	S	
8	T	
	S	
9	T	85.1196
	S	89.705
10	T 97.3320	
	S 81.329	
11	T	95.2874
	S	80.133

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Qualifications

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5989	12.2291	15.9166	9.1367	6.7799	10.2805	14.3912	8.9550	5.4362	7.7153	6.9855	6.8611	11.7476	88.7258	
	S	117.008	84.857	85.460	105.071	59.031	100.941	83.053	72.560	100.337	116.916	102.485	87.748	90.657	93.321	
2	T	2.6460	12.2671	15.7382	9.2133	6.5249	10.3010	14.3182	8.8817	5.4365	7.7105	7.0140	6.6348	12.2748	88.9046	
	S	114.925	84.594	86.428	104.197	61.338	100.740	83.476	73.159	100.332	116.989	102.069	90.741	86.763	93.134	
3	T	2.5669	12.0281	15.5688	9.1929	6.3759	10.2427	14.1893	8.7665	5.4228	7.7142	6.9323	6.6062	11.5383	87.3868	
	S	118.466	86.275	87.369	104.428	62.772	101.314	84.234	74.120	100.585	116.933	103.272	91.133	92.301	94.751	
4	T	2.5616	12.2063	15.5268	9.1877	6.3391	10.2180	14.1058	8.6649	5.4409	7.7165	6.8971	6.6598	11.4967	87.3886	
	S	118.711	85.016	87.605	104.488	63.136	101.559	84.733	74.989	100.251	116.898	103.799	90.400	92.635	94.749	
5	T	2.5626	12.0091	15.6074	9.2315	6.3759	10.1888	14.0277	8.6071	5.4206	7.7149	6.7632	6.6671	11.4703	87.0111	
	S	118.665	86.412	87.153	103.992	62.772	101.850	85.205	75.493	100.626	116.923	105.854	90.301	92.848	95.160	
6	T	2.5810	12.0219	15.6158	9.2569	6.3589	10.2027	14.0724	8.6153	5.4571	7.7446	6.8287	6.5313	11.6239	87.2223	
	S	117.819	86.320	87.106	103.706	62.940	101.711	84.934	75.421	99.953	116.474	104.838	92.179	91.622	94.930	
7	T			17.0121	9.6714	7.3407	10.8382	14.6868	9.1429	5.5439	7.9411	7.2882			252.3204	162.2695
	S			79.956	99.262	54.522	95.747	81.381	71.069	98.388	113.592	98.229			32.815	5.387
8	T	2.5932	12.2115	15.7188	9.2644	6.4544	10.2761	14.1360	8.6921	5.4439	7.7175	6.8674	6.8464	11.5747	87.9416	
	S	117.265	84.980	86.535	103.622	62.008	100.985	84.552	74.754	100.196	116.883	104.247	87.936	92.011	94.153	
9	T	2.5756	12.0003	15.6202	9.2608	6.3594	10.2396	14.1319	8.6606	5.4713	7.7478	6.7656	6.5744	11.5444	87.1998	
	S	118.066	86.475	87.081	103.663	62.935	101.345	84.577	75.026	99.694	116.426	105.816	91.574	92.253	94.954	
10	T	2.5645	11.8948	15.6344	9.2704	6.3640	10.1430	14.0744	8.6003	5.4741	7.7552	6.7907	6.4379	11.7053	87.0002	
	S	118.577	87.242	87.002	103.555	62.889	102.310	84.922	75.552	99.643	116.315	105.425	93.516	90.984	95.172	
11	T	2.5679	11.9349	15.5936	9.2510	6.3426	10.1537	14.0714	8.6177	5.4537	7.7453	6.7134	6.5163	11.5875	86.8840	
	S	118.420	86.949	87.230	103.773	63.101	102.202	84.940	75.400	100.016	116.464	106.639	92.391	91.909	95.299	
12	T															426.6426
	S															2.049

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SPO to SF	SF to PI
1	T	91.5661
	S	86.450
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	86.6802
	S	88.090
7	T	90.8589
	S	87.123
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	86.6575
	S	88.113
12	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Qualifications

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 2 - Thompson, Parker

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5615	12.1845	15.5171	9.0221	6.4950	10.0433	14.0925	8.7479	5.3446	7.5315	6.9031	7.0453	11.6467	87.5255	
	S	118.716	85.168	87.660	106.405	61.621	103.325	84.813	74.278	102.057	119.770	103.708	85.453	91.442	94.601	
2	T	2.5156	11.9949	15.3431	8.9547	6.3884	9.9577	13.8622	8.5607	5.3015	7.5248	6.7917	6.6412	11.3536	85.9848	
	S	120.882	86.514	88.654	107.206	62.649	104.214	86.222	75.902	102.887	119.876	105.409	90.653	93.803	96.296	
3	T	2.4974	11.7750	15.1027	8.8555	6.2472	9.9153	13.7403	8.4394	5.3009	7.4983	6.6454	6.5270	11.1855	84.8869	
	S	121.763	88.130	90.065	108.407	64.065	104.659	86.987	76.993	102.898	120.300	107.730	92.239	95.213	97.542	
4	T	2.4847	11.7092	15.2049	8.8659	6.3390	9.9524	13.7079	8.4179	5.2900	7.4975	6.6431	6.6014	11.0598	84.8609	
	S	122.385	88.625	89.460	108.280	63.137	104.269	87.193	77.189	103.111	120.313	107.767	91.200	96.295	97.571	
5	T	3.0116	13.1939	16.1470	9.6068	6.5402	10.0569	13.7621	8.4534	5.3087	7.5241	6.5980	6.6052	11.5386	88.4374	
	S	100.973	78.652	84.240	99.929	61.195	103.186	86.849	76.865	102.747	119.887	108.504	91.147	92.299	93.626	
6	T	2.4740	11.6932	15.0986	8.8863	6.2123	9.8749	13.7998	8.4833	5.3165	7.4928	6.5754	6.5274	11.1328	84.6689	
	S	122.915	88.746	90.090	108.031	64.425	105.087	86.612	76.594	102.597	120.388	108.877	92.234	95.663	97.793	
7	T	2.4796	11.6947	15.1650	8.8824	6.2826	9.9000	13.8600	8.5541	5.3059	7.5090	6.5648	6.7150	11.1788	85.0669	
	S	122.637	88.735	89.695	108.079	63.704	104.821	86.236	75.960	102.802	120.129	109.053	89.657	95.270	97.335	
8	T	2.4865	11.7870	15.1929	8.9209	6.2720	9.8905	13.8224	8.5022	5.3202	7.5031	6.6793	6.5197	11.2545	85.1359	
	S	122.297	88.040	89.530	107.612	63.812	104.922	86.470	76.424	102.525	120.223	107.183	92.343	94.629	97.256	
9	T	2.4861	11.9029	15.2852	8.9413	6.3439	10.0376	13.8932	8.5595	5.3337	7.5149	6.6278	6.6004	11.2526	85.6007	
	S	122.316	87.183	88.990	107.367	63.089	103.384	86.030	75.912	102.266	120.034	108.016	91.213	94.645	96.728	
10	T	2.4977	11.9058	15.2085	8.9156	6.2929	9.9501	13.9592	8.6243	5.3349	7.5321	6.8418	6.5580	11.2786	85.7318	
	S	121.748	87.161	89.439	107.676	63.600	104.293	85.623	75.342	102.243	119.760	104.638	91.803	94.427	96.580	
11	T			16.3293	9.5569	6.7724	10.0249	14.2860	8.9314	5.3546	7.5426	6.7648			204.8319	119.4836
	S			83.300	100.451	59.097	103.515	83.664	72.751	101.867	119.593	105.829			40.423	7.316
12	T	2.9776	13.3424	18.0613	10.9942	7.0671	11.8176	17.5783	10.6660	6.9123	9.7265	7.6970	6.4616	11.3826	99.0449	
	S	102.126	77.777	75.312	87.319	56.632	87.812	67.994	60.920	78.911	92.741	93.011	93.173	93.564	83.598	
13	T			17.9334	10.1177	7.8157	11.8408	14.3196	8.8898	5.4298	7.6167	6.8325			203.9113	104.5124
	S			75.849	94.883	51.208	87.640	83.468	73.092	100.456	118.430	104.780			40.606	8.304
14	T	2.4870	11.7234	15.3128	8.8491	6.4637	9.8626	13.9006	8.5914	5.3092	8.6021	9.3563	6.5337	11.1147	88.8932	
	S	122.272	88.518	88.829	108.486	61.919	105.218	85.984	75.631	102.738	104.863	76.516	92.145	95.819	93.145	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 2 - Thompson, Parker

Lap	T/SPO to SF	SF to PI
1	T	100.7351
	S	78.581
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	83.8013
	S	91.117
11	T	87.2864
	S	90.689
12	T	101.8283
	S	74.986
13	T	96.4197
	S	82.098
14	T	95.9531
	S	79.577

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5892	12.6314	15.7378	9.2443	6.4935	10.0961	14.5455	9.0868	5.4587	7.7223	6.8755	6.7246	12.0015	88.9239	
	S	117.446	82.155	86.431	103.848	61.635	102.785	82.172	71.507	99.924	116.810	104.125	89.529	88.739	93.113	
2	T	2.5347	12.3712	15.6889	9.1752	6.5137	10.0689	14.3047	8.8460	5.4587	7.7033	6.9458	6.5037	11.5567	87.6779	
	S	119.971	83.883	86.700	104.630	61.444	103.063	83.555	73.454	99.924	117.099	103.071	92.570	92.154	94.437	
3	T	2.5488	12.4327	16.1680	9.6447	6.5233	10.0122	14.2987	8.8733	5.4254	7.6791	6.9484	6.5757	11.6990	88.3626	
	S	119.307	83.468	84.131	99.537	61.353	103.646	83.590	73.228	100.537	117.468	103.032	91.556	91.033	93.705	
4	T	2.5471	12.4149	15.8261	9.2721	6.5540	10.0209	14.5990	9.0937	5.5053	7.6850	6.8879	6.6303	11.8495	88.4607	
	S	119.387	83.587	85.948	103.536	61.066	103.556	81.870	71.453	99.078	117.377	103.937	90.802	89.877	93.601	
5	T	2.5511	12.4749	15.6522	9.1732	6.4790	10.0383	14.4250	8.9354	5.4896	7.6810	6.8229	6.5871	12.0908	88.3233	
	S	119.200	83.185	86.903	104.653	61.773	103.377	82.858	72.719	99.361	117.439	104.927	91.398	88.084	93.746	
6	T	2.5378	12.3909	15.7643	9.3498	6.4145	10.0411	14.5995	9.0738	5.5257	7.7029	6.9996	6.5391	11.7637	88.3389	
	S	119.825	83.749	86.285	102.676	62.394	103.348	81.868	71.610	98.712	117.105	102.279	92.069	90.533	93.730	
7	T	2.5395	12.4872	15.7808	9.3373	6.4435	10.0980	14.7078	9.0626	5.6452	7.7896	6.8693	6.6207	11.8113	88.7042	
	S	119.744	83.103	86.195	102.813	62.113	102.766	81.265	71.698	96.623	115.801	104.219	90.934	90.168	93.344	
8	T	2.5460	12.5539	15.6220	9.2263	6.3957	10.0292	14.4926	9.0134	5.4792	7.6795	6.9930	6.7024	11.6447	88.2633	
	S	119.439	82.662	87.071	104.050	62.578	103.471	82.472	72.090	99.550	117.461	102.375	89.825	91.458	93.810	
9	T			16.1268	9.3210	6.8058	10.2498	14.6938	9.1988	5.4950	7.6718	6.9859			185.7455	96.0620
	S			84.346	102.993	58.807	101.244	81.342	70.637	99.264	117.579	102.479			44.577	9.099
10	T	2.5504	12.2689	15.5636	9.1873	6.3763	10.1474	14.4368	8.9692	5.4676	7.6824	6.7070	6.6235	11.5166	87.4966	
	S	119.233	84.582	87.398	104.492	62.768	102.265	82.790	72.445	99.761	117.417	106.741	90.895	92.475	94.632	
11	T	2.5292	12.1098	15.5413	9.2086	6.3327	10.0352	14.4163	8.8911	5.5252	7.7139	6.7476	6.4090	11.5849	87.0872	
	S	120.232	85.693	87.523	104.250	63.200	103.409	82.908	73.081	98.721	116.938	106.098	93.938	91.930	95.077	
12	T	2.5309	12.1292	15.5604	9.1315	6.4289	10.0912	14.3945	8.9646	5.4299	7.6654	6.7191	6.4300	11.6461	87.1668	
	S	120.151	85.556	87.416	105.131	62.254	102.835	83.034	72.482	100.454	117.678	106.548	93.631	91.447	94.990	
13	T			16.1542	9.3471	6.8071	10.2303	14.7568	9.2825	5.4743	7.7021	7.0748			333.3938	241.8886
	S			84.203	102.706	58.796	101.437	80.995	70.000	99.639	117.117	101.191			24.835	3.614
14	T															35.3576
	S															24.721

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SPO to SF	SF to PI
1	T 90.0496	
	S 87.906	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	88.8652
	S	85.924
9	T 88.8746	
	S 89.068	
10	T	
	S	
11	T	
	S	
12	T	89.8518
	S	84.981
13	T	
	S	
14	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 21 - Lloyd, Jordan

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5688	12.1182	15.3620	9.0208	6.3412	10.0790	14.1789	8.8207	5.3582	7.6184	6.6703	6.5915	11.4866	86.6737	
	S	118.379	85.634	88.545	106.421	63.115	102.959	84.296	73.665	101.798	118.404	107.328	91.337	92.717	95.531	
2	T	2.5109	11.7836	15.2544	8.9581	6.2963	9.9854	14.0267	8.7118	5.3149	7.5410	6.7693	6.5549	11.3627	85.7889	
	S	121.108	88.065	89.170	107.166	63.565	103.924	85.211	74.585	102.627	119.619	105.758	91.847	93.728	96.516	
3	T	2.5018	11.7998	15.2379	8.9496	6.2883	9.9701	14.0304	8.7190	5.3114	7.5221	6.6177	6.5828	11.2705	85.5331	
	S	121.549	87.944	89.266	107.267	63.646	104.084	85.188	74.524	102.695	119.919	108.181	91.457	94.494	96.805	
4	T	2.4939	11.8496	15.3175	8.9308	6.3867	10.0250	13.9147	8.6051	5.3096	7.5483	6.6007	6.6252	11.2090	85.5839	
	S	121.934	87.575	88.802	107.493	62.666	103.514	85.897	75.510	102.730	119.503	108.460	90.872	95.013	96.747	
5	T	2.5066	11.8050	15.2399	8.9435	6.2964	9.9609	13.9414	8.6300	5.3114	7.5459	6.6520	6.4645	11.3086	85.4248	
	S	121.316	87.906	89.254	107.341	63.564	104.180	85.732	75.292	102.695	119.541	107.623	93.131	94.176	96.927	
6	T	2.5086	11.7975	15.2746	8.9579	6.3167	9.9786	14.0085	8.6973	5.3112	7.5390	6.5853	6.4807	11.3380	85.5108	
	S	121.219	87.962	89.052	107.168	63.360	103.995	85.322	74.710	102.699	119.651	108.713	92.898	93.932	96.830	
7	T			16.2099	9.4134	6.7965	10.2316	15.3640	9.1564	6.2076	7.9622	7.1026			169.9422	81.7399
	S			83.913	101.982	58.887	101.424	77.794	70.964	87.869	113.291	100.795			48.722	10.694
8	T	2.5751	12.1889	15.3448	9.0378	6.3070	10.0000	13.8815	8.5313	5.3502	7.5799	6.7089	6.7681	11.6013	86.6485	
	S	118.089	85.137	88.644	106.221	63.458	103.773	86.102	76.163	101.950	119.005	106.710	88.953	91.800	95.558	
9	T	2.5023	11.7160	15.1519	8.9371	6.2148	10.0881	13.8761	8.5384	5.3377	7.5499	6.4756	6.4077	11.3592	85.1268	
	S	121.525	88.574	89.773	107.417	64.399	102.866	86.136	76.100	102.189	119.478	110.555	93.957	93.757	97.267	
10	T	2.4948	11.6465	15.1298	8.9364	6.1934	9.9125	13.8081	8.5001	5.3080	7.5433	6.5380	6.4098	11.2498	84.7326	
	S	121.890	89.102	89.904	107.426	64.622	104.689	86.560	76.443	102.761	119.582	109.500	93.926	94.668	97.719	
11	T	2.4954	11.7327	15.3330	9.1024	6.2306	9.9193	13.8661	8.5429	5.3232	7.5647	6.5527	6.4656	11.3061	85.2356	
	S	121.861	88.447	88.712	105.467	64.236	104.617	86.198	76.060	102.467	119.244	109.254	93.115	94.197	97.143	
12	T			15.8516	9.2319	6.6197	10.2165	14.3245	8.9665	5.3580	7.5536	7.0133			397.7065	313.1697
	S			85.810	103.987	60.460	101.574	83.439	72.467	101.802	119.419	102.079			20.819	2.791
13	T	2.5098	11.9460	15.3033	8.9441	6.3592	10.0155	13.9927	8.6683	5.3244	7.5458	6.6611	6.6341	11.5069	86.1152	
	S	121.161	86.868	88.885	107.333	62.937	103.612	85.418	74.960	102.444	119.543	107.476	90.750	92.553	96.150	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 21 - Lloyd, Jordan

Lap	T/SPO to SF	SF to PI
1	T 87.7893	
	S 90.169	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	83.1397
	S	91.842
7	T 91.1241	
	S 86.870	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	82.5223
	S	92.529
12	T 87.6194	
	S 90.344	
13	T	83.7258
	S	91.199

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 22 - Rickards, Garth

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5630	12.2128	15.5354	9.1042	6.4312	10.1111	14.2300	8.8901	5.3399	7.5759	6.8550	6.6501	11.6573	87.3906	
	S	118.646	84.970	87.557	105.446	62.232	102.632	83.993	73.089	102.147	119.068	104.436	90.532	91.359	94.747	
2	T	2.5313	12.1301	15.3860	9.0399	6.3461	10.0467	14.0325	8.7135	5.3190	7.5344	6.8165	6.5835	11.7391	86.8001	
	S	120.132	85.550	88.407	106.196	63.067	103.290	85.176	74.571	102.548	119.724	105.026	91.448	90.722	95.392	
3	T	2.5093	12.0289	15.3882	9.0039	6.3843	10.0434	14.0864	8.7950	5.2914	7.5038	6.7545	6.6447	11.4740	86.4332	
	S	121.186	86.270	88.394	106.620	62.689	103.324	84.850	73.880	103.083	120.212	105.990	90.605	92.819	95.797	
4	T	2.5036	12.0534	15.3582	8.9729	6.3853	10.0867	14.0920	8.7892	5.3028	7.5014	6.7325	6.4771	11.5404	86.3453	
	S	121.461	86.094	88.567	106.989	62.679	102.881	84.816	73.929	102.862	120.250	106.336	92.950	92.284	95.894	
5	T	2.5111	12.0625	15.4159	8.9985	6.4174	9.9782	14.0878	8.7937	5.2941	7.5275	6.6604	6.5571	11.5202	86.3207	
	S	121.099	86.029	88.235	106.684	62.366	103.999	84.841	73.891	103.031	119.833	107.487	91.816	92.446	95.921	
6	T	2.5053	11.9962	27.0246	8.9665	18.0581	12.1906	14.6017	9.2813	5.3204	7.5588	7.2295	6.4538	11.5480	101.1085	
	S	121.379	86.505	50.333	107.065	22.163	85.125	81.855	70.009	102.521	119.337	99.026	93.285	92.224	81.892	
7	T	2.5218	12.2579	15.4931	9.1031	6.3900	10.0597	14.1435	8.8154	5.3281	7.5608	6.8485	6.7128	11.5571	87.1552	
	S	120.585	84.658	87.796	105.459	62.633	103.157	84.507	73.709	102.373	119.306	104.535	89.686	92.151	95.003	
8	T			17.0802	10.1753	6.9049	10.3324	16.5650	9.3711	7.1939	8.2015	7.3433			160.5738	68.4010
	S			79.638	94.346	57.963	100.434	72.154	69.338	75.822	109.985	97.491			51.565	12.779
9	T	2.5441	12.1230	15.4198	9.0878	6.3320	10.0116	14.0622	8.7400	5.3222	7.5611	6.7574	6.7060	11.7028	86.8880	
	S	119.528	85.600	88.213	105.636	63.207	103.652	84.996	74.345	102.487	119.301	105.944	89.777	91.004	95.295	
10	T	2.5061	11.8377	15.1943	8.9567	6.2376	9.9515	13.9448	8.6580	5.2868	7.5098	6.5548	6.5186	11.2724	85.2900	
	S	121.340	87.663	89.522	107.182	64.164	104.278	85.711	75.049	103.173	120.116	109.219	92.358	94.479	97.081	
11	T	2.4879	11.8298	15.1684	8.9568	6.2116	9.8895	13.9469	8.6462	5.3007	7.5120	6.6611	6.4285	11.3045	85.2286	
	S	122.228	87.721	89.675	107.181	64.432	104.932	85.698	75.151	102.902	120.081	107.476	93.653	94.210	97.150	
12	T	2.4908	11.8537	15.2143	8.9716	6.2427	9.9339	13.8810	8.5821	5.2989	7.5112	6.5385	6.4223	11.3576	85.2033	
	S	122.086	87.545	89.405	107.004	64.111	104.463	86.105	75.713	102.937	120.093	109.491	93.743	93.770	97.179	
13	T	2.4940	11.8351	16.2652	9.5163	6.7489	12.9764	15.5163	9.9306	5.5857	8.0047	7.7359	6.4191	11.4420	92.6887	
	S	121.929	87.682	83.628	100.880	59.303	79.970	77.030	65.431	97.652	112.689	92.544	93.790	93.078	89.331	
14	T			16.4501	9.1608	7.2893	11.2799	14.4266	9.0847	5.3419	7.5354	6.8084			206.0753	113.7341
	S			82.688	104.794	54.906	91.998	82.849	71.524	102.109	119.708	105.151			40.129	7.685
15	T	2.4889	11.9652	15.2175	8.9087	6.3088	9.8709	13.9637	8.6561	5.3076	8.1379	6.9348	6.5583	11.3026	86.4398	
	S	122.179	86.729	89.386	107.760	63.440	105.130	85.595	75.065	102.769	110.845	103.234	91.799	94.226	95.789	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 22 - Rickards, Garth

Lap	T/SPO to SF	SF to PI
1	T 89.6412	
	S 88.307	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	85.6676
	S	89.132
8	T 93.7993	
	S 84.392	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	96.3843
	S	79.221
14	T 88.6454	
	S 89.299	
15	T	87.4480
	S	87.317

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 23 - Luo, Yufeng

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5725	12.4646	15.6389	9.1953	6.4436	10.0567	14.2425	8.9193	5.3232	7.5423	6.8837	6.8040	11.7089	87.9141	
	S	118.208	83.254	86.977	104.401	62.112	103.188	83.920	72.850	102.467	119.598	104.001	88.484	90.956	94.183	
2	T	2.5134	12.1391	15.3717	8.9879	6.3838	10.0046	14.2342	8.9098	5.3244	7.4956	6.8279	6.7209	11.5285	86.8359	
	S	120.988	85.486	88.489	106.810	62.694	103.725	83.969	72.928	102.444	120.343	104.851	89.578	92.380	95.352	
3	T	2.5058	12.3201	15.3192	8.9828	6.3364	9.9710	14.7714	9.2457	5.5257	7.6051	6.7890	6.7227	11.5812	87.5855	
	S	121.355	84.230	88.792	106.871	63.163	104.075	80.915	70.278	98.712	118.611	105.451	89.554	91.959	94.536	
4	T	2.5305	12.2364	15.3227	8.9673	6.3554	9.9997	14.2600	8.9358	5.3242	7.5199	6.7440	6.6104	11.7948	87.0184	
	S	120.170	84.807	88.772	107.056	62.974	103.776	83.817	72.716	102.448	119.954	106.155	91.075	90.294	95.152	
5	T			16.2766	9.0632	7.2134	10.4205	14.2234	8.8856	5.3378	7.5601	6.6930		171.8576	86.6286	
	S			83.569	105.923	55.484	99.585	84.032	73.126	102.187	119.317	106.964		48.179	10.090	
6	T	2.5093	12.2078	15.3852	9.0450	6.3402	9.9827	14.5066	9.0912	5.4154	7.5455	6.7583	6.6019	11.6242	87.1215	
	S	121.186	85.005	88.411	106.136	63.125	103.953	82.392	71.473	100.723	119.547	105.930	91.193	91.619	95.040	
7	T	2.5098	12.3569	15.5029	9.1619	6.3410	9.9761	14.2632	8.9172	5.3460	7.5362	6.8200	6.7494	11.8296	87.5441	
	S	121.161	83.980	87.740	104.782	63.117	104.021	83.798	72.867	102.030	119.695	104.972	89.200	90.028	94.581	
8	T			16.0162	9.2631	6.7531	10.4192	14.6790	9.3203	5.3587	7.6713	7.3672		228.4235	140.2497	
	S			84.928	103.637	59.266	99.598	81.424	69.716	101.789	117.587	97.175		36.248	6.232	
9	T	2.5740	12.4545	15.4395	9.0814	6.3581	10.0377	14.2112	8.8723	5.3389	7.5636	6.7306	6.8075	11.6586	87.4772	
	S	118.139	83.321	88.100	105.711	62.948	103.383	84.105	73.236	102.166	119.261	106.366	88.439	91.349	94.653	
10	T	2.5058	12.1446	15.2904	8.9557	6.3347	9.9886	14.1797	8.8854	5.2943	7.6988	7.3248	6.6014	11.3996	87.1337	
	S	121.355	85.448	88.960	107.194	63.180	103.891	84.291	73.128	103.027	117.167	97.738	91.200	93.424	95.026	
11	T	2.5027	12.0255	15.2300	8.9750	6.2550	10.1069	14.3364	9.0125	5.3239	7.6515	7.8348	6.5955	11.3562	87.6395	
	S	121.505	86.294	89.312	106.964	63.985	102.675	83.370	72.097	102.454	117.891	91.376	91.281	93.781	94.478	
12	T			15.4970	9.0296	6.4674	10.0109	14.1793	8.8688	5.3105	7.4813	6.9308		234.3307	144.9164	
	S			87.774	106.317	61.884	103.660	84.294	73.265	102.712	120.573	103.294		38.336	6.032	
13	T	2.5308	12.1192	15.3007	8.9391	6.3616	9.9475	14.1255	8.8100	5.3155	7.4960	6.7610	6.9006	11.2663	86.4476	
	S	120.156	85.627	88.900	107.393	62.913	104.320	84.615	73.754	102.616	120.337	105.888	87.245	94.530	95.781	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 23 - Luo, Yufeng

Lap	T/SPO to SF	SF to PI
1	T 89.0576	
	S 88.885	
2	T	
	S	
3	T	
	S	
4	T 84.9491	
	S 89.885	
5	T 87.1192	
	S 90.863	
6	T	
	S	
7	T 86.0991	
	S 88.685	
8	T 89.5059	
	S 88.440	
9	T	
	S	
10	T	
	S	
11	T 91.0903	
	S 83.825	
12	T 86.1787	
	S 91.855	
13	T 87.2562	
	S 87.509	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 3 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6122	12.4392	15.7119	9.2278	6.4841	10.1913	14.0928	8.7271	5.3657	7.5975	7.1424	6.8376	11.7365	88.3614	
	S	116.412	83.424	86.573	104.033	61.724	101.825	84.811	74.455	101.656	118.729	100.234	88.049	90.743	93.706	
2	T	2.5688	12.0655	15.2842	8.9910	6.2932	10.0291	13.9542	8.6302	5.3240	7.5704	6.8747	6.4037	11.6565	86.4071	
	S	118.379	86.008	88.996	106.773	63.597	103.472	85.654	75.291	102.452	119.154	104.137	94.015	91.365	95.825	
3	T	2.5320	11.8095	15.3744	9.0203	6.3541	10.0085	13.8587	8.5397	5.3190	7.5506	6.7652	6.4414	11.3458	85.6861	
	S	120.099	87.872	88.474	106.427	62.987	103.685	86.244	76.088	102.548	119.467	105.822	93.465	93.867	96.632	
4	T	2.5043	11.7691	15.2551	8.9709	6.2842	9.9429	13.7795	8.4728	5.3067	7.5442	6.7192	6.4011	11.3371	85.2525	
	S	121.428	88.174	89.165	107.013	63.688	104.369	86.740	76.689	102.786	119.568	106.547	94.053	93.939	97.123	
5	T	2.5156	11.6450	15.3013	8.9765	6.3248	9.9411	13.8340	8.5083	5.3257	7.5622	6.6777	6.4214	11.3047	85.2030	
	S	120.882	89.114	88.896	106.946	63.279	104.388	86.398	76.369	102.419	119.283	107.209	93.756	94.209	97.180	
6	T	2.4923	11.6926	15.2492	8.9948	6.2544	9.9419	13.9880	8.6309	5.3571	7.5537	7.0881	6.4320	11.2699	85.7077	
	S	122.012	88.751	89.200	106.728	63.991	104.379	85.447	75.284	101.819	119.418	101.002	93.602	94.500	96.607	
7	T	2.5275	11.7508	15.2980	9.0049	6.2931	10.0695	14.0528	8.6890	5.3638	7.5702	6.8881	6.9584	11.3520	86.4673	
	S	120.313	88.311	88.915	106.609	63.598	103.056	85.053	74.781	101.692	119.157	103.934	86.521	93.816	95.759	
8	T			16.3960	9.5601	6.8359	10.2160	14.3766	8.9732	5.4034	7.6238	7.3303			292.1626	202.7353
	S			82.961	100.417	58.548	101.579	83.137	72.413	100.947	118.320	97.664			28.340	4.311
9	T	2.5358	12.1020	15.5123	9.1592	6.3531	10.0273	13.9490	8.6052	5.3438	7.5853	6.6947	6.5348	11.6069	86.5481	
	S	119.919	85.748	87.687	104.813	62.997	103.490	85.686	75.509	102.072	118.920	106.937	92.129	91.756	95.669	
10	T	2.5137	11.9596	15.3197	9.0731	6.2466	9.9353	13.9267	8.5888	5.3379	7.5522	6.7396	6.3353	11.3363	85.6184	
	S	120.973	86.769	88.789	105.807	64.071	104.449	85.823	75.653	102.185	119.441	106.224	95.030	93.946	96.708	
11	T	2.7440	13.3448	18.1892	11.3400	6.8492	12.4911	17.1949	10.1527	7.0422	10.0622	8.1165	6.4069	11.3159	99.8655	
	S	110.820	77.763	74.782	84.656	58.434	83.077	69.511	64.000	77.455	89.647	88.204	93.968	94.115	82.912	
12	T			17.9548	10.1255	7.8293	11.8846	14.5470	9.0352	5.5118	7.7324	6.7813			202.9189	103.9656
	S			75.758	94.810	51.119	87.317	82.163	71.916	98.961	116.658	105.571			40.804	8.408
13	T	2.4960	11.7750	15.2343	8.9842	6.2501	9.9975	14.1234	8.7485	5.3749	7.9691	9.3002	6.5030	11.3355	88.7340	
	S	121.831	88.130	89.287	106.854	64.035	103.799	84.627	74.272	101.482	113.193	76.978	92.580	93.953	93.313	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 3 - Lastochkin, Nikita

Lap	T/SPO to SF	SF to PI
1	T 92.9100	
	S 85.200	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	85.2543
	S	89.564
8	T 90.4716	
	S 87.496	
9	T	
	S	
10	T	
	S	
11	T	102.4564
	S	74.526
12	T 96.4781	
	S 82.049	
13	T	96.2399
	S	79.340

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 33 - Agren, Ayla

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5977	12.2624	15.3856	8.9828	6.4028	10.1512	14.1423	8.8083	5.3340	7.5310	6.9341	7.3892	11.6668	88.0603	
	S	117.062	84.627	88.409	106.871	62.508	102.227	84.514	73.768	102.260	119.778	103.245	81.476	91.285	94.026	
2	T	2.5378	12.1875	15.2747	8.8943	6.3804	10.0582	14.0561	8.7272	5.3289	7.4951	6.7654	6.7149	11.4888	86.5785	
	S	119.825	85.147	89.051	107.934	62.728	103.172	85.033	74.454	102.358	120.351	105.819	89.658	92.699	95.636	
3	T	2.5199	12.0298	15.1865	8.8598	6.3267	10.0228	13.9134	8.6274	5.2860	7.4687	6.7544	6.6865	11.5165	86.0985	
	S	120.676	86.263	89.568	108.355	63.260	103.537	85.905	75.315	103.189	120.777	105.992	90.039	92.476	96.169	
4	T	2.5130	12.0536	15.1931	8.8835	6.3096	10.0073	13.9079	8.6023	5.3056	7.4690	6.7259	6.7758	11.4277	86.0733	
	S	121.007	86.093	89.529	108.066	63.431	103.697	85.939	75.535	102.807	120.772	106.441	88.852	93.195	96.197	
5	T			16.4407	9.4144	7.0263	10.3781	14.3260	8.9627	5.3633	7.6395	7.1870		239.0295	149.3172	
	S			82.735	101.971	56.961	99.992	83.431	72.497	101.701	118.077	99.612		34.640	5.854	
6	T	2.5413	12.1306	15.3405	8.9722	6.3683	10.0606	13.9003	8.5773	5.3230	7.5310	6.6943	6.8674	11.4001	86.4661	
	S	119.660	85.546	88.669	106.997	62.847	103.148	85.986	75.755	102.471	119.778	106.943	87.667	93.420	95.760	
7	T	2.5224	11.8606	15.2167	8.9358	6.2809	10.0265	13.8882	8.5531	5.3351	7.5398	6.6464	6.4435	11.4271	85.5712	
	S	120.556	87.494	89.390	107.433	63.721	103.498	86.061	75.969	102.239	119.638	107.714	93.435	93.199	96.762	
8	T	2.5057	11.8165	15.1425	8.8905	6.2520	10.0284	13.8347	8.5292	5.3055	7.4880	6.5670	6.5424	11.1839	85.1091	
	S	121.360	87.820	89.828	107.980	64.016	103.479	86.393	76.182	102.809	120.465	109.016	92.022	95.226	97.287	
9	T	2.5203	11.7349	15.1265	8.8759	6.2506	10.0269	13.7759	8.4595	5.3164	7.4959	6.6166	6.5074	11.2955	85.0999	
	S	120.657	88.431	89.923	108.158	64.030	103.494	86.762	76.810	102.598	120.339	108.199	92.517	94.285	97.297	
10	T	2.4966	11.8536	15.2064	8.9110	6.2954	9.9950	13.8699	8.5611	5.3088	7.4865	6.6215	6.6035	11.1339	85.2669	
	S	121.802	87.545	89.451	107.732	63.575	103.825	86.174	75.898	102.745	120.490	108.119	91.171	95.654	97.107	
11	T	2.5064	11.8877	15.2997	8.9272	6.3725	10.0111	13.8115	8.5022	5.3093	7.4874	7.0185	6.7329	11.1792	85.9344	
	S	121.326	87.294	88.905	107.537	62.805	103.658	86.539	76.424	102.736	120.475	102.003	89.418	95.266	96.353	
12	T	2.6707	12.3701	16.4133	9.3412	7.0721	12.9369	15.0078	9.4347	5.5731	8.1115	7.6774	7.1878	12.6554	95.0309	
	S	113.862	83.890	82.873	102.771	56.592	80.215	79.640	68.871	97.873	111.206	93.249	83.759	84.154	87.130	
13	T			16.0087	9.3327	6.6760	10.3166	14.3361	9.0337	5.3024	7.6097	7.2495		230.8173	136.5647	
	S			84.968	102.864	59.950	100.588	83.372	71.928	102.869	118.539	98.753		35.873	6.401	
14	T	2.5658	12.2242	16.0063	8.9968	7.0095	13.8959	14.9743	9.5721	5.4022	7.7780	7.1720	6.7708	11.3317	92.7190	
	S	118.517	84.891	84.981	106.705	57.098	74.679	79.819	67.882	100.969	115.974	99.820	88.918	93.984	89.302	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 33 - Agren, Ayla

Lap	T/SPO to SF	SF to PI
1	T 94.8049	
	S 83.497	
2	T	
	S	
3	T	
	S	
4	T 85.0515	
	S 89.777	
5	T 90.7981	
	S 87.181	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T 95.9058	
	S 79.616	
13	T 91.6370	
	S 86.383	
14	T 98.6837	
	S 77.375	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	3.4443	14.0884	18.8793	12.1674	6.7119	10.2449	14.4424	9.0807	5.3617	7.5911	7.0076	7.0835	13.5830	96.3645	
	S	88.288	73.658	72.049	78.899	59.630	101.292	82.758	71.555	101.732	118.829	102.162	84.993	78.407	85.924	
2	T	2.5570	12.1493	15.1786	8.9090	6.2696	10.0510	14.0417	8.7094	5.3323	7.5155	6.6755	6.8497	11.5602	86.5785	
	S	118.925	85.415	89.615	107.756	63.836	103.246	85.120	74.606	102.293	120.025	107.244	87.894	92.126	95.636	
3	T	2.5103	12.1034	15.2832	8.8398	6.4434	10.1289	14.0241	8.7211	5.3030	7.4866	6.7682	6.7437	11.4255	86.4739	
	S	121.137	85.738	89.001	108.600	62.114	102.452	85.227	74.506	102.858	120.488	105.775	89.275	93.213	95.751	
4	T	2.5216	11.9812	15.1903	8.8354	6.3549	10.0114	14.0929	8.7692	5.3237	7.4914	6.7074	6.7168	11.4921	86.2051	
	S	120.594	86.613	89.546	108.654	62.979	103.655	84.811	74.097	102.458	120.411	106.734	89.633	92.672	96.050	
5	T	2.5072	12.0670	15.3188	8.8716	6.4472	10.2591	14.0639	8.7425	5.3214	7.5232	6.6951	6.7211	11.3765	86.5319	
	S	121.287	85.997	88.795	108.210	62.078	101.152	84.985	74.323	102.502	119.902	106.930	89.575	93.614	95.687	
6	T	2.5158	12.0106	15.3827	8.8468	6.5359	10.1716	13.9917	8.6673	5.3244	7.4870	6.7439	6.6963	11.5143	86.5139	
	S	120.872	86.401	88.426	108.514	61.235	102.022	85.424	74.968	102.444	120.482	106.157	89.907	92.494	95.707	
7	T	2.5034	12.0477	15.1322	8.9028	6.2294	9.9788	14.0910	8.7465	5.3445	7.5196	6.7295	6.8665	11.3320	86.2007	
	S	121.471	86.135	89.890	107.831	64.248	103.993	84.822	74.289	102.059	119.959	106.384	87.679	93.982	96.055	
8	T			17.6461	10.6536	6.9925	11.9726	14.8390	9.3693	5.4697	8.1558	7.2392			206.1100	112.7260
	S			77.084	90.110	57.237	86.675	80.546	69.351	99.723	110.602	98.893			40.173	7.754
9	T	2.5303	11.9885	15.1663	8.9270	6.2393	10.0338	13.9582	8.6410	5.3172	7.5148	6.5398	6.8170	11.3623	85.9110	
	S	120.180	86.560	89.687	107.539	64.146	103.423	85.629	75.196	102.583	120.036	109.470	88.315	93.731	96.379	
10	T	2.5116	11.9160	15.1292	8.9277	6.2015	9.9563	14.0081	8.7034	5.3047	7.4845	6.6661	6.6382	11.2536	85.5636	
	S	121.075	87.087	89.907	107.530	64.537	104.228	85.324	74.657	102.825	120.522	107.395	90.694	94.636	96.770	
11	T	2.5036	11.9689	15.3111	8.9556	6.3555	9.9516	13.9721	8.6678	5.3043	7.4923	6.7698	6.6731	11.2674	85.9099	
	S	121.461	86.702	88.839	107.195	62.973	104.277	85.544	74.964	102.833	120.396	105.750	90.220	94.520	96.380	
12	T	2.5000	11.8235	15.1610	8.9021	6.2589	10.5100	15.0559	9.4028	5.6531	8.3971	7.9752	6.5846	11.3434	89.3507	
	S	121.636	87.768	89.719	107.840	63.945	98.737	79.386	69.104	96.488	107.423	89.767	91.432	93.887	92.669	
13	T			16.1892	9.7310	6.4582	10.2715	15.5622	9.0770	6.4852	10.6494	7.2587			288.1470	190.0546
	S			84.021	98.654	61.972	101.030	76.803	71.585	84.108	84.704	98.628			28.735	4.599
14	T	2.5112	11.8420	15.7986	9.2140	6.5846	10.9422	16.1028	10.0400	6.0628	9.3039	8.2194	6.6721	11.3062	92.6984	
	S	121.094	87.631	86.098	104.189	60.782	94.837	74.225	64.718	89.967	98.953	87.100	90.233	94.196	89.322	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SPO to SF	SF to PI
1	T 99.5865	
	S 79.488	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	86.0807
	S	88.704
8	T 93.4848	
	S 84.676	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	93.6112
	S	81.568
13	T 93.8822	
	S 84.317	
14	T	96.8280
	S	78.858

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 5 - McCusker, Austin (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5942	12.2443	15.4768	9.0833	6.3935	10.1323	14.1558	8.7486	5.4072	7.6364	6.9764	7.2731	11.7081	88.1974	
	S	117.220	84.752	87.888	105.688	62.599	102.418	84.434	74.272	100.876	118.124	102.619	82.777	90.963	93.880	
2	T	2.5613	12.1036	15.3794	9.0660	6.3134	10.0521	13.9457	8.5792	5.3665	7.6078	6.7415	6.7409	11.2277	86.3600	
	S	118.725	85.737	88.445	105.890	63.393	103.235	85.706	75.738	101.641	118.569	106.194	89.312	94.855	95.878	
3	T	2.5279	11.8469	16.0275	9.0820	6.9455	10.1121	14.0972	8.7077	5.3895	7.6093	6.8150	6.6056	11.2136	86.8551	
	S	120.294	87.595	84.868	105.704	57.624	102.622	84.785	74.620	101.207	118.545	105.049	91.142	94.974	95.331	
4	T	2.5199	11.8485	15.3851	9.0410	6.3441	10.0374	13.9187	8.5479	5.3708	7.6023	6.7812	6.7516	11.1722	86.0169	
	S	120.676	87.583	88.412	106.183	63.087	103.386	85.872	76.015	101.559	118.654	105.573	89.171	95.326	96.260	
5	T	2.5277	11.7442	15.3679	9.0190	6.3489	10.0745	13.9326	8.5674	5.3652	7.6052	6.6542	6.6887	11.1654	85.7604	
	S	120.303	88.361	88.511	106.442	63.039	103.005	85.786	75.842	101.665	118.609	107.588	90.009	95.384	96.548	
6	T	2.5131	11.7937	15.3334	9.0106	6.3228	10.0357	13.9153	8.5314	5.3839	7.6115	6.5947	6.6985	11.1150	85.6109	
	S	121.002	87.990	88.710	106.541	63.299	103.404	85.893	76.162	101.312	118.511	108.558	89.878	95.816	96.717	
7	T	2.5070	11.8107	15.3319	9.0326	6.2993	9.9904	13.9400	8.5514	5.3886	7.6082	6.5719	6.6602	11.1253	85.5456	
	S	121.297	87.863	88.719	106.282	63.535	103.872	85.741	75.984	101.224	118.562	108.935	90.395	95.728	96.790	
8	T	2.5099	11.8378	15.2998	8.9567	6.3431	10.0026	13.9565	8.5853	5.3712	7.5849	6.5921	6.6327	11.1650	85.5813	
	S	121.157	87.662	88.905	107.182	63.096	103.746	85.639	75.684	101.552	118.926	108.601	90.769	95.387	96.750	
9	T	2.5087	11.9568	15.4027	8.9897	6.4130	10.0287	13.9891	8.6049	5.3842	7.6028	6.6373	6.7295	11.2263	86.0819	
	S	121.215	86.790	88.311	106.789	62.409	103.476	85.440	75.512	101.307	118.646	107.861	89.464	94.867	96.187	
10	T	2.5199	11.8509	15.3794	9.0229	6.3565	10.0550	13.9689	8.5862	5.3827	7.6346	6.7706	6.6416	11.1836	86.0045	
	S	120.676	87.565	88.445	106.396	62.963	103.205	85.563	75.676	101.335	118.152	105.738	90.648	95.229	96.274	
11	T			15.7931	9.2904	6.5027	10.0988	14.1414	8.7412	5.4002	7.6366	6.7517			507.7336	416.7292
	S			86.128	103.332	61.548	102.757	84.520	74.334	101.006	118.121	106.034			16.308	2.098
12	T	2.5213	11.9564	15.4325	9.0306	6.4019	10.0582	14.1778	8.7584	5.4194	7.6737	7.4760	6.7968	11.1363	87.2290	
	S	120.609	86.793	88.140	106.305	62.517	103.172	84.303	74.189	100.649	117.550	95.761	88.578	95.633	94.923	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 5 - McCusker, Austin (R)

Lap	T/SPO to SF	SF to PI
1	T	93.7184
	S	84.465
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	85.5302
	S	89.275
11	T	91.5866
	S	86.431
12	T	94.4453
	S	80.848

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 6 - Hanratty, Max

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5706	12.5654	15.4701	9.0353	6.4348	10.2144	14.2149	8.8429	5.3720	7.5786	7.0341	6.8337	11.7426	88.2244	
	S	118.296	82.586	87.926	106.250	62.197	101.595	84.083	73.480	101.537	119.025	101.777	88.099	90.695	93.852	
2	T	2.5498	12.1385	15.4366	8.9806	6.4560	10.1863	14.1126	8.7411	5.3715	7.5390	6.9523	6.5818	11.6132	87.1101	
	S	119.261	85.491	88.117	106.897	61.993	101.875	84.692	74.335	101.546	119.651	102.974	91.471	91.706	95.052	
3	T	2.5257	12.2547	15.4289	8.9661	6.4628	10.1532	13.9595	8.6403	5.3192	7.5176	6.9125	6.4767	11.7109	86.9397	
	S	120.399	84.680	88.161	107.070	61.928	102.207	85.621	75.203	102.544	119.991	103.567	92.956	90.941	95.238	
4	T	2.5295	12.0348	15.5075	9.0485	6.4590	10.2910	14.0706	8.7275	5.3431	7.5646	6.9256	6.6212	11.6405	87.1853	
	S	120.218	86.227	87.714	106.095	61.964	100.838	84.945	74.451	102.086	119.246	103.371	90.927	91.491	94.970	
5	T	2.5303	12.1121	15.4435	8.9994	6.4441	10.1499	14.0877	8.7299	5.3578	7.5673	6.8493	6.5961	11.4770	86.8132	
	S	120.180	85.677	88.078	106.674	62.108	102.240	84.842	74.431	101.806	119.203	104.523	91.273	92.794	95.377	
6	T	2.5432	11.9610	15.5423	9.1047	6.4376	10.1638	14.0742	8.7130	5.3612	7.5648	6.8942	6.5510	11.6429	86.9374	
	S	119.570	86.759	87.518	105.440	62.170	102.100	84.923	74.575	101.741	119.242	103.842	91.901	91.472	95.241	
7	T	2.5180	12.0601	15.4958	9.0895	6.4063	10.1384	14.1413	8.7587	5.3826	7.5560	6.7953	6.6218	11.3935	86.7202	
	S	120.767	86.046	87.780	105.616	62.474	102.356	84.520	74.186	101.337	119.381	105.354	90.919	93.474	95.479	
8	T	2.5150	12.0059	15.4479	9.0154	6.4325	10.0787	14.0621	8.6977	5.3644	7.5526	6.8439	6.6366	11.4398	86.5825	
	S	120.911	86.435	88.053	106.484	62.220	102.962	84.996	74.706	101.680	119.435	104.605	90.716	93.096	95.631	
9	T	2.5154	12.0427	15.4415	8.9952	6.4463	10.1366	14.0599	8.6919	5.3680	7.5364	6.8892	6.5196	11.4696	86.6109	
	S	120.892	86.171	88.089	106.724	62.086	102.374	85.010	74.756	101.612	119.692	103.918	92.344	92.854	95.600	
10	T	2.5207	12.0043	15.4888	9.0530	6.4358	10.0501	13.9766	8.6124	5.3642	7.5408	6.8281	6.5866	11.5107	86.5067	
	S	120.637	86.446	87.820	106.042	62.188	103.255	85.516	75.446	101.684	119.622	104.847	91.405	92.523	95.715	
11	T	2.5389	11.9933	15.4185	9.0370	6.3815	10.1019	14.0983	8.7002	5.3981	7.5749	6.8076	6.5286	11.5934	86.6554	
	S	119.773	86.526	88.220	106.230	62.717	102.726	84.778	74.685	101.046	119.083	105.163	92.217	91.863	95.551	
12	T	2.5149	12.1595	15.4509	9.0317	6.4192	10.0584	14.0975	8.7138	5.3837	7.5534	6.8160	6.4848	11.6418	86.7772	
	S	120.916	85.343	88.035	106.292	62.348	103.170	84.783	74.568	101.316	119.422	105.034	92.839	91.481	95.417	
13	T	2.5248	12.1560	15.5336	9.0918	6.4418	10.0749	14.2021	8.8340	5.3681	7.5610	6.7365	6.7455	11.4795	87.0139	
	S	120.442	85.367	87.567	105.590	62.130	103.001	84.158	73.554	101.610	119.302	106.273	89.251	92.774	95.157	
14	T	2.6464	12.6599	16.7637	10.0186	6.7451	11.9504	17.7239	9.9753	7.7486	10.1138	8.4736	6.7030	11.5785	98.6132	
	S	114.907	81.970	81.141	95.822	59.336	86.836	67.436	65.138	70.394	89.190	84.487	89.817	91.981	83.964	
15	T			17.2836	10.1448	7.1388	11.7714	14.8956	9.4131	5.4825	8.3668	7.6668			319.5425	221.7856
	S			78.700	94.630	56.064	88.157	80.240	69.029	99.490	107.812	93.378			25.912	3.941

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 6 - Hanratty, Max

Lap	T/SPO to SF	SF to PI
1	T	91.7880
	S	86.241
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	102.8315
	S	74.254
15	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5728	12.5414	15.6824	9.1273	6.5551	10.2460	14.2318	8.8626	5.3692	7.6167	7.0566	6.9141	11.7998	88.6616	
	S	118.195	82.744	86.736	105.179	61.056	101.281	83.983	73.316	101.590	118.430	101.452	87.075	90.256	93.389	
2	T	2.5359	12.2067	15.5711	9.0509	6.5202	10.2121	14.1049	8.7537	5.3512	7.5873	6.8225	6.5914	11.5937	87.2256	
	S	119.914	85.013	87.356	106.067	61.383	101.617	84.738	74.228	101.931	118.889	104.934	91.338	91.860	94.926	
3	T	2.5276	12.1702	15.5329	9.0477	6.4852	10.1924	14.1673	8.8147	5.3526	7.6097	6.7521	6.5665	11.4502	86.9689	
	S	120.308	85.268	87.571	106.104	61.714	101.814	84.365	73.715	101.905	118.539	106.028	91.684	93.011	95.206	
4	T	2.5260	11.9364	15.4201	9.0049	6.4152	10.6412	14.4181	9.0605	5.3576	7.5739	6.7589	6.4969	11.3872	87.1587	
	S	120.384	86.938	88.211	106.609	62.387	97.520	82.898	71.715	101.809	119.099	105.921	92.667	93.526	94.999	
5	T	2.5160	12.0480	15.4729	9.0598	6.4131	10.1024	14.1246	8.7688	5.3558	7.5661	6.7113	6.5339	11.3898	86.4650	
	S	120.863	86.133	87.910	105.963	62.408	102.721	84.620	74.101	101.844	119.222	106.672	92.142	93.505	95.761	
6	T	2.5139	11.9123	15.4535	9.0303	6.4232	10.1391	14.1289	8.7570	5.3719	7.5934	6.7337	6.5321	11.4499	86.4568	
	S	120.964	87.114	88.021	106.309	62.310	102.349	84.595	74.200	101.538	118.793	106.317	92.167	93.014	95.770	
7	T	2.5053	11.9869	15.4919	9.1041	6.3878	10.1853	14.4981	9.0817	5.4164	7.6388	6.8307	6.5513	11.3515	87.0398	
	S	121.379	86.572	87.802	105.447	62.655	101.885	82.440	71.547	100.704	118.087	104.808	91.897	93.820	95.129	
8	T			16.7047	9.7120	6.9927	11.7044	14.6976	9.2533	5.4443	7.8806	7.3229			310.6602	218.4362
	S			81.428	98.847	57.235	88.661	81.321	70.221	100.188	114.464	97.763			26.653	4.002
9	T	2.5705	12.2753	15.4940	9.0962	6.3978	10.1736	14.1203	8.7421	5.3782	7.6444	6.7436	6.7911	11.5751	87.3879	
	S	118.300	84.538	87.791	105.539	62.557	102.002	84.646	74.327	101.420	118.001	106.161	88.652	92.008	94.750	
10	T	2.5329	12.0199	15.5101	9.1196	6.3905	10.1182	14.0938	8.7214	5.3724	7.6403	6.6337	6.4503	11.5646	86.5638	
	S	120.056	86.334	87.699	105.268	62.628	102.560	84.805	74.503	101.529	118.064	107.920	93.336	92.091	95.652	
11	T	2.5194	11.9653	15.9180	9.3772	6.5408	10.8977	14.7821	9.3709	5.4112	7.6667	6.7608	6.5206	11.3461	88.3767	
	S	120.700	86.728	85.452	102.376	61.189	95.224	80.856	69.339	100.801	117.658	105.891	92.330	93.865	93.690	
12	T			15.6215	9.1950	6.4265	10.2071	14.1264	8.7529	5.3735	7.6343	6.7167			263.3152	175.4087
	S			87.074	104.405	62.278	101.667	84.609	74.235	101.508	118.157	106.586			31.445	4.983
13	T	2.5289	11.9988	15.5997	9.1266	6.4731	10.6637	14.9793	9.5440	5.4353	7.6849	6.8447	6.5182	11.3958	88.2140	
	S	120.246	86.486	87.196	105.187	61.829	97.314	79.792	68.082	100.354	117.379	104.593	92.364	93.455	93.863	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SPO to SF	SF to PI
1	T 94.7997	
	S 83.501	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	86.6818
	S	88.089
8	T 93.0454	
	S 85.076	
9	T	
	S	
10	T	
	S	
11	T	89.7305
	S	85.096
12	T 86.6000	
	S 91.408	
13	T	88.5696
	S	86.211

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 77 - Chastain, Sam (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.8044	13.2323	16.3870	9.5134	6.8736	10.5018	14.4882	9.0193	5.4689	7.8475	7.2994	7.5714	12.4347	92.5667	
	S	108.434	78.424	83.006	100.910	58.227	98.814	82.497	72.042	99.738	114.947	98.078	79.516	85.647	89.449	
2	T	2.7224	12.5401	15.8686	9.3203	6.5483	10.2959	14.3552	8.9065	5.4487	7.7657	7.0893	6.9127	12.4553	90.0052	
	S	111.700	82.753	85.718	103.001	61.119	100.790	83.261	72.955	100.107	116.158	100.984	87.093	85.506	91.995	
3	T	2.6336	12.3974	15.4839	9.1370	6.3469	10.2330	14.1387	8.7187	5.4200	7.7117	6.9457	6.8985	11.5793	88.0218	
	S	115.466	83.705	87.848	105.067	63.059	101.410	84.536	74.526	100.637	116.971	103.072	87.272	91.974	94.068	
4	T			15.8501	9.4035	6.4466	10.2844	14.4342	8.9555	5.4787	7.7544	7.1926			397.4938	309.5231
	S			85.818	102.090	62.083	100.903	82.805	72.556	99.559	116.327	99.534			20.831	2.824
5	T	2.5825	12.0357	15.4518	9.1748	6.2770	10.1531	14.1144	8.6714	5.4430	7.6633	6.8633	6.8275	11.4862	87.1778	
	S	117.751	86.221	88.030	104.634	63.761	102.208	84.681	74.933	100.212	117.710	104.310	88.179	92.720	94.978	
6	T	2.5450	12.2406	15.4904	9.1984	6.2920	10.1630	14.1731	8.7228	5.4503	7.6937	6.7655	6.6461	11.3974	87.1148	
	S	119.486	84.777	87.811	104.366	63.609	102.108	84.331	74.491	100.078	117.245	105.818	90.586	93.442	95.047	
7	T	2.5623	12.0172	15.4385	9.1427	6.2958	10.1827	14.1323	8.7189	5.4134	7.6976	6.8372	6.5530	11.5546	86.9754	
	S	118.679	86.353	88.106	105.002	63.571	101.911	84.574	74.525	100.760	117.185	104.708	91.873	92.171	95.199	
8	T	2.5612	12.0751	15.5217	9.1219	6.3998	10.1839	14.1255	8.6942	5.4313	7.6999	6.9424	6.5352	11.4501	87.0950	
	S	118.730	85.939	87.634	105.241	62.537	101.899	84.615	74.736	100.428	117.150	103.121	92.123	93.012	95.069	
9	T	2.5882	12.2466	16.3477	9.0386	7.3091	10.2182	15.3419	9.7715	5.5704	8.3341	8.7742	6.9554	11.6220	92.4283	
	S	117.491	84.736	83.206	106.211	54.757	101.557	77.906	66.497	97.920	108.235	81.593	86.558	91.637	89.583	
10	T			15.8572	9.3206	6.5366	10.3346	14.3619	8.9215	5.4404	7.7315	7.3399			305.8462	214.4200
	S			85.780	102.998	61.229	100.413	83.222	72.832	100.260	116.671	97.537			27.972	4.077
11	T	2.5959	12.1709	18.0800	10.6025	7.4775	12.3925	18.7884	11.7836	7.0048	8.9457	8.1700	7.0790	11.4938	99.7162	
	S	117.143	85.263	75.234	90.545	53.524	83.738	63.615	55.142	77.869	100.836	87.627	85.047	92.659	83.036	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 77 - Chastain, Sam (R)

Lap	T/SPO to SF	SF to PI
1	T 98.3969	
	S 80.449	
2	T	
	S	
3	T	87.4069
	S	87.358
4	T 88.4215	
	S 89.525	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	95.1855
	S	80.219
10	T 88.6644	
	S 89.279	
11	T	101.8754
	S	74.951

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Qualifications

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 8 - Martin, Anthony

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5582	12.1977	15.5429	9.0768	6.4661	11.8771	14.6657	9.3171	5.3486	7.5785	6.6940	6.7140	11.6800	89.5081	
	S	118.869	85.076	87.514	105.764	61.896	87.372	81.498	69.740	101.981	119.027	106.948	89.670	91.182	92.506	
2	T	2.5137	11.8028	15.2536	8.9925	6.2611	9.9450	14.0049	8.6893	5.3156	7.5316	6.5860	6.3794	11.3690	85.3860	
	S	120.973	87.922	89.174	106.756	63.923	104.347	85.344	74.778	102.614	119.768	108.702	94.373	93.676	96.971	
3	T	2.4920	11.8331	15.3280	9.0285	6.2995	9.9298	13.9346	8.6305	5.3041	7.5142	6.6002	6.4397	11.2728	85.3444	
	S	122.027	87.697	88.741	106.330	63.533	104.506	85.774	75.288	102.836	120.045	108.468	93.490	94.475	97.019	
4	T	2.4915	11.7498	15.1784	8.9371	6.2413	9.9353	13.9630	8.6609	5.3021	7.5202	6.4843	6.4217	11.2450	84.9892	
	S	122.051	88.319	89.616	107.417	64.126	104.449	85.600	75.024	102.875	119.950	110.407	93.752	94.709	97.424	
5	T	2.4905	11.7222	15.2039	8.9474	6.2565	9.9337	13.9356	8.6333	5.3023	7.5305	6.5093	6.3810	11.2499	84.9566	
	S	122.100	88.527	89.466	107.294	63.970	104.465	85.768	75.264	102.871	119.786	109.983	94.350	94.668	97.462	
6	T	2.4764	11.6662	15.1588	8.9273	6.2315	9.8925	13.8893	8.5577	5.3316	7.5193	6.5166	6.3744	11.2255	84.7190	
	S	122.796	88.952	89.732	107.535	64.226	104.900	86.054	75.928	102.306	119.964	109.859	94.447	94.873	97.735	
7	T	2.4733	11.6584	15.1719	8.9223	6.2496	9.9103	13.9064	8.5837	5.3227	7.5300	6.4879	6.4157	11.2193	84.7732	
	S	122.949	89.011	89.654	107.596	64.040	104.712	85.948	75.698	102.477	119.794	110.345	93.839	94.926	97.672	
8	T	2.4797	11.8228	15.5323	9.1631	6.3692	9.9678	13.9940	8.6668	5.3272	7.5395	6.8410	6.3782	11.2343	85.7896	
	S	122.632	87.773	87.574	104.768	62.838	104.108	85.410	74.973	102.390	119.643	104.650	94.391	94.799	96.515	
9	T			16.2876	9.3936	6.8940	10.1901	14.4041	9.0256	5.3785	7.6440	6.9072			260.7972	171.6891
	S			83.513	102.197	58.054	101.837	82.978	71.992	101.414	118.007	103.647			31.749	5.091
10	T	2.5121	11.9085	15.4251	9.0465	6.3786	9.9386	14.0350	8.6779	5.3571	7.5391	6.5985	6.5985	11.4098	85.9652	
	S	121.050	87.142	88.183	106.118	62.745	104.414	85.160	74.877	101.819	119.649	108.496	91.240	93.341	96.318	
11	T	2.4907	11.8090	15.2823	8.9604	6.3219	10.5288	15.0711	9.4620	5.6091	8.4679	8.0686	6.3704	11.2550	89.3438	
	S	122.091	87.876	89.007	107.138	63.308	98.561	79.306	68.672	97.245	106.525	88.728	94.507	94.625	92.676	
12	T			18.3258	11.3767	6.9491	11.8971	15.2878	9.8933	5.3945	7.5898	6.6933			247.8286	149.3454
	S			74.225	84.383	57.594	87.225	78.182	65.678	101.113	118.850	106.959			33.410	5.853
13	T	2.4901	11.7975	15.2665	8.9197	6.3468	9.9550	14.2626	8.8362	5.4264	9.5688	8.8482	6.4443	11.3211	89.9541	
	S	122.120	87.962	89.099	107.627	63.060	104.242	83.801	73.535	100.519	94.269	80.910	93.423	94.072	92.047	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 8 - Martin, Anthony

Lap	T/SPO to SF	SF to PI
1	T 96.5002	
	S 82.030	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	87.0461
	S	87.720
9	T 88.2474	
	S 89.701	
10	T	
	S	
11	T	92.9134
	S	82.181
12	T 95.0536	
	S 83.278	
13	T	95.9927
	S	79.544

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 80 - Megennis, Robert (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5419	12.3436	19.0207	11.7690	7.2517	14.6070	15.4050	10.0521	5.3529	7.5755	6.8508	7.2674	11.5017	97.1136	
	S	119.631	84.070	71.513	81.570	55.191	71.043	77.587	64.640	101.899	119.074	104.500	82.842	92.595	85.261	
2	T	2.4976	11.8182	15.2584	8.9290	6.3294	10.0491	14.0158	8.6816	5.3342	7.5434	6.6990	6.6886	11.2457	85.8158	
	S	121.753	87.808	89.146	107.515	63.233	103.266	85.277	74.845	102.256	119.581	106.868	90.011	94.703	96.486	
3	T	2.4930	11.7409	15.1639	8.8768	6.2871	10.1005	13.9207	8.6364	5.2843	7.4865	6.6583	6.5765	11.1574	85.2977	
	S	121.978	88.386	89.702	108.147	63.658	102.740	85.860	75.237	103.222	120.490	107.521	91.545	95.452	97.072	
4	T	2.6067	14.2053	20.3946	13.2758	7.1188	10.8995	14.1333	8.8032	5.3301	7.5458	6.6971	6.5936	11.5262	94.6021	
	S	116.657	73.052	66.695	72.312	56.221	95.209	84.568	73.811	102.335	119.543	106.898	91.308	92.398	87.524	
5	T	2.4990	11.7728	15.2814	9.0029	6.2785	10.0292	13.9334	8.6299	5.3035	7.5215	6.6255	6.5053	11.2921	85.4602	
	S	121.685	88.146	89.012	106.632	63.746	103.471	85.781	75.293	102.848	119.929	108.054	92.547	94.314	96.887	
6	T	2.5036	11.6899	15.2144	8.9628	6.2516	9.9980	13.9673	8.6423	5.3250	7.5533	6.6948	6.5130	11.2236	85.3579	
	S	121.461	88.771	89.404	107.109	64.020	103.793	85.573	75.185	102.433	119.424	106.935	92.438	94.889	97.003	
7	T	2.4898	11.7856	15.1469	8.9464	6.2005	9.9598	13.9709	8.6480	5.3229	7.5320	6.6172	6.5405	11.2653	85.3080	
	S	122.135	88.050	89.802	107.306	64.548	104.192	85.551	75.136	102.473	119.762	108.189	92.049	94.538	97.060	
8	T	2.4914	11.8982	15.1726	8.9438	6.2288	10.0022	14.0524	8.7231	5.3293	7.5405	6.7368	6.5083	11.3013	85.7037	
	S	122.056	87.217	89.650	107.337	64.254	103.750	85.055	74.489	102.350	119.627	106.268	92.504	94.237	96.612	
9	T			16.0529	9.3446	6.7083	10.2264	14.9343	9.4364	5.4979	8.2857	7.4412			200.0018	109.2631
	S			84.734	102.733	59.662	101.475	80.032	68.858	99.211	108.868	96.209			41.400	8.000
10	T	2.5217	12.0536	15.4607	9.0080	6.4527	10.0491	14.0213	8.6682	5.3531	7.5692	7.2601	6.7912	11.4117	87.1386	
	S	120.590	86.093	87.980	106.572	62.025	103.266	85.244	74.961	101.895	119.173	98.609	88.651	93.325	95.021	
11	T	2.5065	11.8926	15.3730	9.0191	6.3539	9.9615	13.9768	8.6295	5.3473	7.5509	6.6583	6.9531	11.5710	86.4437	
	S	121.321	87.258	88.482	106.441	62.989	104.174	85.515	75.297	102.006	119.462	107.521	86.587	92.040	95.785	
12	T	2.4980	11.9231	15.2711	8.9945	6.2766	9.9931	14.0068	8.6722	5.3346	7.7010	7.9058	6.5220	11.2638	87.0847	
	S	121.734	87.035	89.072	106.732	63.765	103.844	85.332	74.926	102.248	117.134	90.555	92.310	94.551	95.080	
13	T			19.0504	11.2840	7.7664	11.2404	14.8228	9.4590	5.3638	7.5786	6.7832			260.7657	159.3325
	S			71.402	85.076	51.533	92.321	80.634	68.694	101.692	119.025	105.541			31.753	5.406
14	T	2.4954	11.7934	15.1683	8.9211	6.2472	9.9998	14.1803	8.8522	5.3281	8.3243	8.2800	6.5685	11.2689	88.0789	
	S	121.861	87.992	89.676	107.610	64.065	103.775	84.288	73.402	102.373	108.363	86.462	91.656	94.508	94.007	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 80 - Megennis, Robert (R)

Lap	T/SPO to SF	SF to PI
1	T 95.4163	
	S 82.962	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	85.4533
	S	89.355
9	T 91.3824	
	S 86.624	
10	T	
	S	
11	T	
	S	
12	T	90.3508
	S	84.512
13	T 98.2187	
	S 80.595	
14	T	90.2202
	S	84.634

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 81 - Cane, Jordan (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5564	12.0935	15.3695	9.0036	6.3659	10.1005	14.0956	8.7284	5.3672	7.5822	6.7555	6.9622	11.5583	87.0737	
	S	118.953	85.809	88.502	106.624	62.870	102.740	84.794	74.444	101.627	118.969	105.974	86.473	92.142	95.092	
2	T	2.5184	11.8323	15.2534	8.9746	6.2788	10.0528	16.1163	10.2628	5.8535	7.7621	6.7283	6.6933	11.3960	88.3529	
	S	120.748	87.703	89.175	106.969	63.743	103.228	74.163	63.313	93.184	116.212	106.403	89.947	93.454	93.715	
3	T	2.5259	11.6981	15.2016	8.9702	6.2314	10.0458	13.8708	8.5499	5.3209	7.5436	6.5471	6.6701	11.3495	85.4525	
	S	120.389	88.709	89.479	107.021	64.228	103.300	86.169	75.998	102.512	119.578	109.348	90.260	93.837	96.896	
4	T	2.5102	11.6579	15.1779	8.9709	6.2070	9.9908	13.8833	8.5527	5.3306	7.5407	6.5217	6.5774	11.3138	85.1737	
	S	121.142	89.015	89.619	107.013	64.480	103.868	86.091	75.973	102.325	119.624	109.773	91.532	94.133	97.213	
5	T	2.5129	11.6546	15.2246	8.9571	6.2675	10.0060	13.9427	8.5923	5.3504	7.5490	6.4948	6.4855	11.3742	85.2443	
	S	121.012	89.040	89.344	107.178	63.858	103.711	85.724	75.623	101.946	119.492	110.228	92.829	93.633	97.133	
6	T	2.5106	11.6647	15.2238	8.9597	6.2641	10.0505	13.9061	8.5824	5.3237	7.5419	6.5979	6.4814	11.3517	85.3286	
	S	121.123	88.963	89.349	107.146	63.892	103.251	85.950	75.710	102.458	119.605	108.506	92.888	93.819	97.037	
7	T	2.5013	11.8335	15.2462	9.0122	6.2340	10.0363	13.9024	8.5558	5.3466	7.5533	6.5593	6.7597	11.2208	85.6128	
	S	121.573	87.694	89.217	106.522	64.201	103.397	85.973	75.945	102.019	119.424	109.144	89.064	94.913	96.715	
8	T	2.5017	11.7789	15.4758	9.0184	6.4574	10.1233	14.1099	8.7554	5.3545	7.5552	6.6923	6.6604	11.3625	86.2600	
	S	121.554	88.101	87.894	106.449	61.980	102.509	84.708	74.214	101.868	119.394	106.975	90.392	93.729	95.989	
9	T			16.0667	9.3088	6.7579	10.3511	14.4116	8.9654	5.4462	7.6742	6.7239			212.3417	118.8459
	S			84.661	103.128	59.224	100.253	82.935	72.476	100.153	117.543	106.472			38.994	7.355
10	T	2.5247	11.8764	15.1878	8.9761	6.2117	9.9924	13.9017	8.5573	5.3444	7.5603	6.5221	6.4949	11.3651	85.4254	
	S	120.446	87.377	89.561	106.951	64.431	103.852	85.977	75.932	102.061	119.313	109.767	92.695	93.708	96.927	
11	T	2.5100	11.7433	15.1669	8.9669	6.2000	9.9299	13.9928	8.6099	5.3829	7.5689	6.4880	6.3463	11.4128	85.1589	
	S	121.152	88.368	89.684	107.060	64.553	104.505	85.417	75.468	101.331	119.178	110.344	94.866	93.316	97.230	
12	T	2.5008	11.6509	15.1811	9.0117	6.1694	10.0497	14.2364	8.8576	5.3788	8.3833	8.7855	6.4917	11.3995	88.6789	
	S	121.597	89.068	89.600	106.528	64.873	103.260	83.956	73.358	101.408	107.600	81.488	92.741	93.425	93.371	
13	T			16.6722	9.4857	7.1865	11.7940	15.1850	8.9158	6.2692	7.9942	6.7129			262.0923	164.6832
	S			81.587	101.205	55.692	87.988	78.711	72.879	87.005	112.837	106.647			31.592	5.308
14	T	2.5041	11.6991	15.1432	8.9310	6.2122	9.9984	13.9695	8.6347	5.3348	7.9385	8.3191	6.5338	11.3977	87.5034	
	S	121.437	88.701	89.824	107.491	64.426	103.789	85.560	75.251	102.245	113.629	86.056	92.143	93.440	94.625	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 81 - Cane, Jordan (R)

Lap	T/SPO to SF	SF to PI
1	T 94.4544	
	S 83.807	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	86.9584
	S	87.808
9	T 92.6345	
	S 85.453	
10	T	
	S	
11	T	
	S	
12	T	93.0486
	S	82.061
13	T 93.0797	
	S 85.044	
14	T	89.8053
	S	85.025

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 82 - Fischer, TJ (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5713	12.2769	15.8516	9.2409	6.6107	10.2842	14.2319	8.8031	5.4288	7.6294	6.9019	6.7883	11.6372	88.1727	
	S	118.263	84.527	85.810	103.886	60.542	100.905	83.982	73.812	100.474	118.233	103.726	88.689	91.517	93.907	
2	T	2.5494	12.0036	15.5058	9.1140	6.3918	10.1004	14.0044	8.6359	5.3685	7.6040	6.7214	6.5911	11.4848	86.5649	
	S	119.279	86.451	87.724	105.332	62.616	102.741	85.347	75.241	101.603	118.628	106.512	91.342	92.731	95.651	
3	T	2.5280	11.8528	15.3956	9.0669	6.3287	10.0565	13.9020	8.5426	5.3594	7.5744	6.6596	6.4392	11.4967	85.9048	
	S	120.289	87.551	88.352	105.880	63.240	103.190	85.975	76.063	101.775	119.091	107.500	93.497	92.635	96.386	
4	T	2.5372	11.8307	15.3907	9.0684	6.3223	10.0465	14.1071	8.6915	5.4156	7.6200	6.6751	6.4025	11.4921	86.1019	
	S	119.853	87.715	88.380	105.862	63.304	103.292	84.725	74.760	100.719	118.379	107.251	94.033	92.672	96.165	
5	T	2.5344	11.9085	15.4798	9.0980	6.3818	10.0908	13.8797	8.5316	5.3481	7.5860	6.6567	6.4639	11.4421	86.0419	
	S	119.985	87.142	87.871	105.518	62.714	102.839	86.113	76.161	101.990	118.909	107.547	93.140	93.077	96.232	
6	T	2.5343	11.8670	15.3391	9.0441	6.2950	10.0228	13.8661	8.5031	5.3630	7.6049	6.6626	6.5309	11.4737	85.9014	
	S	119.990	87.446	88.677	106.147	63.579	103.537	86.198	76.416	101.707	118.614	107.452	92.184	92.821	96.390	
7	T	2.5346	11.8769	15.3542	9.0697	6.2845	10.0194	14.0325	8.6108	5.4217	7.6238	6.6536	6.4265	11.4960	86.0175	
	S	119.976	87.374	88.590	105.847	63.685	103.572	85.176	75.460	100.606	118.320	107.597	93.682	92.641	96.259	
8	T	2.5204	11.8677	15.4050	9.0653	6.3397	10.0304	13.9424	8.5670	5.3754	7.6182	6.6395	6.3898	11.5344	85.9478	
	S	120.652	87.441	88.298	105.898	63.130	103.458	85.726	75.846	101.472	118.407	107.826	94.220	92.333	96.338	
9	T	2.5276	11.8847	15.3743	9.0583	6.3160	10.0464	13.9633	8.5825	5.3808	7.6215	6.6284	6.3992	11.4957	85.9411	
	S	120.308	87.316	88.474	105.980	63.367	103.293	85.598	75.709	101.371	118.355	108.006	94.081	92.643	96.345	
10	T			16.2954	9.5223	6.7731	10.9919	14.5602	9.1502	5.4100	7.6320	6.9115			193.4574	104.4688
	S			83.473	100.816	59.091	94.408	82.089	71.012	100.823	118.193	103.582			42.800	8.367
11	T	2.5378	11.9415	15.4615	9.0970	6.3645	9.9840	13.9659	8.5895	5.3764	7.5995	6.6755	6.5300	11.3733	86.0690	
	S	119.825	86.901	87.975	105.529	62.884	103.939	85.582	75.647	101.453	118.698	107.244	92.197	93.640	96.202	
12	T	2.5155	11.8209	15.3057	9.0480	6.2577	9.9559	13.9512	8.5803	5.3709	7.5783	6.6761	6.5192	11.3475	85.6703	
	S	120.887	87.788	88.871	106.101	63.958	104.232	85.672	75.728	101.557	119.030	107.235	92.350	93.853	96.650	
13	T			16.1659	9.7308	6.4351	10.9737	15.1612	9.6648	5.4964	7.9380	6.8621			278.5795	183.2625
	S			84.142	98.656	62.194	94.565	78.835	67.231	99.239	113.636	104.328			29.722	4.770
14	T	2.5163	11.8476	15.3192	9.0439	6.2753	9.9952	13.9873	8.6374	5.3499	7.6482	7.4136	6.4185	11.4306	86.5765	
	S	120.848	87.590	88.792	106.149	63.778	103.823	85.451	75.228	101.956	117.942	96.567	93.798	93.171	95.638	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 82 - Fischer, TJ (R)

Lap	T/SPO to SF	SF to PI
1	T 96.5775	
	S 81.964	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T 84.7040	
	S 90.145	
10	T 90.2341	
	S 87.726	
11	T	
	S	
12	T 85.5435	
	S 89.261	
13	T 95.4262	
	S 82.953	
14	T 88.5405	
	S 86.239	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 83 - Munro, James (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5547	12.0598	15.3700	9.0054	6.3646	10.0675	14.2196	8.8684	5.3512	7.5687	6.6992	6.8367	11.6677	87.0439	
	S	119.032	86.048	88.499	106.603	62.883	103.077	84.055	73.268	101.931	119.181	106.865	88.061	91.278	95.124	
2	T	2.5123	11.7833	15.3067	8.9979	6.3088	9.9780	13.9799	8.6359	5.3440	7.5603	6.5690	6.7111	11.3952	85.7958	
	S	121.041	88.068	88.865	106.692	63.440	104.002	85.496	75.241	102.069	119.313	108.983	89.709	93.460	96.508	
3	T	2.5106	11.7700	15.2538	8.9532	6.3006	9.9773	13.9697	8.6666	5.3031	7.5184	6.5553	6.6474	11.3165	85.5190	
	S	121.123	88.167	89.173	107.224	63.522	104.009	85.559	74.974	102.856	119.978	109.211	90.569	94.110	96.821	
4	T	2.4990	11.7517	15.2678	8.9512	6.3166	9.9504	13.9098	8.5932	5.3166	7.5144	6.5422	6.4978	11.3966	85.3297	
	S	121.685	88.304	89.091	107.248	63.361	104.290	85.927	75.615	102.595	120.042	109.429	92.654	93.449	97.035	
5	T	2.5092	11.7998	15.3344	8.9652	6.3692	10.0319	14.1742	8.7674	5.4068	7.5691	6.6174	6.5883	11.4240	86.0483	
	S	121.190	87.944	88.704	107.081	62.838	103.443	84.324	74.112	100.883	119.175	108.186	91.381	93.225	96.225	
6	T	2.5073	11.8818	15.4613	8.9357	6.5256	10.3910	14.1943	8.8332	5.3611	7.6186	7.1589	6.5618	11.4143	87.1893	
	S	121.282	87.338	87.976	107.434	61.332	99.868	84.205	73.560	101.743	118.400	100.003	91.750	93.304	94.966	
7	T			16.8771	10.0508	6.8263	11.4168	15.0267	9.5207	5.5060	7.7243	6.7956			218.3068	126.1016
	S			80.596	95.515	58.630	90.895	79.540	68.248	99.065	116.780	105.349			37.928	6.932
8	T	2.5051	11.7505	15.2880	8.9941	6.2939	10.0200	13.9408	8.5926	5.3482	7.5646	6.5009	6.4714	11.3924	85.4337	
	S	121.389	88.313	88.974	106.737	63.590	103.566	85.736	75.620	101.988	119.246	110.125	93.032	93.483	96.917	
9	T	2.5015	11.6990	15.1934	8.9542	6.2392	9.9317	14.4193	9.0238	5.3955	8.0827	6.7137	6.4098	11.3113	86.2624	
	S	121.563	88.702	89.528	107.212	64.147	104.486	82.891	72.007	101.094	111.602	106.634	93.926	94.154	95.986	
10	T	2.5096	11.8207	15.2721	9.0193	6.2528	9.9327	13.8608	8.5169	5.3439	7.5611	6.4731	6.4010	11.5533	85.3844	
	S	121.171	87.789	89.066	106.438	64.008	104.476	86.231	76.292	102.071	119.301	110.598	94.055	92.181	96.973	
11	T	2.4995	11.8840	15.1819	8.9523	6.2296	9.9065	13.9060	8.5704	5.3356	7.5522	6.5052	6.4586	11.3383	85.2322	
	S	121.661	87.321	89.595	107.235	64.246	104.752	85.950	75.816	102.229	119.441	110.052	93.216	93.929	97.146	
12	T	2.4981	11.8565	15.2405	8.9914	6.2491	9.9230	13.8541	8.5237	5.3304	8.1476	8.0157	6.6500	11.3411	87.5266	
	S	121.729	87.524	89.251	106.769	64.046	104.578	86.272	76.231	102.329	110.713	89.313	90.533	93.906	94.600	
13	T			16.0351	9.1575	6.8776	10.7934	15.3192	9.9658	5.3534	7.5601	6.5638			254.4025	161.8162
	S			84.828	104.832	58.193	96.145	78.022	65.200	101.889	119.317	109.069			32.547	5.402
14	T	2.5033	11.8456	15.1804	8.9185	6.2619	9.9308						6.5185	11.3220		
	S	121.476	87.604	89.604	107.641	63.915	104.496						92.360	94.065		

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 83 - Munro, James (R)

Lap	T/SPO to SF	SF to PI
1	T 93.6086	
	S 84.564	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	88.0608
	S	86.709
7	T 91.2214	
	S 86.777	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	90.1529
	S	84.697
13	T 89.8094	
	S 88.141	
14	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 9 - Franzoni, Victor

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO
1	T			15.6262	9.1218	6.5044	10.1009	14.0319	8.6785	5.3534	7.6892	7.0624		154.5204	68.4304
	S			87.048	105.242	61.532	102.736	85.179	74.872	101.889	117.313	101.369		53.585	12.773
2	T	2.8908	12.3282	15.2709	8.9097	6.3612	10.0305	13.8973	8.5895	5.3078	7.4621	6.6823	6.6391	11.8188	87.0200
	S	105.193	84.175	89.073	107.748	62.917	103.457	86.004	75.647	102.765	120.884	107.135	90.682	90.111	95.151
3	T	2.5078	12.0018	15.2798	8.9427	6.3371	9.9734	13.8728	8.5788	5.2940	7.4430	6.7223	6.6521	11.3697	85.8227
	S	121.258	86.464	89.021	107.350	63.156	104.049	86.156	75.742	103.033	121.194	106.498	90.505	93.670	96.478
4	T	2.4939	12.2252	16.8603	10.3418	6.5185	10.1059	14.0474	8.7259	5.3215	7.4881	6.6891	6.7521	11.4089	88.0709
	S	121.934	84.884	80.676	92.827	61.399	102.685	85.085	74.465	102.500	120.464	107.026	89.164	93.348	94.015
5	T	2.5110	11.8847	15.2679	8.8156	6.4523	9.9231	13.8628	8.5664	5.2964	7.4682	6.6362	6.5657	11.4967	85.6163
	S	121.104	87.316	89.091	108.898	62.029	104.577	86.218	75.851	102.986	120.785	107.879	91.696	92.635	96.711
6	T	2.4814	11.8720	15.2201	8.8956	6.3245	9.9303	13.8239	8.5186	5.3053	7.4987	6.5759	6.6456	11.2702	85.3181
	S	122.548	87.410	89.370	107.919	63.282	104.501	86.461	76.277	102.813	120.294	108.869	90.593	94.497	97.049
7	T			17.0609	9.9910	7.0699	10.9433	14.1709	8.8329	5.3380	7.5025	6.9062		195.2834	107.1682
	S			79.728	96.086	56.610	94.828	84.344	73.563	102.183	120.233	103.662		42.400	8.156
8	T	2.5122	11.8525	15.1697	8.8506	6.3191	9.9207	13.7722	8.4664	5.3058	7.4821	6.5501	6.5734	11.4253	85.2582
	S	121.046	87.553	89.667	108.467	63.336	104.602	86.786	76.747	102.803	120.560	109.297	91.588	93.214	97.117
9	T	2.4873	11.7970	15.1125	8.8698	6.2427	9.9237	13.8054	8.5163	5.2891	7.4769	6.4839	6.4606	11.2516	84.7989
	S	122.257	87.965	90.007	108.232	64.111	104.571	86.577	76.298	103.128	120.644	110.413	93.187	94.653	97.643
10	T	2.4862	11.7788	15.1144	8.8486	6.2658	9.8788	13.7593	8.4582	5.3011	7.4811	6.5491	6.4981	11.3067	84.8525
	S	122.312	88.101	89.995	108.492	63.875	105.046	86.867	76.822	102.895	120.577	109.314	92.649	94.192	97.581
11	T	2.5932	12.5328	15.4354	9.2000	6.2354	11.1904		12.2877				6.5734	11.5866	
	S	117.265	82.801	88.124	104.348	64.186	92.734		52.880				91.588	91.917	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 9 - Franzoni, Victor

Lap	T/SPO to SF	SF to PI
1	T 87.0981	
	S 90.885	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	83.8367
	S	91.078
7	T 89.6795	
	S 88.269	
8	T	
	S	
9	T	
	S	
10	T	
	S	
11	T	
	S	

Event: Cooper Tires USF2000 GP of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Qualifications

Round 3 / 4
2.3 mile(s)
USF2000
April 22, 2016



Section Data for Car 91 - Gabin, Luke

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.5377	12.0358	15.6738	9.1555	6.5183	10.1303	14.0333	8.6930	5.3403	7.5836	6.8851	6.6361	11.4264	86.9421	91.2550
	S	119.829	86.220	86.784	104.855	61.401	102.438	85.171	74.747	102.139	118.947	103.979	90.723	93.205	95.236	86.745
2	T	2.5109	11.8133	15.3396	9.0117	6.3279	10.0274	13.9801	8.6524	5.3277	7.5433	6.8515	6.5958	11.2953	85.9572	
	S	121.108	87.844	88.674	106.528	63.248	103.489	85.495	75.097	102.381	119.582	104.489	91.277	94.287	96.327	
3	T	2.4892	11.7273	15.3521	8.9257	6.4264	9.9851	13.8531	8.5527	5.3004	7.5218	6.7099	6.7155	11.1304	85.4844	
	S	122.164	88.488	88.602	107.555	62.279	103.928	86.279	75.973	102.908	119.924	106.694	89.650	95.684	96.860	
4	T	2.4933	11.6017	15.1586	8.8919	6.2667	9.9600	13.8015	8.5142	5.2873	7.5016	6.6971	6.5949	11.1612	84.9699	
	S	121.963	89.446	89.733	107.963	63.866	104.189	86.601	76.316	103.163	120.247	106.898	91.290	95.420	97.446	
5	T	2.4962	11.6625	15.2239	8.9152	6.3087	9.9746	13.8186	8.5313	5.2873	7.5221	6.6635	6.5431	11.1933	85.0978	
	S	121.822	88.980	89.348	107.681	63.441	104.037	86.494	76.163	103.163	119.919	107.437	92.012	95.146	97.300	

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 91 - Gabin, Luke

Lap	T/SF to PI	
1	T	
	S	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	86.6334
	S	88.138

Event: Cooper Tires USF2000 GP of Alabama
 Track: Barber Motorsports Park
 Report: Section Data Report
 Session: Qualifications

Round 3 / 4
 2.3 mile(s)
 USF2000
 April 22, 2016



Section Data for Car 92 - Das, Cameron (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5681	12.2596	15.8809	9.2077	6.6732	10.2177	14.1519	8.8163	5.3356	7.5470	6.9694	6.8492	11.5553	87.9991	
	S	118.411	84.646	85.652	104.261	59.975	101.562	84.457	73.701	102.229	119.524	102.722	87.900	92.165	94.092	
2	T	2.5359	12.0436	15.5056	9.1158	6.3898	10.5339	14.3708	8.6574	5.7134	7.7588	6.7182	6.5794	11.6742	87.7204	
	S	119.914	86.164	87.725	105.312	62.635	98.513	83.171	75.054	95.469	116.261	106.563	91.505	91.227	94.391	
3	T	2.5152	12.0583	15.5216	9.1159	6.4057	10.3131	13.8682	8.5640	5.3042	7.5608	6.7614	6.4724	11.2636	86.3346	
	S	120.901	86.059	87.634	105.311	62.480	100.622	86.185	75.873	102.834	119.306	105.882	93.017	94.552	95.906	
4	T	2.5112	11.8264	15.2157	8.9567	6.2590	10.1042	13.8213	8.5021	5.3192	7.5325	6.6345	6.5085	11.3803	85.5346	
	S	121.094	87.747	89.396	107.182	63.944	102.703	86.477	76.425	102.544	119.754	107.907	92.501	93.583	96.803	
5	T	2.5090	11.8339	15.2784	8.9312	6.3472	10.1529	13.8254	8.5123	5.3131	7.5265	6.6272	6.5424	11.1479	85.4436	
	S	121.200	87.691	89.029	107.488	63.056	102.210	86.452	76.333	102.662	119.849	108.026	92.022	95.534	96.906	
6	T			15.4015	9.0863	6.3152	10.1137	13.8813	8.4765	5.4048	7.6228	6.7571			384.3834	299.3497
	S			88.318	105.654	63.375	102.606	86.103	76.656	100.920	118.335	105.949			21.541	2.920
7	T	2.5311	11.8434	15.2468	8.9788	6.2680	10.0513	13.8485	8.4889	5.3596	7.5520	6.6464	6.5452	11.2545	85.5192	
	S	120.142	87.621	89.214	106.919	63.852	103.243	86.307	76.544	101.772	119.445	107.714	91.983	94.629	96.820	
8	T	2.5134	11.8334	15.3516	9.0151	6.3365	10.0485	13.8617	8.5119	5.3498	7.5627	6.6373	6.4114	11.4077	85.6277	
	S	120.988	87.695	88.605	106.488	63.162	103.272	86.225	76.337	101.958	119.276	107.861	93.902	93.358	96.698	
9	T			16.0068	9.2155	6.7913	10.2634	14.7408	9.3499	5.3909	7.8987	7.4495			517.1518	429.2213
	S			84.978	104.172	58.932	101.110	81.083	69.495	101.181	114.202	96.102			16.011	2.036

Event: Cooper Tires USF2000 GP of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Qualifications

April 22, 2016

Section Data for Car 92 - Das, Cameron (R)

Lap	T/SPO to SF	SF to PI
1	T	92.3583
	S	85.709
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	85.0422
	S	89.787
6	T	85.5445
	S	92.536
7	T	
	S	
8	T	84.0303
	S	90.868
9	T	
	S	

Report Support Information

Section Legend	
Name	Length
SF to I1	0.084470 miles
I1 to I2	0.288258 miles
I2 to I3	0.377841 miles
I2 to I3A	0.266667 miles
I3A to I3	0.111174 miles
I3 to I4	0.288258 miles
I4 to I5	0.332008 miles
I4 to I5A	0.180492 miles
I5A to I5	0.151515 miles
I5 to I6	0.250568 miles
I6 to I7	0.198864 miles
I7 to I8	0.167235 miles
I8 to SF	0.295833 miles
Lap	2.300000 miles
PI to PO	0.242803 miles
PO to SF	2.198864 miles
SF to PI	2.121023 miles
PO to I2	0.280871 miles
I7 to PI	0.304419 miles
PO to PI	1.903030 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
T	Section Time Data
S	Section Speed Data

