

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 28, 2017



Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T			4.8946	9.3598	8.4618	2.8202	7.9130	5.5756	4.9036	5.5993	6.8699	3.5637	5.8928	14.6865	5.1041
	S			117.709	66.216	114.418	135.870	88.491	68.847	69.661	91.083	80.787	106.758	90.712	28.133	87.497
2	T	4.8018	7.7702	4.8549	8.6540	8.5837	2.9035	7.4346	5.3225	4.5938	5.3835	6.6159	3.5503	5.5270	5.7106	4.8900
	S	107.346	103.104	118.671	71.617	112.793	131.972	94.185	72.121	74.359	94.734	83.889	107.161	96.715	72.353	91.327
3	T			4.7436	8.5122	8.5471	2.8956	7.3119	5.2480	4.5905	5.3335	6.5461	3.5365	5.3889	5.6078	4.8769
	S			121.456	72.810	113.276	132.332	95.765	73.145	74.413	95.622	84.783	107.579	99.194	73.680	91.573
4	T	4.6381	7.3141	4.8450	8.5387	8.4891	2.8775	7.2337	5.2714	4.6490	5.3771	6.4958	3.5156	5.4158	5.6386	4.8169
	S	111.135	109.533	118.914	72.584	114.050	133.165	96.801	72.820	73.476	94.847	85.440	108.219	98.701	73.277	92.713
5	T	4.5958					2.8702	7.4109	5.2630	4.6449	5.3427	6.5293	3.5153	5.5197	5.8033	4.8677
	S	112.158					133.504	94.486	72.936	73.541	95.457	85.001	108.228	96.843	71.198	91.746
6	T	4.6370	7.3352	4.8241	8.8754	8.4460	2.8350	7.5866	5.2967	4.6578	5.3534	6.5417	3.5014	5.4737	5.6198	4.8817
	S	111.161	109.218	119.429	69.830	114.632	135.161	92.298	72.472	73.337	95.267	84.840	108.658	97.657	73.523	91.483
7	T	4.6535	7.4328	4.7330	8.6808	8.4461	2.8400	7.7588	5.2634	4.6763	5.3343	6.4956	3.4948	5.4459	5.6289	4.8847
	S	110.767	107.784	121.728	71.396	114.631	134.923	90.249	72.931	73.047	95.608	85.442	108.863	98.156	73.404	91.426
8	T	4.6452	7.5445	4.7087	8.6576	8.5594	2.9001	7.3326	5.1823	4.5759	5.3302	6.4136	3.5090	5.2910	5.5781	4.8129
	S	110.965	106.188	122.356	71.587	113.113	132.127	95.495	74.072	74.650	95.681	86.535	108.422	101.029	74.072	92.790
9	T	4.6164	7.1831	4.7013	8.3335	8.4928	2.9008	7.2670	5.2197	4.5293	5.2726	6.3790	3.4883	5.3229	5.5305	4.8866
	S	111.657	111.531	122.548	74.371	114.000	132.095	96.357	73.541	75.418	96.726	87.004	109.066	100.424	74.710	91.391
10	T	4.6255	7.1752	4.6992	8.4252	8.4665	2.8900	7.1889	5.1591	4.5724	5.3233	6.4281	3.4826	5.3366	5.5829	4.8271
	S	111.438	111.654	122.603	73.562	114.354	132.589	97.404	74.405	74.707	95.805	86.340	109.244	100.166	74.008	92.517
11	T	4.6008	7.2598	4.7327	8.6126	8.4067	2.8489	7.6271	5.2692	4.6820	5.4184	6.5689	3.5136	5.5436	5.6711	4.8598
	S	112.036	110.352	121.735	71.961	115.168	134.502	91.808	72.850	72.958	94.124	84.489	108.281	96.426	72.857	91.895
12	T	4.6205	7.3725	4.6635	8.8239	8.4303	2.8462	7.3061	5.1435	4.5770	5.2863	6.4303	3.4643	5.3551	5.5868	4.8937
	S	111.558	108.665	123.542	70.238	114.845	134.629	95.841	74.631	74.632	96.476	86.310	109.821	99.820	73.957	91.258
13	T	4.6037	7.2895	4.7483	8.6211	8.4247	2.8568	7.1563	5.2047	4.5818	5.2632	6.4704	3.4930	5.2905	5.6692	4.7998
	S	111.965	109.903	121.335	71.890	114.922	134.130	97.848	73.753	74.554	96.899	85.775	108.919	101.039	72.882	93.044
14	T	4.5893	7.3317	4.7010	8.5692	8.4162	2.8470	7.3018	5.2603	4.8078	5.3308	6.5268	3.4770	5.4383	5.8625	5.0057
	S	112.317	109.270	122.556	72.326	115.038	134.591	95.898	72.974	71.049	95.670	85.034	109.420	98.293	70.479	89.216
15	T	4.6711	7.4901	4.7070	8.5225	8.3749	2.8215	7.2828	5.1483	4.5329	5.2313	6.3903	3.5031	5.2217	5.4791	4.8582
	S	110.350	106.959	122.400	72.722	115.605	135.808	96.148	74.561	75.358	97.490	86.850	108.605	102.370	75.411	91.925
16	T	4.6169	7.1343	4.6710	8.2911	8.5022	2.9069	7.1859	5.1528	4.4881	5.2439	6.4149	3.4965	5.3026	5.4848	4.8427
	S	111.645	112.294	123.343	74.752	113.874	131.818	97.445	74.496	76.110	97.256	86.517	108.810	100.808	75.332	92.219
17	T	4.6368	7.4358	4.7613	8.3538	8.4995	2.9122	7.3013	5.7294	4.4989	5.2674	6.4831	3.5161	5.3180	5.5988	8.3029
	S	111.166	107.740	121.004	74.191	113.910	131.578	95.904	66.999	75.928	96.822	85.607	108.204	100.516	73.798	53.787
18	T	9.2671	9.2533	8.9815	11.5742	17.9478	8.9507	14.3020	6.1646	5.0595	8.2716	9.8547	6.1090	11.3961	7.3233	6.3595
	S	55.622	86.578	64.147	53.548	53.944	42.810	48.960	62.269	67.515	61.657	56.318	62.278	46.906	56.420	70.224
19	T	5.0290	8.1799	4.9416	9.0870	8.4113	2.8845	7.7011	5.5046	4.9664	5.4893	6.6239	3.4997	5.6174	5.8484	4.8253
	S	102.496	97.940	116.589	68.204	115.105	132.842	90.926	69.735	68.780	92.908	83.787	108.711	95.159	70.649	92.552

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	
1	T		17.8216	18.3922	12.4692	9.4565	98.9465	139.2942
	S		89.103	77.516	85.410	96.759	82.153	54.660
2	T	12.6251	17.2377	17.3509	11.9994	9.0773	86.5963	
	S	109.090	92.121	82.168	88.754	100.801	93.870	
3	T		17.0593	17.1504	11.8796	8.9254	85.1158	
	S		93.084	83.128	89.649	102.516	95.503	
4	T	12.1591	17.0278	17.1541	11.8729	8.9314	85.1164	
	S	113.271	93.257	83.110	89.700	102.448	95.502	
5	T			17.3188	11.8720	9.0350	85.7732	
	S			82.320	89.707	101.273	94.771	
6	T	12.1593	17.3214	17.5411	11.8951	8.9751	85.8655	
	S	113.269	91.676	81.277	89.533	101.949	94.669	
7	T	12.1658	17.1269	17.6985	11.8299	8.9407	85.7689	
	S	113.209	92.717	80.554	90.026	102.341	94.776	
8	T	12.2532	17.2170	17.0908	11.7438	8.8000	85.0411	
	S	112.401	92.232	83.418	90.686	103.977	95.587	
9	T	11.8844	16.8263	17.0160	11.6516	8.8112	84.1238	
	S	115.889	94.373	83.785	91.404	103.845	96.629	
10	T	11.8744	16.8917	16.9204	11.7514	8.8192	84.1826	
	S	115.987	94.008	84.258	90.627	103.751	96.562	
11	T	11.9925	17.0193	17.5783	11.9873	9.0572	85.6152	
	S	114.845	93.303	81.105	88.844	101.025	94.946	
12	T	12.0360	17.2542	17.0266	11.7166	8.8194	84.8000	
	S	114.429	92.033	83.733	90.897	103.749	95.858	
13	T	12.0378	17.0458	16.9428	11.7336	8.7835	84.4730	
	S	114.412	93.158	84.147	90.765	104.173	96.230	
14	T	12.0327	16.9854	17.3699	11.8576	8.9153	85.4654	
	S	114.461	93.489	82.078	89.816	102.633	95.112	
15	T	12.1971	16.8974	16.9640	11.6216	8.7248	84.2348	
	S	112.918	93.976	84.042	91.640	104.873	96.502	
16	T	11.8053	16.7933	16.8268	11.6588	8.7991	83.7346	
	S	116.666	94.559	84.727	91.347	103.988	97.078	
17	T	12.1971	16.8533	17.5296	11.7505	8.8341	88.6153	
	S	112.918	94.222	81.330	90.634	103.576	91.731	
18	T	18.2348	29.5220	25.5261	18.1263	17.5051	140.8149	
	S	75.530	53.789	55.852	58.754	52.270	57.727	
19	T	13.1215	17.4983	18.1721	12.1132	9.1171	88.6094	
	S	104.963	90.749	78.454	87.921	100.361	91.737	

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T			4.7599	8.6907	8.3194	2.7988	7.3527	5.2842	4.7258	5.3723	6.7277	3.5182	5.4412	5.5485	4.8634
	S			121.040	71.314	116.376	136.909	95.234	72.644	72.282	94.931	82.495	108.139	98.240	74.467	91.827
21	T	4.6022	7.2428	4.7042	8.4907	8.3477	2.8254	7.3380	5.1854	4.6324	5.3381	6.4909	3.4879	5.5285	5.5550	4.9720
	S	112.002	110.611	122.473	72.994	115.982	135.620	95.425	74.028	73.740	95.540	85.504	109.078	96.689	74.380	89.821
22	T	5.3455														
	S	96.428														

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T		17.0101	17.3627	12.1000	8.9594	85.2852	
	S		93.354	82.112	88.017	102.127	95.313	
21	T	11.9470	16.8384	17.1558	11.8290	9.0164	84.7412	
	S	115.282	94.306	83.102	90.033	101.482	95.925	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 11 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2883	8.5938	4.9874	8.7706	8.4659	2.8292	7.5390	5.5616	4.7883	5.4534	6.6676	3.5277	11.7568	9.7976	5.0390
	S	97.471	93.223	115.518	70.665	114.363	135.438	92.881	69.020	71.339	93.520	83.238	107.848	45.467	42.172	88.627
2	T	4.7241	7.4833	4.7714	8.5364	8.3666	2.8038	7.7850	5.4964	4.8818	5.4164	6.6105	3.4743	5.7079	5.8649	4.9332
	S	109.112	107.057	120.748	72.604	115.720	136.665	89.946	69.839	69.972	94.158	83.957	109.505	93.650	70.450	90.528
3	T	4.6345	7.5991	4.7708	8.7788	8.3489	2.7999	7.7067	5.4268	4.8092	5.3283	6.6784	3.4986	5.6326	5.7977	4.9400
	S	111.221	105.425	120.763	70.599	115.965	136.856	90.860	70.735	71.029	95.715	83.104	108.745	94.902	71.267	90.403
4	T	4.6544	7.5104	4.7532	8.7726	8.3852	2.8225	7.3686	5.2365	4.7603	5.3536	6.5318	3.4736	5.6554	5.6955	4.8883
	S	110.746	106.670	121.210	70.649	115.463	135.760	95.029	73.305	71.758	95.263	84.969	109.527	94.519	72.545	91.359
5	T	4.6283	7.4661	4.7469	8.6912	8.3237	2.8254	7.3110	5.1346	4.5230	5.2556	6.4939	3.4995	5.4328	5.5307	4.8516
	S	111.370	107.303	121.371	71.310	116.316	135.620	95.777	74.760	75.523	97.039	85.465	108.717	98.392	74.707	92.050
6	T	4.6447	7.4412	4.7350	8.4357	8.4057	2.8665	7.1966	5.2001	4.4524	5.2630	6.4284	3.4915	5.4601	5.4310	4.8267
	S	110.977	107.662	121.676	73.470	115.182	133.676	97.300	73.819	76.721	96.903	86.336	108.966	97.900	76.078	92.525
7	T	4.6334	7.3405	4.7163	8.4000	8.4094	2.8625	7.1567	5.2127	4.3796	5.2229	6.3793	3.4900	5.3426	5.4756	4.8544
	S	111.248	109.139	122.159	73.782	115.131	133.863	97.842	73.640	77.996	97.647	87.000	109.013	100.053	75.459	91.997
8	T	4.6053	7.3058	4.6907	8.2989	8.4052	2.8596	7.0899	5.1595	4.3928	5.2293	6.3487	3.4928	5.3161	5.3911	4.8227
	S	111.926	109.658	122.825	74.681	115.188	133.998	98.764	74.399	77.762	97.527	87.419	108.925	100.552	76.641	92.602
9	T	4.6277	7.2010	4.6804	8.3072	8.3770	2.8544	7.0867	5.0946	4.4129	5.2404	6.3818	3.4730	5.3330	5.3983	4.8198
	S	111.385	111.253	123.096	74.607	115.576	134.243	98.809	75.347	77.407	97.321	86.966	109.546	100.234	76.539	92.658
10	T	4.6083	7.2229	4.6567	8.3235	8.3960	2.8540	7.1012	5.1440	4.3716	5.2122	6.3282	3.4596	5.3135	5.4470	4.8203
	S	111.854	110.916	123.722	74.461	115.315	134.261	98.607	74.624	78.139	97.847	87.703	109.971	100.601	75.855	92.648
11	T	4.5922	7.1437	4.6345	8.2777	8.4105	2.8582	7.0396	5.0528	4.4003	5.2064	6.3906	3.4864	5.2477	5.4480	4.8352
	S	112.246	112.146	124.315	74.873	115.116	134.064	99.470	75.970	77.629	97.956	86.846	109.125	101.863	75.841	92.362
12	T	4.6104	7.2230	4.6723	8.4013	8.4421	2.8520	7.1243	5.1030	4.3859	5.1888	6.3864	3.4772	5.2698	5.4063	4.8702
	S	111.803	110.915	123.309	73.771	114.685	134.355	98.287	75.223	77.884	98.289	86.903	109.414	101.436	76.426	91.699
13	T	4.5983	7.1712	4.6330	8.3557	8.4113	2.8531	7.1000	5.0776	4.3538	5.2571	6.3896	3.4611	5.3413	5.4313	4.8635
	S	112.097	111.716	124.355	74.174	115.105	134.304	98.624	75.599	78.458	97.012	86.860	109.923	100.078	76.074	91.825
14	T	4.6136	7.1409	4.6703	8.2623	8.3857	2.8451	7.0136	5.0742	4.3175	5.2136	6.3913	3.4833	5.2347	5.4481	4.7718
	S	111.725	112.190	123.362	75.012	115.456	134.681	99.838	75.650	79.118	97.821	86.837	109.222	102.116	75.840	93.590
15	T	4.5683	7.1505	4.6774	8.3984	8.3977	2.8401	7.0101	5.1237	4.4110	5.2205	6.3390	3.4814	5.3225	5.4001	4.8474
	S	112.833	112.039	123.174	73.797	115.291	134.918	99.888	74.919	77.441	97.692	87.553	109.282	100.431	76.514	92.130
16	T	4.5826	7.1754	4.6487	8.2483	8.3693	2.8398	7.0405	5.1424	4.2998	5.2082	6.3063	3.4726	5.2566	5.3912	4.8384
	S	112.481	111.650	123.935	75.139	115.683	134.933	99.457	74.647	79.443	97.923	88.007	109.559	101.690	76.640	92.301
17	T	4.6434	7.3321	4.8089	8.5089	8.4043	2.8351	7.7161	5.1983	4.5658	9.5170	9.4944	6.4731	9.6790	6.5821	8.8888
	S	111.008	109.264	119.806	72.838	115.201	135.156	90.749	73.844	74.815	53.588	58.456	58.775	55.227	62.774	50.242
18	T	10.5724	9.5119	9.2898	12.5680	17.1523	8.6752	14.9409	6.2244	5.0336	8.3885	10.0857	6.0821	11.3583	8.0658	6.7984
	S	48.755	84.225	62.018	49.314	56.446	44.170	46.866	61.671	67.862	60.798	55.028	62.553	47.062	51.226	65.691
19	T	5.0444	8.4738	4.9310	8.7266	8.4225	2.8390	7.2897	5.3935	4.6513	5.3609	6.3709	3.4795	5.4257	5.4604	4.8488
	S	102.184	94.543	116.840	71.021	114.952	134.971	96.057	71.172	73.440	95.133	87.115	109.342	98.521	75.669	92.103

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 28, 2017



Section Data for Car 11 - Enders, Kory (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.5812	17.2365	17.8889	12.1210	19.7261	95.4316	150.8796
	S	101.410	92.127	79.696	87.864	46.385	85.179	50.463
2	T	12.2547	16.9030	18.1632	12.0269	9.1822	86.8560	
	S	112.387	93.945	78.493	88.551	99.649	93.589	
3	T	12.3699	17.1277	17.9427	12.0067	9.1312	86.7503	
	S	111.341	92.713	79.457	88.700	100.206	93.703	
4	T	12.2636	17.1578	17.3654	11.8854	9.1290	85.8619	
	S	112.306	92.550	82.099	89.606	100.230	94.673	
5	T	12.2130	17.0149	16.9686	11.7495	8.9323	84.7143	
	S	112.771	93.327	84.019	90.642	102.437	95.955	
6	T	12.1762	16.8414	16.8491	11.6914	8.9516	84.2786	
	S	113.112	94.289	84.615	91.093	102.216	96.452	
7	T	12.0568	16.8094	16.7490	11.6022	8.8326	83.8759	
	S	114.232	94.468	85.120	91.793	103.594	96.915	
8	T	11.9965	16.7041	16.6422	11.5780	8.8089	83.4084	
	S	114.806	95.064	85.667	91.985	103.872	97.458	
9	T	11.8814	16.6842	16.5942	11.6222	8.8060	83.2882	
	S	115.918	95.177	85.914	91.635	103.906	97.598	
10	T	11.8796	16.7195	16.6168	11.5404	8.7731	83.2590	
	S	115.936	94.976	85.798	92.284	104.296	97.633	
11	T	11.7782	16.6882	16.4927	11.5970	8.7341	83.0238	
	S	116.934	95.154	86.443	91.834	104.762	97.909	
12	T	11.8953	16.8434	16.6132	11.5752	8.7470	83.4130	
	S	115.783	94.278	85.816	92.007	104.607	97.452	
13	T	11.8042	16.7670	16.5314	11.6467	8.8024	83.2979	
	S	116.676	94.707	86.241	91.442	103.949	97.587	
14	T	11.8112	16.6480	16.4053	11.6049	8.7180	82.8660	
	S	116.607	95.384	86.904	91.772	104.955	98.096	
15	T	11.8279	16.7961	16.5448	11.5595	8.8039	83.1881	
	S	116.443	94.543	86.171	92.132	103.931	97.716	
16	T	11.8241	16.6176	16.4827	11.5145	8.7292	82.8201	
	S	116.480	95.559	86.496	92.492	104.821	98.150	
17	T	12.1410	16.9132	17.4802	19.0114	16.1521	104.6473	
	S	113.440	93.888	81.560	56.019	56.649	77.678	
18	T	18.8017	29.7203	26.1989	18.4742	17.4404	144.7473	
	S	73.253	53.430	54.418	57.648	52.464	56.159	
19	T	13.4048	17.1491	17.3345	11.7318	8.9052	86.7180	
	S	102.745	92.597	82.245	90.779	102.749	93.738	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 11 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5931	7.3623	4.6728	8.3575	8.3157	2.8064	7.2157	5.1400	4.5262	5.3301	6.6164	3.4849	5.4877	5.5041	4.8789
	S	112.224	108.816	123.296	74.158	116.428	136.539	97.042	74.682	75.470	95.683	83.882	109.172	97.408	75.068	91.535
21	T	4.6040	7.3196	4.6905	8.4833	8.3179	2.8143	7.0432	5.1578	4.4302	5.2408	6.4424	3.4949	5.4404	5.4285	4.8402
	S	111.958	109.451	122.830	73.058	116.397	136.155	99.419	74.424	77.105	97.313	86.148	108.860	98.255	76.113	92.267
22	T	4.6926	7.9887													
	S	109.844	100.284													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 11 - Enders, Kory (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0351	16.6732	16.8819	11.9465	8.9726	84.2918	
	S	114.438	95.240	84.450	89.147	101.977	96.436	
21	T	12.0101	16.8012	16.6312	11.6832	8.9353	83.7480	
	S	114.676	94.514	85.723	91.157	102.403	97.063	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 12 - de la Vara, Moises (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3704	8.2739	4.9251	9.0269	8.6134	2.8544	7.7578	5.5479	4.9444	5.7132	6.7215	3.5479	5.6597	6.0355	5.0004
	S	95.981	96.827	116.980	68.658	112.404	134.243	90.261	69.191	69.086	89.267	82.571	107.234	94.448	68.459	89.311
2	T	4.7114	7.4776	4.7505	8.7404	8.4768	2.8283	7.4052	5.3819	4.7053	5.3475	6.5303	3.5503	5.4214	5.5968	4.9652
	S	109.406	107.138	121.279	70.909	114.215	135.481	94.559	71.325	72.597	95.372	84.988	107.161	98.599	73.825	89.944
3	T	4.7081	7.2782	4.7066	8.4988	8.4651	2.8568	7.3070	5.2369	4.5426	5.2908	6.5124	3.5186	5.3490	5.6130	4.8332
	S	109.482	110.073	122.410	72.925	114.373	134.130	95.830	73.300	75.197	96.394	85.222	108.127	99.934	73.612	92.401
4	T	4.6248	7.3970	4.7196	8.5583	8.4129	2.8328	7.3122	5.2869	4.5344	5.3006	6.5040	3.5179	5.3941	5.6592	4.8757
	S	111.454	108.306	122.073	72.418	115.083	135.266	95.762	72.607	75.333	96.216	85.332	108.148	99.098	73.011	91.595
5	T	4.6368	7.2768	4.6765	8.5931	8.4051	2.8325	7.1864	5.3885	4.5434	5.3375	6.4175	3.4950	5.4147	5.5930	4.8845
	S	111.166	110.095	123.198	72.124	115.190	135.280	97.438	71.238	75.184	95.550	86.482	108.857	98.721	73.875	91.430
6	T	4.6413	7.2117	4.6971	8.4842	8.4622	2.8633	7.1871	5.2282	4.4917	5.2771	6.4780	3.5079	5.3190	5.5397	4.8056
	S	111.058	111.088	122.658	73.050	114.413	133.825	97.428	73.422	76.049	96.644	85.675	108.456	100.497	74.586	92.931
7	T	4.6011	7.3659	4.7556	8.4411	8.4333	2.8512	7.0776	5.1920	4.6199	5.2918	6.3419	3.5022	5.3573	5.5284	4.8725
	S	112.029	108.763	121.149	73.423	114.805	134.393	98.936	73.934	73.939	96.376	87.513	108.633	99.779	74.738	91.655
8	T	4.6600	7.2062	4.6966	8.3961	8.4447	2.8657	7.1073	5.2438	4.4910	5.3107	6.4271	3.5125	5.2752	5.4846	4.8241
	S	110.613	111.173	122.671	73.817	114.650	133.713	98.522	73.203	76.061	96.033	86.353	108.314	101.332	75.335	92.575
9	T	4.6304	7.2562	4.6954	8.3093	8.4399	2.8589	6.9698	5.1455	4.4249	5.2317	6.3921	3.5027	5.2107	5.9972	4.9188
	S	111.320	110.407	122.702	74.588	114.715	134.031	100.466	74.602	77.197	97.483	86.826	108.618	102.586	68.896	90.793
10	T	4.6118	7.2274	4.6675	8.3399	8.4146	2.8524	7.1101	5.1642	4.5102	5.2835	6.3943	3.4772	5.2866	5.5703	4.8060
	S	111.769	110.847	123.436	74.314	115.060	134.337	98.483	74.332	75.737	96.527	86.796	109.414	101.113	74.176	92.924
11	T	4.6226	7.2572	4.6992	8.4424	8.4929	2.8679	7.1028	5.1454	4.5188	5.2745	6.4082	3.4896	5.3142	5.4894	4.8281
	S	111.507	110.392	122.603	73.412	113.999	133.611	98.585	74.603	75.593	96.692	86.608	109.025	100.588	75.269	92.498
12	T	4.6424	7.2184	4.7206	8.5256	8.4440	2.8551	7.1104	5.1585	4.4311	5.3018	6.4177	3.4897	5.2923	5.4851	4.8538
	S	111.032	110.985	122.047	72.695	114.659	134.210	98.479	74.414	77.089	96.194	86.480	109.022	101.004	75.328	92.009
13	T	4.6518	7.2354	4.7003	8.2889	8.4247	2.8584	6.9666	5.1121	4.4508	5.2812	6.4069	3.5106	5.3246	5.4702	4.8355
	S	110.808	110.725	122.574	74.771	114.922	134.055	100.512	75.089	76.748	96.569	86.625	108.373	100.392	75.533	92.357
14	T	4.6055	7.2650	4.6985	8.3403	8.4126	2.8515	7.0551	5.1365	4.4281	5.2499	6.3294	3.4877	5.2294	5.4964	4.8077
	S	111.922	110.273	122.621	74.311	115.087	134.379	99.251	74.733	77.142	97.145	87.686	109.085	102.219	75.173	92.891
15	T	4.6307	7.1926	4.7142	8.3322	8.4299	2.8469	7.3213								
	S	111.312	111.383	122.213	74.383	114.851	134.596	95.642								

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 12 - de la Vara, Moises (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.1990	17.6403	18.2501	12.4347	9.2076	89.9924	142.1441
	S	104.347	90.019	78.119	85.647	99.374	90.328	53.564
2	T	12.2281	17.2172	17.4924	11.8778	8.9717	85.8889	
	S	112.632	92.231	81.503	89.663	101.987	94.643	
3	T	11.9848	16.9639	17.0865	11.8032	8.8676	84.7171	
	S	114.918	93.608	83.439	90.230	103.185	95.952	
4	T	12.1166	16.9712	17.1335	11.8046	8.9120	84.9304	
	S	113.668	93.568	83.210	90.219	102.671	95.711	
5	T	11.9533	16.9982	17.1183	11.7550	8.9097	84.6813	
	S	115.221	93.419	83.284	90.600	102.697	95.993	
6	T	11.9088	16.9464	16.9070	11.7551	8.8269	84.1941	
	S	115.652	93.705	84.325	90.599	103.660	96.548	
7	T	12.1215	16.8744	16.8895	11.6337	8.8595	84.2318	
	S	113.622	94.104	84.412	91.544	103.279	96.505	
8	T	11.9028	16.8408	16.8421	11.7378	8.7877	83.9456	
	S	115.710	94.292	84.650	90.733	104.123	96.834	
9	T	11.9516	16.7492	16.5402	11.6238	8.7134	83.9835	
	S	115.238	94.808	86.195	91.622	105.011	96.790	
10	T	11.8949	16.7545	16.7845	11.6778	8.7638	83.7160	
	S	115.787	94.778	84.940	91.199	104.407	97.100	
11	T	11.9564	16.9353	16.7670	11.6827	8.8038	83.9532	
	S	115.191	93.766	85.029	91.160	103.932	96.825	
12	T	11.9390	16.9696	16.7000	11.7195	8.7820	83.9465	
	S	115.359	93.576	85.370	90.874	104.190	96.833	
13	T	11.9357	16.7136	16.5295	11.6881	8.8352	83.5180	
	S	115.391	95.010	86.251	91.118	103.563	97.330	
14	T	11.9635	16.7529	16.6197	11.5793	8.7171	83.3936	
	S	115.123	94.787	85.783	91.974	104.966	97.475	
15	T	11.9068	16.7621					
	S	115.671	94.735					

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3469	8.0954	4.8175	9.0012	8.5194	2.8573	7.6532	5.5807	4.7168	5.3791	6.6632	3.5098	5.6512	5.7042	4.9076
	S	96.403	98.962	119.592	68.854	113.644	134.106	91.495	68.784	72.420	94.811	83.293	108.398	94.590	72.435	91.000
2	T	4.6419	7.5693	4.7451	8.5847	8.3930	2.8347	7.3463	5.3845	4.6261	5.3517	6.5977	3.5035	5.5067	5.5577	4.8414
	S	111.044	105.840	121.417	72.195	115.356	135.175	95.317	71.290	73.840	95.297	84.120	108.593	97.072	74.344	92.244
3	T	4.6239	7.4791	4.7389	8.4488	8.3464	2.8242	7.3984	5.2993	4.7469	5.2921	6.5009	3.4630	5.5762	5.5261	4.8618
	S	111.476	107.117	121.576	73.356	116.000	135.678	94.646	72.437	71.961	96.370	85.373	109.863	95.862	74.769	91.857
4	T	4.6106	7.3686	4.6986	8.4212	8.3412	2.8237	7.2342	5.2383	4.5926	5.2822	6.4592	3.4916	5.3755	5.4770	4.8423
	S	111.798	108.723	122.619	73.597	116.072	135.702	96.794	73.280	74.379	96.551	85.924	108.963	99.441	75.439	92.227
5	T	4.5990	7.2863	4.6549	8.4934	8.3707	2.8303	7.1531	5.2088	4.4973	5.2534	6.3828	3.4746	5.4092	5.5976	4.8420
	S	112.080	109.951	123.770	72.971	115.663	135.386	97.891	73.695	75.955	97.080	86.952	109.496	98.822	73.814	92.233
6	T	4.5966	7.3129	4.6484	8.3216	8.3164	2.8466	7.2247	5.1223	4.3895	5.2061	6.3079	3.4979	5.2725	5.3264	4.8747
	S	112.138	109.551	123.943	74.478	116.418	134.610	96.921	74.940	77.820	97.962	87.985	108.767	101.384	77.572	91.614
7	T	4.6158	7.1842	4.6783	8.3094	8.4019	2.8640	7.0467	5.0850	4.4013	5.2274	6.3387	3.4887	5.2245	5.2884	4.8046
	S	111.672	111.514	123.151	74.587	115.234	133.793	99.370	75.489	77.611	97.563	87.557	109.053	102.315	78.130	92.951
8	T	4.5840	7.2053	4.6701	8.2836	8.3931	2.8570	7.0093	5.0961	4.3633	5.2134	6.3061	3.4600	5.2385	5.2803	4.8184
	S	112.446	111.187	123.367	74.819	115.354	134.120	99.900	75.325	78.287	97.825	88.010	109.958	102.042	78.250	92.684
9	T	4.5669	7.1595	4.6529	8.2924	8.3732	2.8500	6.9744	5.0616	4.3511	5.1904	6.2900	3.4701	5.2177	5.2445	4.8154
	S	112.867	111.898	123.823	74.740	115.629	134.450	100.400	75.838	78.507	98.258	88.235	109.638	102.448	78.784	92.742
10	T	4.5671	7.1898	4.6423	8.3188	8.3667	2.8501	6.9514	5.0505	4.3565	5.2072	6.2668	3.4581	5.1926	5.3061	4.8225
	S	112.863	111.427	124.106	74.503	115.718	134.445	100.732	76.005	78.409	97.941	88.562	110.018	102.944	77.869	92.606
11	T	4.5687	7.1655	4.6424	8.2879	8.3818	2.8535	6.9188	5.0303	4.3369	5.2180	6.2480	3.4590	5.2087	5.2906	4.8011
	S	112.823	111.805	124.103	74.780	115.510	134.285	101.206	76.310	78.764	97.739	88.828	109.990	102.626	78.097	93.018
12	T	4.5632	7.1521	4.6729	8.3023	8.4040	2.8579	6.9456	5.0494	4.3259	5.2102	6.2475	3.4605	5.1622	5.3204	4.7764
	S	112.959	112.014	123.293	74.651	115.205	134.078	100.816	76.022	78.964	97.885	88.836	109.942	103.550	77.660	93.499
13	T	4.5538	7.1103	4.6517	8.2663	8.3658	2.8512	6.9673	5.0861	4.3652	5.2092	6.3181	3.4867	5.1595	5.3107	4.8094
	S	113.192	112.673	123.855	74.976	115.731	134.393	100.502	75.473	78.253	97.904	87.843	109.116	103.604	77.802	92.858
14	T	4.5639	7.1162	4.6735	8.2939	8.3661	2.8502	6.9361	5.0079	4.3248	5.2242	6.2484	3.4696	5.1615	5.3648	4.7776
	S	112.942	112.579	123.277	74.726	115.727	134.440	100.954	76.652	78.984	97.623	88.823	109.654	103.564	77.017	93.476
15	T	4.5500	7.1004	4.6634	8.2834	8.3710	2.8483	6.9380	5.1010	4.3367	5.2078	6.2642	3.4639	5.1345	5.3303	4.8276
	S	113.287	112.830	123.544	74.821	115.659	134.530	100.926	75.253	78.767	97.930	88.599	109.834	104.109	77.516	92.508
16	T	4.5771	7.1621	4.6955	8.2958	8.4139	2.8659	7.0169	5.0647	4.3623	5.2314	6.5871	3.7508	5.3408	5.3985	4.9019
	S	112.616	111.858	122.700	74.709	115.069	133.704	99.792	75.792	78.305	97.488	84.256	101.433	100.087	76.536	91.106
17	T	4.6216	7.2166	4.6797	8.3042	8.4784	3.5098	12.2516	9.5487	7.8745	10.6907	9.9880	6.8095	8.3786	7.3160	8.1960
	S	111.532	111.013	123.114	74.634	114.194	109.175	57.154	40.201	43.379	47.705	55.567	55.871	63.799	56.476	54.489
18	T	9.2014	10.7175	9.6049	12.7823	18.1755	7.4254	16.1028	5.4318	5.9663	8.9151	10.3037	6.7358	11.5146	8.2887	8.2569
	S	56.019	74.750	59.984	48.487	53.269	51.604	43.485	70.670	57.253	57.206	53.864	56.482	46.423	49.849	54.087
19	T	5.3515	7.5566	4.7014	8.6391	8.3053	2.8189	7.1859	5.2137	4.4614	5.2406	6.4855	3.4946	5.2859	5.4198	4.8714
	S	96.320	106.018	122.546	71.740	116.574	135.933	97.445	73.626	76.566	97.317	85.576	108.869	101.127	76.236	91.676

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 28, 2017



Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	12.9129	17.5206	17.9507	12.0423	9.1610	88.4035	151.4323
	S	106.659	90.634	79.422	88.438	99.880	91.951	50.279
2	T	12.3144	16.9777	17.3569	11.9494	9.0102	85.4843	
	S	111.842	93.532	82.139	89.126	101.552	95.091	
3	T	12.2180	16.7952	17.4446	11.7930	9.0392	85.1260	
	S	112.725	94.548	81.726	90.308	101.226	95.491	
4	T	12.0672	16.7624	17.0651	11.7414	8.8671	84.2568	
	S	114.134	94.733	83.544	90.705	103.190	96.476	
5	T	11.9412	16.8641	16.8592	11.6362	8.8838	84.0534	
	S	115.338	94.162	84.564	91.525	102.996	96.710	
6	T	11.9613	16.6380	16.7365	11.5140	8.7704	83.2645	
	S	115.144	95.441	85.184	92.496	104.328	97.626	
7	T	11.8625	16.7113	16.5330	11.5661	8.7132	82.9589	
	S	116.103	95.023	86.232	92.079	105.013	97.986	
8	T	11.8754	16.6767	16.4687	11.5195	8.6985	82.7785	
	S	115.977	95.220	86.569	92.452	105.191	98.199	
9	T	11.8124	16.6656	16.3871	11.4804	8.6878	82.5101	
	S	116.596	95.283	87.000	92.767	105.320	98.519	
10	T	11.8321	16.6855	16.3584	11.4740	8.6507	82.5465	
	S	116.401	95.170	87.153	92.819	105.772	98.475	
11	T	11.8079	16.6697	16.2860	11.4660	8.6677	82.4112	
	S	116.640	95.260	87.540	92.883	105.564	98.637	
12	T	11.8250	16.7063	16.3209	11.4577	8.6227	82.4505	
	S	116.471	95.051	87.353	92.951	106.115	98.590	
13	T	11.7620	16.6321	16.4186	11.5273	8.6462	82.5113	
	S	117.095	95.475	86.833	92.389	105.827	98.517	
14	T	11.7897	16.6600	16.2688	11.4726	8.6311	82.3787	
	S	116.820	95.315	87.633	92.830	106.012	98.676	
15	T	11.7638	16.6544	16.3757	11.4720	8.5984	82.4205	
	S	117.077	95.347	87.061	92.835	106.415	98.626	
16	T	11.8576	16.7097	16.4439	11.8185	9.0916	83.6647	
	S	116.151	95.032	86.700	90.113	100.642	97.159	
17	T	11.8963	16.7826	29.6748	20.6787	15.1881	117.8639	
	S	115.773	94.619	48.044	51.502	60.245	68.968	
18	T	20.3224	30.9578	27.5009	19.2188	18.2504	149.4227	
	S	67.771	51.294	51.841	55.414	50.136	54.401	
19	T	12.2580	16.9444	16.8610	11.7261	8.7805	85.0316	
	S	112.357	93.716	84.555	90.823	104.208	95.597	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5694	7.2440	4.6709	8.3663	8.3597	2.8408	7.0130	5.1235	4.3967	5.1974	6.4328	3.4846	5.3045	5.4012	4.8342
	S	112.806	110.593	123.346	74.080	115.815	134.885	99.847	74.922	77.693	98.126	86.277	109.182	100.772	76.498	92.382
21	T	4.5709	7.2373	4.6975	8.2956	8.3383	2.8413	7.0141	5.0866	4.3832	5.2038	6.3113	3.4760	5.2211	5.2921	4.8183
	S	112.769	110.695	122.647	74.711	116.113	134.861	99.831	75.466	77.932	98.005	87.938	109.452	102.382	78.075	92.686
22	T	4.9829	9.2586													
	S	103.445	86.529													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.9149	16.7260	16.5332	11.6302	8.7891	83.2390	
	S	115.592	94.939	86.231	91.572	104.106	97.656	
21	T	11.9348	16.6339	16.4839	11.5151	8.6971	82.7874	
	S	115.400	95.465	86.489	92.487	105.207	98.189	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 22 - Ming, Calvin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2441	8.3655	4.9296	8.9970	8.3516	2.7918	7.6162	5.6583	4.7146	5.5588	6.7147	3.5109	5.8168	5.6933	4.9014
	S	98.292	95.767	116.873	68.887	115.928	137.253	91.939	67.841	72.454	91.746	82.654	108.364	91.897	72.573	91.115
2	T	4.6672	7.6347	4.7226	8.6749	8.4031	2.8632	7.3484	5.3214	4.6350	5.2923	6.5122	3.5150	5.6763	5.6365	4.8385
	S	110.442	104.934	121.996	71.444	115.217	133.830	95.290	72.136	73.698	96.366	85.225	108.237	94.171	73.305	92.299
3	T	4.6559	7.5709	4.7396	8.5591	8.4161	2.8556	7.2008	5.2653	4.5395	5.2995	6.4556	3.4852	5.6281	5.5668	4.8194
	S	110.710	105.818	121.558	72.411	115.039	134.186	97.243	72.904	75.249	96.235	85.972	109.163	94.978	74.223	92.665
4	T	4.6680	7.5460	4.7473	8.7229	8.4102	2.8634	7.2369	5.2429	4.5207	5.2856	6.4556	3.5071	5.4461	5.4873	4.8300
	S	110.423	106.167	121.361	71.051	115.120	133.821	96.758	73.216	75.562	96.489	85.972	108.481	98.152	75.298	92.462
5	T	4.6505	7.4870	4.7010	8.6882	8.4381	2.8770	7.2738	5.2278	4.4585	5.2542	6.4173	3.4869	5.4989	5.4740	4.7956
	S	110.839	107.004	122.556	71.335	114.739	133.188	96.267	73.427	76.616	97.065	86.485	109.110	97.210	75.481	93.125
6	T	4.6589	7.3767	4.7181	8.5077	8.4502	2.8884	7.2719	5.1298	4.4673	5.2402	6.3409	3.4892	5.4266	5.4993	4.8055
	S	110.639	108.604	122.112	72.848	114.575	132.662	96.292	74.830	76.465	97.325	87.527	109.038	98.505	75.134	92.933
7	T	4.6633	7.4395	4.7159	8.4105	8.4359	2.8875	7.1868	5.1558	4.4258	5.2281	6.3721	3.4944	5.4227	5.4589	4.8109
	S	110.534	107.687	122.169	73.690	114.769	132.704	97.432	74.453	77.182	97.550	87.098	108.875	98.576	75.690	92.829
8	T	4.6373	7.3505	4.7064	8.3876	8.4259	2.8852	7.1173	5.1951	4.4178	5.2239	6.2862	3.4749	5.3735	5.3594	4.7889
	S	111.154	108.991	122.416	73.892	114.905	132.809	98.384	73.890	77.321	97.628	88.289	109.486	99.478	77.095	93.255
9	T	4.6347	7.3298	4.6780	8.3904	8.4119	2.8821	7.1425	5.1965	4.4324	5.2457	6.2768	3.4667	5.3971	5.4333	4.8152
	S	111.216	109.299	123.159	73.867	115.097	132.952	98.037	73.870	77.067	97.222	88.421	109.745	99.043	76.046	92.746
10	T	4.6360	7.4237	4.7058	8.3354	8.4183	2.8783	7.3637	5.2144	4.4372	5.2310	6.3338	3.4592	5.3199	5.3664	4.7861
	S	111.185	107.916	122.431	74.354	115.009	133.128	95.092	73.616	76.983	97.496	87.625	109.983	100.480	76.994	93.310
11	T	4.6250	7.3009	4.6730	8.3446	8.4284	2.8867	7.1186	5.0828	4.4215	5.2316	6.2946	3.4763	5.2420	5.4303	4.8085
	S	111.450	109.731	123.290	74.272	114.871	132.740	98.366	75.522	77.257	97.485	88.171	109.442	101.974	76.088	92.875
12	T	4.6282	7.3223	4.6583	9.6765	8.4514	2.8866	7.2411	5.1140	4.4353	5.2076	6.3704	3.4709	5.2807	5.4801	4.8187
	S	111.373	109.410	123.680	64.049	114.559	132.745	96.702	75.061	77.016	97.934	87.122	109.613	101.226	75.397	92.679
13	T	4.6427	7.2903	4.6666	8.4125	8.4284	2.8820	7.4891	5.2342	4.4955	5.2451	6.3615	3.4551	5.3520	5.3916	4.7928
	S	111.025	109.891	123.460	73.673	114.871	132.957	93.500	73.338	75.985	97.234	87.244	110.114	99.878	76.634	93.180
14	T	4.6079	7.2620	4.6672	8.3616	8.3791	2.8593	7.0541	5.1354	4.3899	5.2049	6.2910	3.4610	5.2606	5.3869	4.7661
	S	111.863	110.319	123.444	74.121	115.547	134.012	99.265	74.749	77.813	97.985	88.221	109.926	101.613	76.701	93.702
15	T	4.5923	7.2706	4.6956	8.3226	8.4100	2.8701	7.2045	5.1350	4.4328	5.2545	6.3357	3.4828	5.3004	5.3753	4.7313
	S	112.243	110.188	122.697	74.469	115.123	133.508	97.193	74.754	77.060	97.060	87.599	109.238	100.850	76.867	94.391
16	T	4.5939	7.2247	4.6715	8.3169	8.4237	2.8785	7.2111	5.0537	4.3991	5.2116	6.3205	3.4789	5.2937	5.3441	4.7697
	S	112.204	110.889	123.330	74.520	114.935	133.119	97.104	75.957	77.650	97.859	87.810	109.361	100.978	77.316	93.631
17	T	4.6336	7.3630	4.7599	8.6671	8.4595	2.8890	7.6008	6.0002	5.3634	9.0394	9.6854	6.8247	8.5943	7.1271	8.6756
	S	111.243	108.806	121.040	71.509	114.449	132.635	92.125	63.975	63.689	56.420	57.303	55.747	62.198	57.973	51.477
18	T	9.9408	10.4229	9.1423	13.1423	16.9047	8.1079	15.9499	5.7462	5.4418	8.6240	10.2389	6.6106	11.3738	8.1114	7.9013
	S	51.852	76.863	63.019	47.159	57.273	47.260	43.902	66.803	62.772	59.137	54.205	57.552	46.998	50.938	56.521
19	T	5.2228	8.3258	4.8637	8.6349	8.3731	2.8664	7.4055	5.3344	4.5540	5.2820	6.4049	3.4659	5.3831	5.4717	4.7602
	S	98.693	96.223	118.456	71.775	115.630	133.681	94.555	71.960	75.009	96.554	86.652	109.771	99.301	75.513	93.818

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 22 - Ming, Calvin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.2951	17.3486	17.9891	12.2735	9.3277	88.8646	148.2082
	S	103.593	91.532	79.253	86.772	98.095	91.474	51.373
2	T	12.3573	17.0780	17.3048	11.8045	9.1913	85.7413	
	S	111.454	92.982	82.386	90.220	99.551	94.806	
3	T	12.3105	16.9752	17.0056	11.7551	9.1133	85.0574	
	S	111.878	93.546	83.836	90.599	100.403	95.568	
4	T	12.2933	17.1331	17.0005	11.7412	8.9532	84.9700	
	S	112.034	92.683	83.861	90.706	102.198	95.667	
5	T	12.1880	17.1263	16.9601	11.6715	8.9858	84.7288	
	S	113.002	92.720	84.061	91.248	101.827	95.939	
6	T	12.0948	16.9579	16.8690	11.5811	8.9158	84.2707	
	S	113.873	93.641	84.515	91.960	102.627	96.461	
7	T	12.1554	16.8464	16.7684	11.6002	8.9171	84.1081	
	S	113.305	94.261	85.022	91.809	102.612	96.647	
8	T	12.0569	16.8135	16.7302	11.5101	8.8484	83.6299	
	S	114.231	94.445	85.216	92.527	103.409	97.200	
9	T	12.0078	16.8023	16.7714	11.5225	8.8638	83.7331	
	S	114.698	94.508	85.007	92.428	103.229	97.080	
10	T	12.1295	16.7537	17.0153	11.5648	8.7791	83.9092	
	S	113.547	94.782	83.788	92.090	104.225	96.876	
11	T	11.9739	16.7730	16.6229	11.5262	8.7183	83.3648	
	S	115.023	94.673	85.766	92.398	104.952	97.509	
12	T	11.9806	18.1279	16.7904	11.5780	8.7516	85.0421	
	S	114.959	87.597	84.911	91.985	104.552	95.586	
13	T	11.9569	16.8409	17.2188	11.6066	8.8071	84.1394	
	S	115.186	94.292	82.798	91.758	103.893	96.611	
14	T	11.9292	16.7407	16.5794	11.4959	8.7216	83.0870	
	S	115.454	94.856	85.991	92.642	104.912	97.835	
15	T	11.9662	16.7326	16.7723	11.5902	8.7832	83.4135	
	S	115.097	94.902	85.002	91.888	104.176	97.452	
16	T	11.8962	16.7406	16.6639	11.5321	8.7726	83.1916	
	S	115.774	94.856	85.555	92.351	104.302	97.712	
17	T	12.1229	17.1266	18.9644	18.7248	15.4190	105.6830	
	S	113.609	92.719	75.177	56.876	59.342	76.917	
18	T	19.5652	30.0470	27.1379	18.8629	17.9844	147.6588	
	S	70.394	52.849	52.535	56.460	50.877	55.051	
19	T	13.1895	17.0080	17.2939	11.6869	8.8490	86.3484	
	S	104.422	93.365	82.438	91.128	103.402	94.140	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 22 - Ming, Calvin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6049	7.3542	4.6566	8.5020	8.2963	2.8296	7.1691	5.2725	4.7693	5.3751	6.3696	3.4541	5.3899	5.4761	4.8238
	S	111.936	108.936	123.725	72.897	116.700	135.419	97.673	72.805	71.623	94.882	87.133	110.146	99.175	75.452	92.581
21	T	4.6161	7.2911	4.6513	8.4711	8.3337	2.8327	7.2276	5.1746	4.4747	5.2514	6.3177	3.4543	5.3655	5.4765	4.7820
	S	111.665	109.879	123.866	73.163	116.177	135.271	96.882	74.182	76.338	97.117	87.848	110.139	99.626	75.446	93.390
22	T	4.7947	8.1164													
	S	107.505	98.706													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 22 - Ming, Calvin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0108	16.7983	17.2109	11.7447	8.8440	84.3431	
	S	114.670	94.531	82.836	90.679	103.460	96.378	
21	T	11.9424	16.8048	16.8769	11.5691	8.8198	83.7203	
	S	115.326	94.494	84.475	92.056	103.744	97.095	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 23 - Kohl, Lucas

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3508	7.9783	4.8684	8.8423	8.5203	2.8912	7.4700	5.3918	4.7715	5.3671	6.6898	3.5631	5.5282	5.7554	4.9431
	S	96.332	100.414	118.342	70.092	113.632	132.534	93.739	71.194	71.590	95.023	82.962	106.776	96.694	71.790	90.346
2	T	4.7191	7.4053	4.7161	8.5741	8.4759	2.8807	7.5010	5.2952	4.7293	5.3345	6.5562	3.5103	5.4640	5.5591	4.8867
	S	109.227	108.184	122.164	72.284	114.228	133.017	93.351	72.493	72.229	95.604	84.653	108.382	97.830	74.325	91.389
3	T	4.6524	7.3545	4.7307	8.6197	8.4525	2.8871	7.5896	5.3373	4.6838	5.3354	6.5328	3.4947	5.4023	5.5002	4.8215
	S	110.793	108.931	121.787	71.902	114.544	132.722	92.261	71.921	72.930	95.588	84.956	108.866	98.948	75.121	92.625
4	T	4.6108	7.3357	4.6878	8.4821	8.3869	2.8589	7.2545	5.2184	4.6000	5.2687	6.4374	3.4886	5.3327	5.4952	4.8313
	S	111.793	109.211	122.901	73.068	115.440	134.031	96.523	73.560	74.259	96.798	86.215	109.057	100.239	75.190	92.437
5	T	4.6212	7.2108	4.6741	8.3871	8.4073	2.8628	7.2250	5.2442	4.5216	5.2494	6.4038	3.4987	5.4917	5.4437	4.8293
	S	111.541	111.102	123.261	73.896	115.160	133.849	96.917	73.198	75.546	97.154	86.667	108.742	97.337	75.901	92.475
6	T	4.6424	7.2662	4.6909	8.3984	8.4613	2.9005	7.5086	5.2100	4.5581	5.2874	6.4198	3.4884	5.4065	5.4342	4.8382
	S	111.032	110.255	122.820	73.797	114.425	132.109	93.257	73.678	74.942	96.456	86.451	109.063	98.871	76.034	92.305
7	T	4.6372	7.2927	4.6994	8.3490	8.4163	2.8716	7.2487	5.1669	4.5001	5.2223	6.3511	3.4914	5.3387	5.3771	4.8296
	S	111.156	109.855	122.598	74.233	115.037	133.438	96.600	74.293	75.907	97.658	87.386	108.969	100.127	76.841	92.470
8	T	4.6327	7.2215	4.6701	8.3368	8.4331	2.8835	7.1535	5.1884	4.5242	5.2552	6.3673	3.4938	5.2936	5.3950	4.8119
	S	111.264	110.938	123.367	74.342	114.807	132.888	97.886	73.985	75.503	97.047	87.164	108.894	100.980	76.586	92.810
9	T	4.6315	7.2630	4.6789	8.3367	8.4248	2.8826	7.2135	5.1488	4.4911	5.2256	6.3657	3.4811	5.2551	5.4279	4.8042
	S	111.293	110.304	123.135	74.343	114.920	132.929	97.072	74.554	76.060	97.596	87.186	109.291	101.719	76.122	92.958
10	T	4.6377	7.1642	4.6520	8.2543	8.4273	2.8865	7.0978	5.1769	4.4070	5.2288	6.3876	3.4819	5.3150	5.4073	4.7893
	S	111.144	111.825	123.847	75.085	114.886	132.750	98.654	74.149	77.511	97.537	86.887	109.266	100.573	76.412	93.248
11	T	4.6395	7.2524	4.6589	8.4050	8.4809	2.8938	7.2317	5.1048	4.4051	5.2080	6.3390	3.4810	5.3230	5.3983	4.8169
	S	111.101	110.465	123.664	73.739	114.160	132.415	96.827	75.197	77.544	97.926	87.553	109.295	100.422	76.539	92.713
12	T	4.6280	7.2440	4.6970	8.3605	8.4799	2.8911	7.1169	5.0965	4.4285	5.2422	6.3468	3.4729	5.2650	5.3825	4.8232
	S	111.377	110.593	122.660	74.131	114.174	132.538	98.389	75.319	77.135	97.287	87.446	109.550	101.528	76.764	92.592
13	T	4.6412	7.2991	4.7077	8.3710	8.4605	2.8936	7.1169	5.1278	4.3945	5.2034	6.3483	3.4900	5.3032	5.3728	4.8216
	S	111.061	109.758	122.382	74.038	114.436	132.424	98.389	74.859	77.731	98.013	87.425	109.013	100.797	76.903	92.623
14	T	4.6441	7.2401	4.7051	8.2704	8.4272	2.8880	7.0853	5.0582	4.4025	5.2426	6.3644	3.4853	5.2460	5.3536	4.8119
	S	110.991	110.653	122.449	74.939	114.888	132.681	98.828	75.889	77.590	97.280	87.204	109.160	101.896	77.178	92.810
15	T	4.6341	7.1935	4.6975	8.2932	8.4334	2.8827	7.0899	5.0458	4.4166	5.2177	6.3621	3.4997	5.2262	5.3901	4.8321
	S	111.231	111.369	122.647	74.733	114.803	132.925	98.764	76.076	77.343	97.744	87.235	108.711	102.282	76.656	92.422
16	T	4.6213	7.1347	4.6533	8.2881	8.4628	2.8896	7.1546	5.1271	4.4397	5.2283	6.3707	3.4935	5.3074	5.3781	4.8554
	S	111.539	112.287	123.812	74.779	114.404	132.607	97.871	74.870	76.940	97.546	87.118	108.904	100.717	76.827	91.978
17	T	4.6392	7.1994	4.7287	8.4946	8.6100	3.1177	7.9037	6.0367	7.4207	10.5647	9.7956	6.9013	8.7669	6.8505	8.6372
	S	111.108	111.278	121.838	72.961	112.449	122.905	88.595	63.588	46.032	48.274	56.658	55.128	60.973	60.314	51.706
18	T	9.8413	10.0952	9.3096	12.7338	17.8490	7.8996	16.0191	5.5529	5.6713	8.8299	10.2612	6.6840	11.5041	8.2205	8.1334
	S	52.377	79.358	61.886	48.671	54.243	48.506	43.712	69.128	60.232	57.758	54.087	56.920	46.466	50.262	54.908
19	T	5.2783	7.6400	4.6764	8.5471	8.3962	2.8308	7.3662	5.4101	4.5844	5.3223	6.4432	3.5041	5.3357	5.4292	4.8351
	S	97.655	104.861	123.201	72.513	115.312	135.362	95.059	70.953	74.512	95.823	86.137	108.574	100.183	76.104	92.364

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 23 - Kohl, Lucas

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	12.8467	17.3626	17.6333	12.0569	9.0913	87.9313	153.9890
	S	107.208	91.458	80.852	88.331	100.646	92.445	49.444
2	T	12.1214	17.0500	17.5255	11.8907	8.9743	85.6075	
	S	113.623	93.135	81.349	89.566	101.958	94.954	
3	T	12.0852	17.0722	17.6107	11.8682	8.8970	85.3945	
	S	113.964	93.014	80.955	89.736	102.844	95.191	
4	T	12.0235	16.8690	17.0729	11.7061	8.8213	84.2890	
	S	114.548	94.134	83.506	90.978	103.726	96.440	
5	T	11.8849	16.7944	16.9908	11.6532	8.9904	84.0707	
	S	115.884	94.553	83.909	91.391	101.775	96.690	
6	T	11.9571	16.8597	17.2767	11.7072	8.8949	84.5109	
	S	115.185	94.186	82.520	90.970	102.868	96.186	
7	T	11.9921	16.7653	16.9157	11.5734	8.8301	83.7921	
	S	114.848	94.717	84.282	92.021	103.623	97.012	
8	T	11.8916	16.7699	16.8661	11.6225	8.7874	83.6606	
	S	115.819	94.691	84.529	91.633	104.126	97.164	
9	T	11.9419	16.7615	16.8534	11.5913	8.7362	83.6305	
	S	115.331	94.738	84.593	91.879	104.737	97.199	
10	T	11.8162	16.6816	16.6817	11.6164	8.7969	83.3136	
	S	116.558	95.192	85.464	91.681	104.014	97.569	
11	T	11.9113	16.8859	16.7416	11.5470	8.8040	83.6383	
	S	115.627	94.040	85.158	92.232	103.930	97.190	
12	T	11.9410	16.8404	16.6419	11.5890	8.7379	83.4750	
	S	115.340	94.294	85.668	91.897	104.716	97.380	
13	T	12.0068	16.8315	16.6392	11.5517	8.7932	83.5516	
	S	114.708	94.344	85.682	92.194	104.058	97.291	
14	T	11.9452	16.6976	16.5460	11.6070	8.7313	83.2247	
	S	115.299	95.101	86.165	91.755	104.795	97.673	
15	T	11.8910	16.7266	16.5523	11.5798	8.7259	83.2146	
	S	115.825	94.936	86.132	91.971	104.860	97.685	
16	T	11.7880	16.7509	16.7214	11.5990	8.8009	83.4046	
	S	116.837	94.798	85.261	91.818	103.967	97.462	
17	T	11.9281	17.1046	21.3611	20.3603	15.6682	109.6669	
	S	115.465	92.838	66.742	52.308	58.399	74.123	
18	T	19.4048	30.5828	27.2433	19.0911	18.1881	148.6049	
	S	70.976	51.923	52.331	55.785	50.308	54.701	
19	T	12.3164	16.9433	17.3607	11.7655	8.8398	85.5991	
	S	111.824	93.722	82.121	90.519	103.509	94.964	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 23 - Kohl, Lucas

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5759	7.4032	4.7196	8.8525	8.3815	2.8134	7.3056	5.3005	4.6324	5.3475	6.4512	3.5050	5.2896	5.4528	4.7909
	S	112.646	108.215	122.073	70.011	115.514	136.199	95.848	72.420	73.740	95.372	86.031	108.546	101.056	75.774	93.216
21	T	4.6155	7.2542	4.6895	8.3586	8.3998	2.8672	7.0724	5.1817	4.4749	5.2606	6.4016	3.4928	5.3294	5.3951	4.8220
	S	111.679	110.438	122.857	74.148	115.262	133.643	99.008	74.081	76.335	96.947	86.697	108.925	100.301	76.585	92.615
22	T	4.8499	8.1102													
	S	106.281	98.781													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 23 - Kohl, Lucas

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.1228	17.2340	17.2385	11.7987	8.7946	84.8216	
	S	113.610	92.141	82.703	90.264	104.041	95.834	
21	T	11.9437	16.7584	16.7290	11.6622	8.8222	83.6153	
	S	115.314	94.756	85.222	91.321	103.716	97.217	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 27 - Kaminsky, Colin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.4675	8.3000	5.0833	9.2855	8.6051	2.8462	7.7772	5.6152	4.8823	5.5452	6.8696	3.5607	5.8157	7.9257	8.5926
	S	94.276	96.522	113.339	66.746	112.513	134.629	90.036	68.362	69.965	91.971	80.791	106.848	91.914	52.132	51.974
2	T			5.1449	9.0095	8.6423	2.9310	7.6480	5.4460	4.6634	5.3296	6.5704	3.5717	5.5875	5.7191	4.8411
	S			111.982	68.791	112.028	130.734	91.557	70.485	73.249	95.692	84.470	106.519	95.668	72.246	92.250
3	T	4.7061	7.4028	4.7745	8.5956	8.5394	2.9061	7.3590	5.2928	4.6187	5.3044	6.6444	3.5698	5.4717	5.7223	4.7728
	S	109.529	108.221	120.669	72.103	113.378	131.854	95.153	72.526	73.958	96.147	83.529	106.576	97.693	72.206	93.570
4	T	4.6910	7.3897	4.7759	8.4813	8.5466	2.9086	7.3198	5.3453	4.5795	5.3091	6.5216	3.5378	5.4248	5.6183	4.8189
	S	109.882	108.413	120.634	73.075	113.283	131.741	95.662	71.813	74.591	96.061	85.102	107.540	98.537	73.542	92.675
5	T	4.7031	7.3068	4.7613	8.5022	8.5361	2.9229	7.2671	5.2531	4.5532	5.2754	6.4733	3.5624	5.4054	5.6487	4.7722
	S	109.599	109.643	121.004	72.896	113.422	131.096	96.356	73.074	75.022	96.675	85.737	106.797	98.891	73.146	93.582
6	T	4.6630	7.2375	4.7360	8.4143	8.5414	2.9195	7.1229	5.2587	4.6235	5.3184	6.4433	3.5149	5.3010	5.5945	4.7699
	S	110.541	110.692	121.650	73.657	113.352	131.249	98.306	72.996	73.881	95.894	86.136	108.241	100.839	73.855	93.627
7	T	4.6523	7.2263	4.7326	8.3449	8.5287	2.9181	7.0905	5.1878	4.5016	5.2592	6.3665	3.5017	5.3281	5.6116	4.7784
	S	110.796	110.864	121.738	74.270	113.520	131.312	98.756	73.994	75.882	96.973	87.175	108.649	100.326	73.630	93.460
8	T	4.6460	7.2085	4.7080	8.3173	8.5118	2.9116	7.2116	5.1497	4.5530	5.2706	6.3936	3.5009	5.2497	5.6322	4.7423
	S	110.946	111.138	122.374	74.516	113.746	131.605	97.097	74.541	75.025	96.763	86.806	108.673	101.824	73.361	94.172
9	T	4.6253	7.1673	4.7291	8.3221	8.5326	2.9152	7.1516	5.1894	4.6043	5.2688	6.3595	3.4912	5.3018	5.4916	4.7835
	S	111.442	111.777	121.828	74.473	113.469	131.443	97.912	73.971	74.190	96.796	87.271	108.975	100.823	75.239	93.361
10	T	4.6392	7.1806	4.6969	8.2912	8.4932	2.9095	7.0802	5.1241	4.5083	5.2801	6.3831	3.4991	5.1919	5.4803	4.7628
	S	111.108	111.570	122.663	74.751	113.995	131.700	98.899	74.913	75.769	96.589	86.948	108.729	102.958	75.394	93.766
11	T	4.6246	7.1329	4.6971	8.2313	8.4979	2.9061	7.0694	5.1698	4.4668	5.2547	6.3663	3.4824	5.2632	5.4444	4.7682
	S	111.459	112.316	122.658	75.295	113.932	131.854	99.050	74.251	76.473	97.056	87.178	109.251	101.563	75.891	93.660
12	T	4.6189	7.1605	4.7074	8.2618	8.5049	2.9007	6.9659	5.0832	4.4404	5.2269	6.3571	3.4959	5.2133	5.4309	4.7803
	S	111.597	111.883	122.390	75.017	113.838	132.100	100.522	75.516	76.928	97.572	87.304	108.829	102.535	76.080	93.423
13	T	4.6297	7.1596	4.7190	8.2234	8.5024	2.9060	7.0196	5.1093	4.4174	5.2290	6.3361	3.4929	5.1962	5.5732	4.7760
	S	111.336	111.897	122.089	75.367	113.872	131.859	99.753	75.130	77.328	97.533	87.593	108.922	102.872	74.137	93.507
14	T	4.6268	7.1016	4.6873	8.3331	8.4745	2.8926	7.0093	5.1086	4.4141	5.2415	6.3339	3.4912	5.1722	5.4697	4.7580
	S	111.406	112.811	122.914	74.375	114.246	132.470	99.900	75.141	77.386	97.300	87.624	108.975	103.350	75.540	93.861
15	T	4.6083	7.1132	4.6889	8.9245	8.6385	2.9208	7.2164	5.2475	4.4591	5.2342	6.3796	3.5038	5.2918	5.4649	4.9740
	S	111.854	112.627	122.872	69.446	112.078	131.191	97.033	73.152	76.605	97.436	86.996	108.583	101.014	75.606	89.785
16	T	4.6986	7.1961	4.7136	8.2353	8.5231	2.9087	7.0132	5.1994	4.4404	5.2476	6.5751	3.5735	5.4177	5.5921	4.8421
	S	109.704	111.329	122.229	75.258	113.595	131.736	99.844	73.828	76.928	97.187	84.409	106.466	98.666	73.887	92.231
17	T	4.7107	7.6879	4.9758	8.5085	8.5625	2.9217	7.1750	5.8498	4.5147	5.3765	6.4916	3.5299	5.4428	5.6100	4.8513
	S	109.422	104.207	115.788	72.842	113.072	131.150	97.593	65.620	75.662	94.857	85.495	107.781	98.211	73.651	92.056
18	T	4.7953	7.7538	4.9567	9.0186	17.2734	9.3156	13.6956	6.2647	4.9638	7.1760	8.9446	5.5953	11.0585	6.9114	5.2046
	S	107.492	103.322	116.234	68.722	56.050	41.133	51.128	61.274	68.816	71.070	62.049	67.995	48.338	59.783	85.807
19	T	4.9214	8.1004	4.9886	9.0034	8.3101	2.7741	7.5517	5.5872	4.9501	5.5807	6.6458	3.5089	5.5760	5.9981	4.8075
	S	104.737	98.901	115.491	68.838	116.507	138.128	92.724	68.704	69.007	91.386	83.511	108.426	95.865	68.885	92.895

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 27 - Kaminsky, Colin (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI	
1	T	13.3833	17.8906	18.2747	12.4148	9.3764	108.2419	37.1626	135.9611	96.2856
	S	102.910	88.759	78.014	85.785	97.585	75.098	24.163	56.000	79.791
2	T		17.6518	17.7574	11.9000	9.1592	110.3251		85.1188	
	S		89.960	80.287	89.496	99.900	73.680		89.450	
3	T	12.1773	17.1350	17.2705	11.9488	9.0415	85.6804			
	S	113.102	92.673	82.550	89.130	101.200	94.874			
4	T	12.1656	17.0279	17.2446	11.8307	8.9626	85.2682			
	S	113.210	93.256	82.674	90.020	102.091	95.332			
5	T	12.0681	17.0383	17.0734	11.7487	8.9678	84.9432			
	S	114.125	93.199	83.503	90.648	102.032	95.697			
6	T	11.9735	16.9557	17.0051	11.7617	8.8159	84.4588			
	S	115.027	93.653	83.838	90.548	103.790	96.246			
7	T	11.9589	16.8736	16.7799	11.6257	8.8298	84.0283			
	S	115.167	94.109	84.964	91.607	103.626	96.739			
8	T	11.9165	16.8291	16.9143	11.6642	8.7506	84.0068			
	S	115.577	94.358	84.289	91.305	104.564	96.764			
9	T	11.8964	16.8547	16.9453	11.6283	8.7930	83.9333			
	S	115.772	94.214	84.134	91.587	104.060	96.848			
10	T	11.8775	16.7844	16.7126	11.6632	8.6910	83.5205			
	S	115.956	94.609	85.306	91.313	105.281	97.327			
11	T	11.8300	16.7292	16.7060	11.6210	8.7456	83.3751			
	S	116.422	94.921	85.340	91.644	104.624	97.497			
12	T	11.8679	16.7667	16.4895	11.5840	8.7092	83.1481			
	S	116.050	94.709	86.460	91.937	105.061	97.763			
13	T	11.8786	16.7258	16.5463	11.5651	8.6891	83.2898			
	S	115.946	94.940	86.163	92.087	105.304	97.597			
14	T	11.7889	16.8076	16.5320	11.5754	8.6634	83.1144			
	S	116.828	94.478	86.238	92.005	105.617	97.803			
15	T	11.8021	17.5630	16.9230	11.6138	8.7956	84.6655			
	S	116.697	90.415	84.245	91.701	104.029	96.011			
16	T	11.9097	16.7584	16.6530	11.8227	8.9912	84.1765			
	S	115.643	94.756	85.611	90.081	101.766	96.569			
17	T	12.6637	17.0710	17.5395	11.8681	8.9727	86.2087			
	S	108.758	93.021	81.284	89.736	101.976	94.292			
18	T	12.7105	26.2920	24.9241	16.1206	16.6538	122.9279			
	S	108.357	60.397	57.201	66.065	54.942	66.127			
19	T	13.0890	17.3135	18.0890	12.2265	9.0849	88.3040			
	S	105.224	91.718	78.815	87.106	100.717	92.055			

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 27 - Kaminsky, Colin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6127	7.3087	4.7278	8.8530	8.3372	2.8254	7.0973	5.3011	4.6842	5.3916	6.5443	3.5340	5.5231	5.6264	4.7673
	S	111.747	109.614	121.861	70.007	116.128	135.620	98.661	72.412	72.924	94.592	84.807	107.656	96.784	73.436	93.678
21	T	4.6093	7.3411	4.7359	8.4904	8.3510	2.8145	7.2217	5.1553	4.7177	5.3478	6.4537	3.4841	5.4720	5.7658	5.0053
	S	111.829	109.130	121.653	72.997	115.936	136.146	96.962	74.460	72.406	95.366	85.997	109.197	97.687	71.661	89.224
22	T	5.9816														
	S	86.173														

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 27 - Kaminsky, Colin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
20	T	12.0365	17.1902	17.0826	11.9359	9.0571	85.1341			
	S	114.425	92.376	83.458	89.227	101.026	95.482			
21	T	12.0770	16.8414	17.0947	11.8015	8.9561	84.9656			
	S	114.041	94.289	83.399	90.243	102.165	95.672			
22	T									
	S									

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 3 - Askew, Oliver (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.2610	7.7876	4.8359	8.6540	8.5269	2.8818	7.4506	5.3770	4.6096	5.3080	6.6071	3.5130	5.6448	5.6136	4.9079
	S	97.977	102.873	119.137	71.617	113.544	132.966	93.983	71.390	74.104	96.081	84.001	108.299	94.697	73.604	90.994
2	T	4.6555	7.5490	4.7834	8.5285	8.4923	2.8689	7.5058	5.3104	4.6357	5.3651	6.5406	3.4954	5.6157	5.4645	4.8641
	S	110.719	106.125	120.445	72.671	114.007	133.564	93.291	72.285	73.687	95.059	84.855	108.844	95.188	75.612	91.814
3	T	4.6293	7.4838	4.7858	8.4211	8.4133	2.8555	7.2412	5.2160	4.5348	5.2614	6.4551	3.4671	5.4568	5.3897	4.8285
	S	111.346	107.049	120.385	73.598	115.078	134.191	96.700	73.593	75.327	96.932	85.979	109.733	97.960	76.661	92.491
4	T	4.5984	7.3554	4.7293	8.3273	8.3986	2.8553	7.2257	5.2374	4.5097	5.2623	6.3475	3.4744	5.4074	5.4013	4.7690
	S	112.094	108.918	121.823	74.427	115.279	134.200	96.908	73.293	75.746	96.916	87.436	109.502	98.854	76.497	93.645
5	T	4.5961	7.3851	4.7083	8.3434	8.4335	2.8566	7.0743	5.1667	4.4534	5.2211	6.3312	3.4670	5.3137	5.3163	4.8065
	S	112.150	108.480	122.366	74.283	114.802	134.139	98.982	74.296	76.703	97.681	87.661	109.736	100.598	77.720	92.914
6	T	4.5838	7.2635	4.6657	8.3325	8.4235	2.8705	7.0914	5.1247	4.4733	5.2220	6.3157	3.4570	5.3003	5.3713	4.8032
	S	112.451	110.296	123.483	74.380	114.938	133.490	98.743	74.905	76.362	97.664	87.876	110.053	100.852	76.924	92.978
7	T	4.5934	7.1982	4.6680	8.2735	8.4176	2.8659	7.0740	5.0887	4.5041	5.2147	6.3487	3.4544	5.3073	5.3123	4.8245
	S	112.216	111.297	123.423	74.911	115.019	133.704	98.986	75.435	75.840	97.800	87.419	110.136	100.719	77.778	92.567
8	T	4.5939	7.2600	4.6818	8.3067	8.3991	2.8625	7.0080	5.0762	4.4613	5.2134	6.3480	3.4574	5.2631	5.3674	4.7649
	S	112.204	110.349	123.059	74.611	115.272	133.863	99.918	75.620	76.568	97.825	87.429	110.041	101.565	76.980	93.725
9	T	4.5665	7.2164	4.6712	8.2192	8.3976	2.8595	7.0454	5.0932	4.4321	5.2038	6.3001	3.4477	5.2048	5.3349	4.8015
	S	112.877	111.016	123.338	75.405	115.293	134.003	99.388	75.368	77.072	98.005	88.094	110.350	102.702	77.449	93.011
10	T	4.5839	7.1599	4.6392	8.1561	8.3811	2.8610	6.9404	5.0672	4.3949	5.1795	6.3507	3.4524	5.2205	5.2974	4.7706
	S	112.449	111.892	124.189	75.989	115.520	133.933	100.891	75.755	77.724	98.465	87.392	110.200	102.394	77.997	93.613
11	T	4.5610	7.1086	4.6109	8.1451	8.3860	2.8574	6.9939	5.0225	4.4179	5.1957	6.3034	3.4643	5.1674	5.3049	4.7596
	S	113.013	112.700	124.951	76.091	115.452	134.102	100.120	76.429	77.320	98.158	88.048	109.821	103.446	77.887	93.830
12	T	4.5614	7.1669	4.6443	8.2204	8.4039	2.8552	6.9936	5.0915	4.3718	5.1848	6.3276	3.4472	5.1860	5.2962	4.7997
	S	113.004	111.783	124.052	75.394	115.206	134.205	100.124	75.393	78.135	98.364	87.711	110.366	103.075	78.015	93.046
13	T	4.5751	7.1542	4.6348	8.1461	8.3673	2.8518	6.9840	5.0438	4.3778	5.1717	6.3149	3.4458	5.1916	5.2940	4.7807
	S	112.665	111.981	124.307	76.082	115.710	134.365	100.262	76.106	78.028	98.614	87.887	110.411	102.964	78.047	93.415
14	T	4.5659	7.1410	4.6476	8.1787	8.3658	2.8490	6.9445	4.9749	4.3803	5.1640	6.3479	3.4523	5.1619	5.2806	4.7767
	S	112.892	112.188	123.964	75.779	115.731	134.497	100.832	77.160	77.983	98.761	87.430	110.203	103.556	78.245	93.494
15	T	4.5653	7.0720	4.6294	8.1568	8.3682	2.8447	6.8916	5.0176	4.3612	5.1491	6.2882	3.4455	5.2017	5.2748	4.7600
	S	112.907	113.283	124.452	75.982	115.698	134.700	101.606	76.503	78.325	99.046	88.261	110.421	102.764	78.331	93.822
16	T	4.5453	7.1099	4.6421	8.1509	8.3794	2.8486	7.0866	5.1089	4.4356	5.2036	6.3497	3.4605	5.2204	5.3358	4.7859
	S	113.404	112.679	124.111	76.037	115.543	134.516	98.810	75.136	77.011	98.009	87.406	109.942	102.395	77.436	93.314
17	T	4.5586	7.1389	4.6380	8.2459	9.4374	4.7800	12.6282	9.7139	8.3896	10.3372	9.8048	6.0933	9.3273	7.3998	7.7976
	S	113.073	112.221	124.221	75.161	102.590	80.164	55.449	39.517	40.716	49.336	56.605	62.438	57.310	55.837	57.273
18	T	8.3973	12.0268	9.7789	12.7276	18.3612	7.0321	14.5151	6.6346	6.7097	8.5864	10.6792	6.8963	11.6532	8.4029	8.4711
	S	61.383	66.613	58.916	48.695	52.730	54.490	48.241	57.858	50.910	59.396	51.970	55.168	45.871	49.171	52.719
19	T	5.3802	7.3231	4.6794	8.3688	8.3974	2.8557	7.1042	5.1224	4.4361	5.1772	6.3636	3.4671	5.3033	5.3032	4.8010
	S	95.806	109.399	123.122	74.058	115.295	134.181	98.565	74.938	77.003	98.509	87.215	109.733	100.795	77.912	93.020

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 28, 2017



Section Data for Car 3 - Askew, Oliver (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	12.6235	17.1809	17.4372	11.9151	9.1578	86.9788	155.0547
	S	109.104	92.426	81.761	89.382	99.915	93.457	49.104
2	T	12.3324	17.0208	17.4519	11.9057	9.1111	85.6749	
	S	111.679	93.295	81.692	89.453	100.427	94.880	
3	T	12.2696	16.8344	16.9920	11.7165	8.9239	84.4394	
	S	112.251	94.328	83.903	90.897	102.534	96.268	
4	T	12.0847	16.7259	16.9728	11.6098	8.8818	83.8990	
	S	113.968	94.940	83.998	91.733	103.020	96.888	
5	T	12.0934	16.7769	16.6944	11.5523	8.7807	83.4732	
	S	113.886	94.651	85.399	92.189	104.206	97.382	
6	T	11.9292	16.7560	16.6894	11.5377	8.7573	83.2984	
	S	115.454	94.769	85.424	92.306	104.484	97.587	
7	T	11.8662	16.6911	16.6668	11.5634	8.7617	83.1453	
	S	116.067	95.138	85.540	92.101	104.432	97.766	
8	T	11.9418	16.7058	16.5455	11.5614	8.7205	83.0637	
	S	115.332	95.054	86.167	92.117	104.925	97.862	
9	T	11.8876	16.6168	16.5707	11.5039	8.6525	82.7939	
	S	115.858	95.563	86.036	92.577	105.750	98.181	
10	T	11.7991	16.5372	16.4025	11.5302	8.6729	82.4548	
	S	116.727	96.023	86.919	92.366	105.501	98.585	
11	T	11.7195	16.5311	16.4343	11.4991	8.6317	82.2986	
	S	117.520	96.059	86.750	92.616	106.005	98.772	
12	T	11.8112	16.6243	16.4569	11.5124	8.6332	82.5505	
	S	116.607	95.520	86.631	92.509	105.986	98.471	
13	T	11.7890	16.5134	16.4056	11.4866	8.6374	82.3336	
	S	116.827	96.162	86.902	92.717	105.935	98.730	
14	T	11.7886	16.5445	16.2997	11.5119	8.6142	82.2311	
	S	116.831	95.981	87.467	92.513	106.220	98.853	
15	T	11.7014	16.5250	16.2704	11.4373	8.6472	82.0261	
	S	117.702	96.094	87.624	93.116	105.815	99.100	
16	T	11.7520	16.5303	16.6311	11.5533	8.6809	82.6632	
	S	117.195	96.063	85.724	92.181	105.404	98.336	
17	T	11.7769	17.6833	30.7317	20.1420	15.4206	120.2905	
	S	116.947	89.800	46.391	52.875	59.336	67.576	
18	T	21.8057	31.0888	27.8594	19.2656	18.5495	150.8724	
	S	63.161	51.078	51.174	55.280	49.327	53.879	
19	T	12.0025	16.7662	16.6627	11.5408	8.7704	84.0827	
	S	114.749	94.712	85.561	92.281	104.328	96.676	

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 3 - Askew, Oliver (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5671	7.2326	4.6547	8.2633	8.3700	2.8458	6.9840	5.1393	4.4428	5.1981	6.3564	3.4711	5.2268	5.3353	4.7962
	S	112.863	110.767	123.775	75.003	115.673	134.648	100.262	74.692	76.886	98.113	87.314	109.606	102.270	77.443	93.113
21	T	4.5697	7.2317	4.6615	8.2465	8.3560	2.8417	6.9717	5.0649	4.3856	5.1670	6.3307	3.4562	5.2380	5.3093	4.7842
	S	112.798	110.781	123.595	75.156	115.867	134.842	100.439	75.789	77.889	98.703	87.668	110.079	102.051	77.822	93.347
22	T	4.8042	9.7535	7.6711												
	S	107.292	82.138	75.105												

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 3 - Askew, Oliver (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.8873	16.6333	16.5661	11.5545	8.6979	82.8835	
	S	115.861	95.468	86.060	92.172	105.198	98.075	
21	T	11.8932	16.6025	16.4222	11.4977	8.6942	82.6147	
	S	115.803	95.646	86.814	92.627	105.243	98.394	
22	T	17.4246						
	S	79.042						

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 36 - Keane, Darren (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.4944	8.5204	5.1035	9.1650	8.4298	2.8053	7.7906	5.6426	4.9174	5.5885	6.6917	3.5232	5.6954	6.0447	4.9486
	S	93.815	94.026	112.890	67.624	114.852	136.592	89.881	68.030	69.466	91.259	82.939	107.986	93.856	68.354	90.246
2	T	4.7164	7.5631	4.7876	8.7429	8.4636	2.8608	7.4902	5.4527	4.7956	5.3321	6.5972	3.5560	5.5551	5.7455	4.8739
	S	109.290	105.927	120.339	70.889	114.394	133.942	93.486	70.399	71.230	95.647	84.127	106.989	96.226	71.914	91.629
3	T	4.6461	7.3985	4.7134	8.6393	8.4144	2.8486	7.3706	5.3758	4.6768	5.3119	6.5155	3.5371	5.4578	5.5570	4.8822
	S	110.943	108.284	122.234	71.739	115.062	134.516	95.003	71.406	73.039	96.011	85.181	107.561	97.942	74.353	91.473
4	T	4.6342	7.3923	4.7330	8.5357	8.3994	2.8454	7.3795	5.2592	4.6932	5.3361	6.5043	3.5686	5.5529	5.6716	4.8854
	S	111.228	108.374	121.728	72.609	115.268	134.667	94.888	72.989	72.784	95.575	85.328	106.612	96.264	72.851	91.413
5	T	4.6221	7.3952	4.7349	8.4310	8.3864	2.8348	7.3757	5.2773	4.6387	5.2470	6.4882	3.5032	5.3631	5.4839	4.8607
	S	111.520	108.332	121.679	73.511	115.447	135.171	94.937	72.739	73.639	97.198	85.540	108.602	99.671	75.345	91.878
6	T	4.6311	7.4081	4.7153	8.3789	8.4976	2.8698	7.4820	5.2601	4.6318	5.2465	6.4138	3.4720	5.2947	5.5563	4.8265
	S	111.303	108.143	122.184	73.968	113.936	133.522	93.588	72.976	73.749	97.208	86.532	109.578	100.959	74.363	92.529
7	T	4.6236	7.2745	4.7447	8.3784	8.4570	2.8754	7.2483	5.1569	4.5830	5.2468	6.4020	3.5025	5.2909	5.4192	4.8294
	S	111.483	110.129	121.427	73.973	114.483	133.262	96.606	74.437	74.534	97.202	86.692	108.624	101.031	76.244	92.473
8	T	4.6129	7.2648	4.6886	8.4363	8.4791	2.8703	7.2004	5.1383	4.5338	5.1936	6.3396	3.4955	5.2530	5.4680	4.8741
	S	111.742	110.276	122.880	73.465	114.185	133.499	97.248	74.706	75.343	98.198	87.545	108.841	101.760	75.564	91.625
9	T	4.6342	7.1946	4.6939	8.4036	8.3724	2.8347	7.1933	5.1489	4.5178	5.3250	6.3194	3.4664	5.2493	5.5355	4.7842
	S	111.228	111.352	122.742	73.751	115.640	135.175	97.344	74.553	75.610	95.775	87.825	109.755	101.832	74.642	93.347
10	T	4.6075	7.2214	4.6536	8.3931	8.4474	2.8513	7.1293	5.1542	4.5277	5.2671	6.6554	3.5733	5.3148	5.5572	4.8419
	S	111.873	110.939	123.804	73.843	114.613	134.388	98.218	74.476	75.445	96.827	83.391	106.471	100.577	74.351	92.235
11	T	4.6355	7.1572	4.6300	8.4053	8.4570	2.8773	7.1773	5.0793	4.4689	5.1893	6.3050	3.4764	5.2316	5.3607	4.8196
	S	111.197	111.934	124.435	73.736	114.483	133.174	97.561	75.574	76.437	98.279	88.025	109.439	102.176	77.076	92.661
12	T	4.6119	7.3112	4.7092	8.3639	8.4396	2.8565	7.1064	5.1515	4.4817	5.2256	6.3373	3.4435	5.3087	5.5323	4.7885
	S	111.766	109.577	122.343	74.101	114.719	134.144	98.535	74.515	76.219	97.596	87.577	110.485	100.692	74.685	93.263
13	T	4.5758	7.2170	4.6551	8.4738	8.3971	2.8400	7.1964	5.0981	4.5117	5.1977	6.3605	3.4430	5.3286	5.5125	4.8440
	S	112.648	111.007	123.765	73.140	115.300	134.923	97.302	75.295	75.712	98.120	87.257	110.501	100.316	74.954	92.195
14	T	4.5988	7.2267	4.7091	8.4707	8.4054	2.8374	7.0672	5.2111	4.4760	5.1667	6.3861	3.4734	5.2866	5.4395	4.8218
	S	112.085	110.858	122.345	73.167	115.186	135.047	99.081	73.663	76.316	98.709	86.908	109.534	101.113	75.960	92.619
15	T	4.5867	7.2487	4.6721	8.3821	8.3542	2.8212	7.1075	5.2510	4.5301	5.2164	6.3810	3.4651	5.2416	5.6579	4.8106
	S	112.380	110.521	123.314	73.940	115.892	135.822	98.519	73.103	75.405	97.769	86.977	109.796	101.981	73.027	92.835
16	T	4.5829	7.2235	4.6198	8.3004	8.3435	2.8176	7.1505	5.1507	4.4895	5.2036	6.3504	3.4656	5.3005	5.4325	4.8350
	S	112.473	110.907	124.710	74.668	116.040	135.996	97.927	74.526	76.087	98.009	87.396	109.780	100.848	76.057	92.366
17	T	4.6616	7.4939	5.1798	8.6470	8.5176	2.8880	7.5106	5.2392	4.7095	9.1109	9.8517	6.7628	9.0376	6.6231	8.9550
	S	110.575	106.905	111.228	71.675	113.668	132.681	93.232	73.268	72.532	55.977	56.335	56.257	59.147	62.385	49.871
18	T	10.3987	10.1521	9.0822	12.5922	17.0811	8.6395	15.1704	6.1528	5.1371	8.3640	10.1958	6.0899	11.4108	8.0919	6.7436
	S	49.569	78.913	63.436	49.219	56.681	44.352	46.157	62.388	66.495	60.976	54.434	62.473	46.846	51.061	66.224
19	T	5.2023	8.4301	4.9564	8.9200	8.4009	2.8453	7.4794	5.4583	4.8025	5.5292	6.6212	3.5026	5.4911	5.6461	4.8610
	S	99.082	95.033	116.241	69.481	115.247	134.672	93.621	70.327	71.128	92.238	83.822	108.621	97.348	73.180	91.872

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 36 - Keane, Darren (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.6239	17.5948	18.3506	12.2802	9.2186	90.3611	136.8914
	S	101.092	90.251	77.691	86.725	99.256	89.959	55.620
2	T	12.3507	17.2065	17.7385	11.9293	9.1111	86.5327	
	S	111.514	92.288	80.372	89.276	100.427	93.939	
3	T	12.1119	17.0537	17.4232	11.8274	8.9949	85.3450	
	S	113.712	93.115	81.827	90.045	101.724	95.246	
4	T	12.1253	16.9351	17.3319	11.8404	9.1215	85.3908	
	S	113.587	93.767	82.258	89.946	100.312	95.195	
5	T	12.1301	16.8174	17.2917	11.7352	8.8663	84.6422	
	S	113.542	94.423	82.449	90.753	103.200	96.037	
6	T	12.1234	16.8765	17.3739	11.6603	8.7667	84.6845	
	S	113.604	94.093	82.059	91.336	104.372	95.989	
7	T	12.0192	16.8354	16.9882	11.6488	8.7934	84.0326	
	S	114.589	94.322	83.922	91.426	104.055	96.734	
8	T	11.9534	16.9154	16.8725	11.5332	8.7485	83.8483	
	S	115.220	93.876	84.497	92.342	104.589	96.947	
9	T	11.8885	16.7760	16.8600	11.6444	8.7157	83.6732	
	S	115.849	94.656	84.560	91.460	104.983	97.149	
10	T	11.8750	16.8405	16.8112	11.9225	8.8881	84.1952	
	S	115.981	94.294	84.805	89.327	102.947	96.547	
11	T	11.7872	16.8623	16.7255	11.4943	8.7080	83.2704	
	S	116.845	94.172	85.240	92.655	105.076	97.619	
12	T	12.0204	16.8035	16.7396	11.5629	8.7522	83.6678	
	S	114.578	94.501	85.168	92.105	104.545	97.156	
13	T	11.8721	16.8709	16.8062	11.5582	8.7716	83.6513	
	S	116.009	94.124	84.831	92.142	104.314	97.175	
14	T	11.9358	16.8761	16.7543	11.5528	8.7600	83.5765	
	S	115.390	94.095	85.093	92.185	104.452	97.262	
15	T	11.9208	16.7363	16.8886	11.5974	8.7067	83.7262	
	S	115.535	94.881	84.417	91.831	105.091	97.088	
16	T	11.8433	16.6439	16.7907	11.5540	8.7661	83.2660	
	S	116.291	95.408	84.909	92.176	104.379	97.624	
17	T	12.6737	17.1646	17.4593	18.9626	15.8004	105.1883	
	S	108.672	92.513	81.657	56.163	57.910	77.279	
18	T	19.2343	29.6733	26.4603	18.5598	17.5007	145.3021	
	S	71.605	53.515	53.880	57.382	52.284	55.944	
19	T	13.3865	17.3209	17.7402	12.1504	8.9937	88.1464	
	S	102.885	91.679	80.364	87.651	101.738	92.219	

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 36 - Keane, Darren (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6100	7.2774	4.6742	8.4233	8.3369	2.8179	7.2336	5.2786	4.5568	5.1916	6.4061	3.4645	5.4126	5.5530	4.8119
	S	111.812	110.086	123.259	73.578	116.132	135.981	96.802	72.721	74.963	98.236	86.636	109.815	98.759	74.407	92.810
21	T	4.6056	7.2628	4.7141	8.4917	8.3111	2.8111	7.1531	5.2050	4.4784	5.2304	6.3700	3.4541	5.3346	5.5339	4.8603
	S	111.919	110.307	122.216	72.986	116.493	136.310	97.891	73.749	76.275	97.507	87.127	110.146	100.203	74.664	91.885
22	T	5.0460	8.3573													
	S	102.151	95.861													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 36 - Keane, Darren (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.9516	16.7602	17.0690	11.5977	8.8771	84.0484	
	S	115.238	94.746	83.525	91.829	103.074	96.716	
21	T	11.9769	16.8028	16.8365	11.6004	8.7887	83.8162	
	S	114.994	94.505	84.678	91.807	104.111	96.984	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 28, 2017



Section Data for Car 37 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.4544	8.5566	5.0138	9.1671	8.4552	2.8428	7.8492	5.5321	4.8513	5.6356	6.6517	3.5368	5.7270	6.0562	4.9161
	S	94.503	93.628	114.910	67.608	114.507	134.790	89.210	69.388	70.412	90.496	83.437	107.570	93.338	68.225	90.843
2	T	4.6893	7.4892	4.8064	8.7272	8.4087	2.8401	7.4956	5.4697	4.8447	5.3745	6.5617	3.5250	5.5257	5.6774	4.8585
	S	109.921	106.972	119.869	71.016	115.140	134.918	93.418	70.180	70.508	94.893	84.582	107.930	96.738	72.777	91.920
3	T	4.6731	7.4003	4.7154	8.5840	8.3867	2.8191	7.4023	5.2402	4.7419	5.3225	6.5363	3.5238	5.4817	5.6654	4.8555
	S	110.302	108.257	122.182	72.201	115.443	135.923	94.596	73.254	72.037	95.820	84.910	107.967	97.515	72.931	91.976
4	T	4.6684	7.3527	4.7227	8.6185	8.4074	2.8455	7.3666	5.2477	4.6249	5.2637	6.6339	3.7012	5.5576	5.6249	4.8384
	S	110.414	108.958	121.993	71.912	115.158	134.662	95.054	73.149	73.859	96.890	83.661	102.792	96.183	73.456	92.301
5	T	4.6687	7.2686	4.6972	8.5382	8.4628	2.8740	7.2697	5.2112	4.7053	5.2263	6.3874	3.4799	5.3394	5.5116	4.8412
	S	110.406	110.219	122.655	72.588	114.404	133.327	96.321	73.661	72.597	97.583	86.890	109.329	100.113	74.966	92.248
6	T	4.6604	7.2866	4.6743	8.4451	8.4842	2.8774	7.2162	5.1544	4.6390	5.2202	6.3535	3.4720	5.3398	5.5511	4.8254
	S	110.603	109.947	123.256	73.388	114.116	133.169	97.035	74.473	73.635	97.697	87.353	109.578	100.106	74.432	92.550
7	T	4.6550	7.2839	4.6721	8.3615	8.4604	2.8800	7.5175	5.1978	4.6161	5.2566	6.3809	3.4953	5.2992	5.5267	4.7788
	S	110.731	109.987	123.314	74.122	114.437	133.049	93.146	73.851	74.000	97.021	86.978	108.847	100.873	74.761	93.453
8	T	4.6262	7.2706	4.6700	8.4044	8.4458	2.8617	7.1271	5.1371	4.5264	5.2126	6.3581	3.5047	5.3551	5.5018	4.8237
	S	111.421	110.188	123.370	73.744	114.635	133.900	98.249	74.724	75.466	97.840	87.290	108.556	99.820	75.099	92.583
9	T	4.6415	7.5159	4.7142	8.4048	8.4495	2.8725	7.0761	5.1819	4.4939	5.2282	6.3300	3.4916	5.2751	5.4837	4.8183
	S	111.053	106.592	122.213	73.740	114.585	133.397	98.957	74.078	76.012	97.548	87.678	108.963	101.334	75.347	92.686
10	T	4.6538	7.1941	4.6489	8.3227	8.4338	2.8726	7.0219	5.0992	4.5280	5.1984	6.3001	3.4766	5.2836	5.5051	4.8074
	S	110.760	111.360	123.930	74.468	114.798	133.392	99.720	75.279	75.440	98.107	88.094	109.433	101.171	75.054	92.897
11	T	4.6424	7.2432	4.6835	8.3663	8.4086	2.8606	7.1322	5.1237	4.5560	5.2177	6.3523	3.4743	5.2884	5.5170	4.8258
	S	111.032	110.605	123.014	74.080	115.142	133.952	98.178	74.919	74.976	97.744	87.370	109.505	101.079	74.892	92.542
12	T	4.6445	7.3336	4.6844	8.5691	8.4194	2.8525	7.0759	5.1643	4.5664	5.2345	6.4454	3.5590	5.3440	5.4947	4.7650
	S	110.982	109.242	122.990	72.326	114.994	134.332	98.959	74.330	74.805	97.431	86.108	106.899	100.027	75.196	93.723
13	T	4.6139	7.2727	4.6600	8.3210	8.4258	2.8798	7.0694	5.1386	4.5249	5.1991	6.4616	3.4871	5.3071	5.4858	4.8745
	S	111.718	110.157	123.634	74.483	114.907	133.058	99.050	74.702	75.491	98.094	85.892	109.103	100.723	75.318	91.618
14	T	4.6463	7.2293	4.6379	8.4220	8.4421	2.8727	7.0147	5.1267	4.6137	5.1918	6.3874	3.4879	5.2565	5.4669	4.8259
	S	110.939	110.818	124.224	73.590	114.685	133.387	99.823	74.875	74.038	98.232	86.890	109.078	101.692	75.579	92.540
15	T	4.6285	7.2238	4.6704	8.3090	8.4073	2.8617	7.0603	5.2449	4.5517	5.1945	6.3432	3.4836	5.2434	5.6965	4.7353
	S	111.365	110.902	123.359	74.591	115.160	133.900	99.178	73.188	75.047	98.181	87.495	109.213	101.946	72.533	94.311
16	T	4.5893	7.2179	4.6394	8.2917	8.4097	2.8488	7.1166	5.0891	4.5360	5.2037	6.3708	3.4923	5.2307	5.4861	4.9297
	S	112.317	110.993	124.183	74.746	115.127	134.506	98.394	75.429	75.307	98.007	87.116	108.941	102.194	75.314	90.592
17	T	4.6894	7.3886	4.6948	8.4587	8.5288	2.9032	7.3612	5.3489	4.9210	9.2618	9.9349	6.6626	8.8930	6.8706	8.8291
	S	109.919	108.429	122.718	73.270	113.519	131.986	95.124	71.765	69.415	55.065	55.864	57.103	60.109	60.138	50.582
18	T	10.2883	10.4508	8.7043	12.7256	16.9061	8.9757	15.0833	6.4302	5.1306	8.3082	10.1663	6.1152	11.4095	8.2067	6.6707
	S	50.101	76.658	66.190	48.703	57.268	42.691	46.424	59.697	66.579	61.385	54.592	62.215	46.851	50.347	66.948
19	T	5.3835	8.3972	4.9308	8.8912	8.3568	2.8223	7.4920	5.4609	4.9262	5.4969	6.5248	3.5064	5.5351	5.5904	4.7908
	S	95.747	95.405	116.844	69.706	115.856	135.769	93.463	70.293	69.342	92.780	85.060	108.503	96.574	73.909	93.218

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 37 - Abel, Jacob (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.5704	17.6223	18.2326	12.2873	9.2638	90.2459	140.4455
	S	101.491	90.111	78.194	86.675	98.772	90.074	54.212
2	T	12.2956	17.1359	17.8100	11.9362	9.0507	86.2937	
	S	112.013	92.668	80.050	89.224	101.097	94.199	
3	T	12.1157	16.9707	17.3844	11.8588	9.0055	85.3482	
	S	113.677	93.570	82.009	89.807	101.605	95.243	
4	T	12.0754	17.0259	17.2392	11.8976	9.2588	85.4741	
	S	114.056	93.267	82.700	89.514	98.825	95.102	
5	T	11.9658	17.0010	17.1862	11.6137	8.8193	84.4815	
	S	115.101	93.404	82.955	91.702	103.750	96.220	
6	T	11.9609	16.9293	17.0096	11.5737	8.8118	84.1996	
	S	115.148	93.799	83.816	92.019	103.838	96.542	
7	T	11.9560	16.8219	17.3314	11.6375	8.7945	84.3818	
	S	115.195	94.398	82.260	91.515	104.042	96.334	
8	T	11.9406	16.8502	16.7906	11.5707	8.8598	83.8253	
	S	115.344	94.240	84.910	92.043	103.275	96.973	
9	T	12.2301	16.8543	16.7519	11.5582	8.7667	83.9772	
	S	112.613	94.217	85.106	92.142	104.372	96.798	
10	T	11.8430	16.7565	16.6491	11.4985	8.7602	83.3462	
	S	116.294	94.766	85.631	92.621	104.450	97.531	
11	T	11.9267	16.7749	16.8119	11.5700	8.7627	83.6920	
	S	115.478	94.663	84.802	92.048	104.420	97.128	
12	T	12.0180	16.9885	16.8066	11.6799	8.9030	84.1527	
	S	114.601	93.472	84.829	91.182	102.774	96.596	
13	T	11.9327	16.7468	16.7329	11.6607	8.7942	83.7213	
	S	115.420	94.821	85.202	91.332	104.046	97.094	
14	T	11.8672	16.8641	16.7551	11.5792	8.7444	83.6218	
	S	116.057	94.162	85.089	91.975	104.638	97.209	
15	T	11.8942	16.7163	16.8569	11.5377	8.7270	83.6541	
	S	115.794	94.994	84.576	92.306	104.847	97.172	
16	T	11.8573	16.7014	16.7417	11.5745	8.7230	83.4518	
	S	116.154	95.079	85.158	92.013	104.895	97.407	
17	T	12.0834	16.9875	17.6311	19.1967	15.5556	104.7466	
	S	113.981	93.478	80.862	55.478	58.821	77.604	
18	T	19.1551	29.6317	26.6441	18.4745	17.5247	145.5715	
	S	71.901	53.590	53.508	57.647	52.212	55.841	
19	T	13.3280	17.2480	17.8791	12.0217	9.0415	88.1053	
	S	103.337	92.066	79.740	88.590	101.200	92.262	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 37 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6023	7.2242	4.6299	8.5350	8.3692	2.8516	7.1663	5.2223	4.6407	5.2405	6.4521	3.5032	5.3394	5.5057	4.8611
	S	111.999	110.896	124.438	72.615	115.684	134.374	97.711	73.505	73.608	97.319	86.019	108.602	100.113	75.046	91.870
21	T	4.6280	7.2627	4.6846	8.4517	8.3279	2.8203	7.1076	5.1420	4.5716	5.2271	6.3618	3.4745	5.3983	5.5563	4.8710
	S	111.377	110.308	122.985	73.331	116.258	135.866	98.518	74.653	74.720	97.568	87.239	109.499	99.021	74.363	91.684
22	T	4.6841	8.2744													
	S	110.043	96.821													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 37 - Abel, Jacob (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.8541	16.9042	17.0293	11.6926	8.8426	84.1435	
	S	116.185	93.938	83.719	91.083	103.476	96.606	
21	T	11.9473	16.7796	16.8212	11.5889	8.8728	83.8854	
	S	115.279	94.636	84.755	91.898	103.124	96.904	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio

Track: Mid-Ohio Sports Car Course

Report: Section Data Report

Session: Race 1

Round 12 / 13

2.258 mile(s)

USF2000

July 28, 2017



Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3077	8.4071	4.9337	9.2345	8.7054	2.8701	7.7997	5.5808	4.9079	5.6210	6.8826	3.6473	5.8613	10.6240	5.2944
	S	97.114	95.293	116.776	67.115	111.216	133.508	89.776	68.783	69.600	90.731	80.638	104.311	91.199	38.891	84.352
2	T	4.9278	7.8089	4.8963	8.6605	8.6065	2.9093	7.4494	5.3706	4.5447	5.3795	6.6744	3.6193	5.5768	5.5357	5.0046
	S	104.601	102.593	117.668	71.563	112.494	131.709	93.998	71.475	75.162	94.804	83.154	105.118	95.852	74.639	89.236
3	T	4.7139	7.4417	4.7759	8.6180	8.5002	2.8784	7.3327	5.3326	4.7584	5.4872	6.5389	3.5336	5.5573	5.5906	4.9021
	S	109.348	107.655	120.634	71.916	113.901	133.123	95.494	71.984	71.787	92.944	84.877	107.668	96.188	73.907	91.102
4	T	4.6697	7.4586	4.8385	8.8913	8.4878	2.8578	7.5458	5.3264	4.7930	5.4278	6.5535	3.5241	5.5582	5.6214	4.9570
	S	110.383	107.411	119.073	69.706	114.067	134.083	92.797	72.068	71.269	93.961	84.688	107.958	96.172	73.502	90.093
5	T	4.6722	7.4503	4.8069	8.6742	8.4485	2.8548	7.3873	5.4132	4.6956	5.3539	6.5803	3.5141	5.4962	5.8110	4.8659
	S	110.324	107.531	119.856	71.450	114.598	134.224	94.788	70.913	72.747	95.258	84.343	108.265	97.257	71.103	91.780
6	T	4.6598	7.5536	4.7939	8.7404	8.5463	2.8771	7.4316	5.2747	4.6798	5.3586	6.5294	3.4992	5.4512	5.6166	4.9096
	S	110.617	106.060	120.181	70.909	113.287	133.183	94.223	72.774	72.993	95.174	85.000	108.726	98.060	73.564	90.963
7	T	4.7152	7.4391	4.6783	8.4388	8.5595	2.9108	7.2434	5.1192	4.5161	5.2972	6.4288	3.5680	5.3186	5.4266	4.9000
	S	109.318	107.693	123.151	73.443	113.112	131.641	96.671	74.985	75.638	96.277	86.330	106.630	100.505	76.140	91.141
8	T	4.6702	7.2347	4.7443	8.4998	8.5338	2.8998	7.1722	5.1496	4.4485	5.3417	6.4886	3.5331	5.3398	5.4654	4.8971
	S	110.371	110.735	121.438	72.916	113.453	132.141	97.631	74.542	76.788	95.475	85.535	107.683	100.106	75.600	91.195
9	T	4.6361	7.3997	4.7642	8.4930	8.4963	2.8845	7.2460	5.1631	4.5236	5.3048	6.4378	3.5244	5.2724	5.5544	4.7946
	S	111.183	108.266	120.930	72.975	113.953	132.842	96.636	74.348	75.513	96.139	86.210	107.949	101.386	74.388	93.145
10	T	4.6206	7.4622	4.7350	8.5049	8.3878	2.8503	7.6597	5.2837	4.6467	5.3713	6.5555	3.4933	5.4182	5.6272	4.8113
	S	111.556	107.359	121.676	72.872	115.427	134.436	91.417	72.651	73.513	94.949	84.662	108.910	98.657	73.426	92.821
11	T	4.6305	7.3910	4.7049	8.4462	8.5774	2.9237	7.5984	5.2411	4.6219	5.3291	6.4410	3.5392	5.2237	5.2929	4.8943
	S	111.317	108.394	122.455	73.379	112.876	131.061	92.155	73.241	73.907	95.701	86.167	107.497	102.331	78.063	91.247
12	T	4.6641	7.1198	4.6794	8.3859	8.5343	2.9121	7.2788	5.1430	4.4169	5.2877	6.3250	3.5214	5.2723	5.3195	4.8802
	S	110.515	112.522	123.122	73.907	113.446	131.583	96.201	74.638	77.337	96.450	87.747	108.041	101.388	77.673	91.511
13	T	4.6559	7.1176	4.7059	8.3938	8.5542	2.9225	7.1978	5.1891	4.3993	5.3306	6.3390	3.5532	5.2102	5.2891	4.8213
	S	110.710	112.557	122.429	73.837	113.182	131.114	97.284	73.975	77.647	95.674	87.553	107.074	102.596	78.119	92.629
14	T	4.6368	7.0690	4.6966	8.5089	8.5220	2.9132	7.1073	5.1449	4.3535	5.2936	6.3887	3.5119	5.3080	5.3623	4.8860
	S	111.166	113.331	122.671	72.838	113.610	131.533	98.522	74.611	78.464	96.343	86.872	108.333	100.706	77.053	91.402
15	T	4.6518	7.1106	4.7101	8.3242	8.5161	2.9091	7.1201	5.0774	4.4227	5.3205	6.3403	3.5374	5.1811	5.3242	4.8393
	S	110.808	112.668	122.319	74.454	113.688	131.718	98.345	75.602	77.236	95.856	87.535	107.552	103.172	77.604	92.284
16	T	4.6426	7.0917	4.6510	8.3347	8.5339	2.9186	7.1746	5.1035	4.3709	5.2910	6.3370	3.5267	5.3600	5.3720	4.9173
	S	111.027	112.968	123.874	74.361	113.451	131.290	97.598	75.216	78.151	96.390	87.581	107.878	99.729	76.914	90.820
17	T	4.7553	7.5222	4.7417	8.3219	8.5566	2.9336	7.3550	5.5167	4.5987	5.3556	6.6757	3.7019	6.6468	6.2692	9.8518
	S	108.396	106.503	121.504	74.475	113.150	130.618	95.204	69.582	74.280	95.227	83.137	102.773	80.421	65.907	45.331
18	T	8.6200	9.7615	9.4004	12.2029	17.6813	8.9279	14.8684	6.1012	4.9494	8.3198	10.0350	6.1287	11.1918	7.4912	6.8500
	S	59.798	82.071	61.288	50.789	54.757	42.920	47.095	62.916	69.017	61.300	55.306	62.078	47.762	55.156	65.196
19	T	5.1825	8.0433	4.8951	8.8438	8.3674	2.8116	7.4085	5.4858	4.8482	5.4981	6.5957	3.5144	5.6568	5.6363	4.8419
	S	99.461	99.603	117.697	70.080	115.709	136.286	94.517	69.974	70.457	92.759	84.146	108.256	94.496	73.307	92.235

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.3408	17.9399	18.2884	12.5036	9.5086	95.6775	128.1623
	S	103.238	88.515	77.956	85.175	96.229	84.960	59.408
2	T	12.7052	17.2670	17.3647	12.0539	9.1961	86.9643	
	S	108.402	91.965	82.102	88.353	99.499	93.473	
3	T	12.2176	17.1182	17.4237	12.0261	9.0909	85.9615	
	S	112.729	92.764	81.824	88.557	100.650	94.563	
4	T	12.2971	17.3791	17.6652	11.9813	9.0823	86.5109	
	S	112.000	91.372	80.706	88.889	100.745	93.963	
5	T	12.2572	17.1227	17.4961	11.9342	9.0103	86.0244	
	S	112.364	92.740	81.486	89.239	101.550	94.494	
6	T	12.3475	17.2867	17.3861	11.8880	8.9504	85.9218	
	S	111.543	91.860	82.001	89.586	102.230	94.607	
7	T	12.1174	16.9983	16.8787	11.7260	8.8866	84.5596	
	S	113.661	93.418	84.466	90.824	102.964	96.131	
8	T	11.9790	17.0336	16.7703	11.8303	8.8729	84.4186	
	S	114.974	93.225	85.012	90.023	103.123	96.292	
9	T	12.1639	16.9893	16.9327	11.7426	8.7968	84.4949	
	S	113.226	93.468	84.197	90.695	104.015	96.205	
10	T	12.1972	16.8927	17.5901	11.9268	8.9115	85.4277	
	S	112.917	94.002	81.050	89.295	102.676	95.154	
11	T	12.0959	17.0236	17.4614	11.7701	8.7629	84.8553	
	S	113.863	93.280	81.648	90.484	104.417	95.796	
12	T	11.7992	16.9202	16.8387	11.6127	8.7937	83.7404	
	S	116.726	93.850	84.667	91.710	104.052	97.071	
13	T	11.8235	16.9480	16.7862	11.6696	8.7634	83.6795	
	S	116.486	93.696	84.932	91.263	104.412	97.142	
14	T	11.7656	17.0309	16.6057	11.6823	8.8199	83.7027	
	S	117.059	93.240	85.855	91.164	103.743	97.115	
15	T	11.8207	16.8403	16.6202	11.6608	8.7185	83.3849	
	S	116.514	94.295	85.780	91.332	104.949	97.485	
16	T	11.7427	16.8686	16.6490	11.6280	8.8867	83.6255	
	S	117.288	94.137	85.632	91.589	102.963	97.205	
17	T	12.2639	16.8785	17.4704	12.0313	10.3487	92.8027	
	S	112.303	94.081	81.606	88.519	88.417	87.592	
18	T	19.1619	29.8842	25.9190	18.3548	17.3205	142.5295	
	S	71.876	53.137	55.005	58.023	52.828	57.032	
19	T	12.9384	17.2112	17.7425	12.0938	9.1712	87.6294	
	S	106.448	92.263	80.354	88.062	99.769	92.763	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6510	7.5042	4.7504	8.5953	8.4544	2.8718	7.3771	5.2702	4.7802	5.4569	6.5782	3.5176	5.3333	5.5912	4.7804
	S	110.827	106.758	121.282	72.106	114.518	133.429	94.919	72.837	71.460	93.460	84.370	108.157	100.228	73.899	93.421
21	T	4.5989	7.4730	4.7700	8.4449	8.4065	2.8499	7.4766	5.2857	4.6124	5.3428	6.4821	3.5306	5.5170	5.5306	5.0182
	S	112.082	107.204	120.783	73.390	115.171	134.454	93.656	72.623	74.059	95.456	85.620	107.759	96.891	74.708	88.994
22	T	4.8983														
	S	105.231														

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.2546	17.0497	17.4275	12.0351	8.8509	85.5122	
	S	112.388	93.137	81.806	88.491	103.379	95.060	
21	T	12.2430	16.8514	17.3747	11.8249	9.0476	85.3392	
	S	112.495	94.233	82.055	90.064	101.132	95.253	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 79 - Malukas, David (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.6530	8.9282	5.2419	9.2155	8.4248	2.8636	8.2163	5.5660	4.8192	5.5218	6.8958	3.5390	6.3787	6.6888	4.9094
	S	91.182	89.731	109.910	67.253	114.920	133.811	85.224	68.966	70.881	92.361	80.484	107.503	83.802	61.772	90.966
2	T	4.6316	7.5796	4.8435	8.7903	8.3800	2.7976	7.6324	5.3369	4.6291	5.2970	6.6146	3.4905	5.7319	5.8209	4.8737
	S	111.291	105.696	118.950	70.506	115.535	136.968	91.744	71.926	73.792	96.281	83.905	108.997	93.258	70.982	91.633
3	T	4.6528	7.6380	4.7560	8.5894	8.4589	2.8602	7.2891	5.2979	4.5841	5.2466	6.4043	3.4753	5.3084	5.4535	4.8257
	S	110.784	104.888	121.139	72.156	114.457	133.970	96.065	72.456	74.516	97.206	86.661	109.474	100.698	75.765	92.544
4	T	4.6046	7.2820	4.7107	8.3742	8.4162	2.8586	7.1789	5.2201	4.4942	5.2023	6.3954	3.4702	5.2982	5.4521	4.7869
	S	111.943	110.016	122.304	74.010	115.038	134.045	97.540	73.536	76.007	98.034	86.781	109.635	100.892	75.784	93.294
5	T	4.5769	7.2392	4.6565	8.3309	8.3776	2.8315	7.1540	5.1603	4.4991	5.2073	6.4573	3.4511	5.4425	5.5617	4.8100
	S	112.621	110.666	123.727	74.394	115.568	135.328	97.879	74.388	75.924	97.939	85.949	110.242	98.217	74.291	92.846
6	T	4.5697	7.4180	4.7184	8.4326	8.3372	2.8080	7.2177	5.1345	4.5013	5.1984	6.4456	3.4681	5.2714	5.4488	4.8089
	S	112.798	107.999	122.104	73.497	116.128	136.461	97.015	74.762	75.887	98.107	86.105	109.701	101.405	75.830	92.868
7	T	4.5663	7.2155	4.6822	8.4011	8.3313	2.8053	7.1112	5.1105	4.4073	5.1779	6.3697	3.4560	5.2564	5.3744	4.7934
	S	112.882	111.030	123.048	73.773	116.210	136.592	98.468	75.113	77.506	98.496	87.131	110.085	101.694	76.880	93.168
8	T	4.5587	7.1395	4.6772	8.5013	8.3418	2.8257	7.1848	5.1110	4.3741	5.1791	6.3362	3.4387	5.2700	5.4710	4.7851
	S	113.071	112.212	123.180	72.903	116.064	135.606	97.460	75.105	78.094	98.473	87.592	110.639	101.432	75.522	93.329
9	T	4.5662	7.4157	4.7316	8.3645	8.3306	2.8130	7.0448	5.1561	4.4169	5.1758	6.3628	3.4360	5.2774	5.5348	4.8313
	S	112.885	108.032	121.764	74.096	116.220	136.218	99.396	74.448	77.337	98.535	87.226	110.726	101.290	74.652	92.437
10	T	4.5820	7.1229	4.6113	8.2131	8.3361	2.8232	7.2752	5.1452	4.6407	5.2562	6.4076	3.4347	5.3868	5.3904	4.7715
	S	112.496	112.473	124.940	75.461	116.143	135.726	96.249	74.606	73.608	97.028	86.616	110.768	99.232	76.651	93.595
11	T	4.5508	7.2228	4.6358	8.2450	8.3716	2.8321	7.1296	5.1200	4.4118	5.1974	6.3700	3.4428	5.2280	5.4106	4.8057
	S	113.267	110.918	124.280	75.170	115.651	135.300	98.214	74.973	77.427	98.126	87.127	110.507	102.247	76.365	92.929
12	T	4.5494	7.1577	4.6357	9.8286	8.4946	2.8562	7.1589	5.0374	4.4244	5.1828	6.3230	3.4230	5.2408	5.4650	4.8236
	S	113.302	111.927	124.282	63.058	113.976	134.158	97.812	76.203	77.206	98.402	87.775	111.147	101.997	75.605	92.585
13	T	4.5760	7.2944	4.6823	8.4504	8.3207	2.8056	7.1916	5.0642	4.4273	5.1696	6.3064	3.4498	5.2475	5.3154	4.7818
	S	112.643	109.829	123.046	73.342	116.358	136.577	97.367	75.799	77.156	98.654	88.006	110.283	101.867	77.733	93.394
14	T	4.5662	7.0700	4.6188	8.1435	8.4187	2.8672	6.9972	5.0703	4.3586	5.1348	6.2309	3.4446	5.2071	5.4272	4.7766
	S	112.885	113.315	124.737	76.106	115.004	133.643	100.072	75.708	78.372	99.322	89.072	110.450	102.657	76.132	93.496
15	T	4.5802	7.1643	4.6835	8.3049	8.4124	2.8645	7.1084	5.0521	4.4317	5.1655	6.3227	3.4443	5.1925	5.3605	4.7919
	S	112.540	111.823	123.014	74.627	115.090	133.769	98.507	75.981	77.079	98.732	87.779	110.459	102.946	77.079	93.197
16	T	4.5602	7.1549	4.6500	8.2289	8.4521	2.8753	7.1096	5.0795	4.4128	5.1524	6.3697	3.4479	5.2265	5.4355	4.8168
	S	113.033	111.970	123.900	75.317	114.549	133.267	98.490	75.571	77.409	98.983	87.131	110.344	102.276	76.015	92.715
17	T	4.5785	7.2708	4.8708	8.9220	8.4811	2.8842	8.2006	6.6498	5.4260	9.1660	9.7144	6.7664	8.7898	7.0008	8.6748
	S	112.582	110.185	118.284	69.466	114.158	132.855	85.387	57.726	62.954	55.640	57.132	56.227	60.814	59.019	51.481
18	T	9.8592	10.2301	9.2256	12.9081	17.4274	8.0723	15.8863	5.8915	5.3202	8.7210	10.3400	6.5815	11.4343	8.1710	8.0184
	S	52.282	78.312	62.450	48.014	55.555	47.469	44.077	65.156	64.206	58.480	53.675	57.807	46.749	50.567	55.696
19	T	5.2607	7.6681	4.7641	8.5764	8.2976	2.7908	7.4299	5.3241	4.7412	5.2596	6.4495	3.4435	5.4103	5.5193	4.8123
	S	97.982	104.477	120.933	72.265	116.682	137.302	94.245	72.099	72.047	96.966	86.053	110.485	98.801	74.861	92.802

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 79 - Malukas, David (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	
1	T	14.1701	17.6403	18.6015	12.4176	9.9177	92.8620	133.4093
	S	97.196	90.019	76.643	85.765	92.259	87.536	57.071
2	T	12.4231	17.1703	17.5984	11.9116	9.2224	86.4496	
	S	110.864	92.483	81.012	89.409	99.215	94.029	
3	T	12.3940	17.0483	17.1711	11.6509	8.7837	84.8402	
	S	111.124	93.144	83.028	91.409	104.170	95.813	
4	T	11.9927	16.7904	16.8932	11.5977	8.7684	83.7446	
	S	114.843	94.575	84.394	91.829	104.352	97.067	
5	T	11.8957	16.7085	16.8134	11.6646	8.8936	83.7559	
	S	115.779	95.039	84.794	91.302	102.883	97.053	
6	T	12.1364	16.7698	16.8535	11.6440	8.7395	83.7786	
	S	113.483	94.691	84.593	91.463	104.697	97.027	
7	T	11.8977	16.7324	16.6290	11.5476	8.7124	83.0585	
	S	115.760	94.903	85.735	92.227	105.023	97.868	
8	T	11.8167	16.8431	16.6699	11.5153	8.7087	83.1942	
	S	116.553	94.279	85.524	92.486	105.067	97.709	
9	T	12.1473	16.6951	16.6178	11.5386	8.7134	83.4575	
	S	113.381	95.115	85.792	92.299	105.011	97.400	
10	T	11.7342	16.5492	17.0611	11.6638	8.8215	83.3969	
	S	117.373	95.954	83.563	91.308	103.724	97.471	
11	T	11.8586	16.6166	16.6614	11.5674	8.6708	82.9740	
	S	116.141	95.564	85.568	92.069	105.527	97.968	
12	T	11.7934	18.3232	16.6207	11.5058	8.6638	84.6011	
	S	116.783	86.664	85.777	92.562	105.612	96.084	
13	T	11.9767	16.7711	16.6831	11.4760	8.6973	83.0830	
	S	114.996	94.684	85.457	92.802	105.205	97.840	
14	T	11.6888	16.5622	16.4261	11.3657	8.6517	82.3317	
	S	117.828	95.878	86.794	93.703	105.760	98.732	
15	T	11.8478	16.7173	16.5922	11.4882	8.6368	82.8794	
	S	116.247	94.989	85.925	92.704	105.942	98.080	
16	T	11.8049	16.6810	16.6019	11.5221	8.6744	82.9721	
	S	116.670	95.195	85.875	92.431	105.483	97.970	
17	T	12.1416	17.4031	20.2764	18.8804	15.5562	107.3960	
	S	113.434	91.245	70.312	56.408	58.819	75.690	
18	T	19.4557	30.3355	27.0980	19.0610	18.0158	148.0869	
	S	70.790	52.346	52.612	55.873	50.789	54.892	
19	T	12.4322	16.8740	17.4952	11.7091	8.8538	85.7474	
	S	110.783	94.107	81.490	90.955	103.345	94.799	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 79 - Malukas, David (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5470	7.1744	4.6536	8.6378	8.4232	2.8510	7.3580	5.8146	4.9639	5.4146	6.5144	3.4603	5.3091	5.4790	4.8275
	S	113.361	111.666	123.804	71.751	114.942	134.403	95.165	66.017	68.815	94.190	85.196	109.948	100.685	75.412	92.510
21	T	4.5524	7.2577	4.6697	8.5102	8.2874	2.7950	7.1710	5.2549	4.5391	5.1967	6.4508	3.4462	5.3524	5.5416	4.8196
	S	113.227	110.384	123.378	72.827	116.826	137.095	97.647	73.049	75.255	98.139	86.036	110.398	99.870	74.560	92.661
22	T	4.8037	8.2225													
	S	107.304	97.432													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 79 - Malukas, David (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.8280	17.0610	18.1365	11.9290	8.7694	85.4284	
	S	116.442	93.075	78.608	89.278	104.340	95.153	
21	T	11.9274	16.7976	16.9650	11.6475	8.7986	83.8447	
	S	115.471	94.535	84.037	91.436	103.994	96.951	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 80 - Megennis, Robert

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3972	8.2098	4.8644	9.1099	8.6341	2.9027	7.7260	5.5708	4.7559	5.4934	6.6868	3.5515	5.6597	5.7101	4.9434
	S	95.504	97.583	118.439	68.033	112.135	132.009	90.633	68.906	71.825	92.839	82.999	107.125	94.448	72.360	90.341
2	T	4.6905	7.5024	4.7293	8.7684	8.4394	2.8510	7.3857	5.3809	4.5800	5.4008	6.5069	3.5154	5.4490	5.6033	4.9137
	S	109.893	106.784	121.823	70.683	114.722	134.403	94.809	71.338	74.583	94.430	85.294	108.225	98.100	73.739	90.887
3	T	4.6765	7.3918	4.6866	8.5186	8.4058	2.8563	7.3839	5.3606	4.5666	5.3802	6.4149	3.5100	5.3767	5.4342	4.8961
	S	110.222	108.382	122.933	72.755	115.180	134.153	94.832	71.608	74.802	94.792	86.517	108.392	99.419	76.034	91.214
4	T	4.6387	7.3440	4.7734	8.7845	8.4105	2.8441	7.3139	5.3210	4.5195	5.3370	6.4073	3.5066	5.3793	5.4567	4.8982
	S	111.120	109.087	120.697	70.553	115.116	134.729	95.739	72.141	75.582	95.559	86.620	108.497	99.371	75.720	91.174
5	T	4.6510	7.3710	4.6908	8.6629	8.5221	2.8715	7.3447	5.2426	4.4613	5.2955	6.3607	3.4804	5.3638	5.5115	4.8683
	S	110.827	108.688	122.823	71.543	113.608	133.443	95.338	73.220	76.568	96.308	87.255	109.313	99.658	74.967	91.734
6	T	4.6557	7.3318	4.6912	8.5006	8.4249	2.8526	7.3204	5.2415	4.5247	5.3242	6.3427	3.4895	5.3019	5.4650	4.8767
	S	110.715	109.269	122.812	72.909	114.919	134.327	95.654	73.235	75.495	95.789	87.502	109.028	100.821	75.605	91.576
7	T	4.6617	7.3093	4.6713	8.4284	8.4249	2.8567	7.2571	5.1482	4.5123	5.2671	6.3159	3.4744	5.3626	5.5012	4.8666
	S	110.572	109.605	123.335	73.534	114.919	134.134	96.489	74.563	75.702	96.827	87.873	109.502	99.680	75.108	91.767
8	T	4.6377	7.2431	4.6941	8.4382	8.4126	2.8602	7.1887	5.1461	4.4721	5.2703	6.3020	3.4768	5.2549	5.3682	4.8756
	S	111.144	110.607	122.736	73.448	115.087	133.970	97.407	74.593	76.383	96.769	88.067	109.427	101.723	76.968	91.597
9	T	4.6252	7.2121	4.6332	8.5802	8.4658	2.8769	7.2540	5.2041	4.4466	5.2558	6.2924	3.4809	5.2061	5.3611	4.8359
	S	111.445	111.082	124.350	72.233	114.364	133.193	96.530	73.762	76.821	97.036	88.202	109.298	102.677	77.070	92.349
10	T	4.6360	7.2734	4.6670	8.3967	8.3743	2.8395	7.2291	5.3992	4.5879	5.2966	6.3093	3.4650	5.2675	5.3967	4.8590
	S	111.185	110.146	123.449	73.811	115.613	134.947	96.862	71.096	74.455	96.288	87.965	109.799	101.480	76.562	91.910
11	T	4.6221	7.1811	4.6350	8.3107	8.4061	2.8544	7.2263	5.1191	4.4327	5.2610	6.2786	3.4714	5.2017	5.3789	4.8371
	S	111.520	111.562	124.301	74.575	115.176	134.243	96.900	74.987	77.062	96.940	88.396	109.597	102.764	76.815	92.326
12	T	4.6037	7.2140	4.6038	39.0768	9.3917	2.9906	7.5334	5.3300	4.4200	5.2500	6.2517	3.4690	5.2444	5.7169	4.8650
	S	111.965	111.053	125.144	15.860	103.089	128.129	92.950	72.019	77.283	97.143	88.776	109.673	101.927	72.274	91.797
13	T	4.6693	7.2256	4.7226	8.4271	8.5337	2.9087	7.0787	5.0941	4.4431	5.2829	6.4875	3.7567	5.4289	5.4414	4.8695
	S	110.392	110.875	121.996	73.545	113.454	131.736	98.920	75.355	76.881	96.538	85.549	101.274	98.463	75.933	91.712
14	T	4.6448	7.1619	4.6976	8.2944	8.5065	2.9081	6.9611	5.1045	4.4016	5.2703	6.2650	3.4819	5.2685	5.3595	4.8403
	S	110.975	111.861	122.645	74.722	113.817	131.764	100.591	75.201	77.606	96.769	88.587	109.266	101.461	77.093	92.265
15	T	4.6147	7.1525	4.6993	8.2313	8.4812	2.8915	7.1208	5.1601	4.3721	5.2733	6.2599	3.4714	5.2643	5.4306	4.7993
	S	111.698	112.008	122.600	75.295	114.156	132.520	98.335	74.391	78.130	96.714	88.660	109.597	101.542	76.084	93.053
16	T	4.6121	7.1851	4.6625	8.5068	8.4660	2.8714	7.2784	5.2014	4.4693	5.3775	6.6649	3.7495	6.0050	5.6209	4.8602
	S	111.761	111.500	123.568	72.856	114.361	133.448	96.206	73.800	76.431	94.840	83.272	101.468	89.017	73.508	91.887
17	T	5.1196	8.0488	4.9677	8.6001	8.6453	2.9478	7.6043	5.7597	4.5508	5.3165	6.8817	4.0450	5.3808	5.4024	4.8477
	S	100.683	99.535	115.976	72.066	111.989	129.989	92.083	66.646	75.062	95.928	80.649	94.056	99.343	76.481	92.124
18	T	5.5316	9.4903	8.3397	11.1463	18.7135	8.2469	14.2942	6.3652	5.3320	7.1673	9.4547	5.5335	11.2737	6.9199	5.6560
	S	93.184	84.416	69.084	55.603	51.737	46.464	48.987	60.307	64.064	71.157	58.701	68.755	47.415	59.709	78.959
19	T	5.0408	7.8891	4.8820	9.0797	8.3153	2.7745	7.4652	5.5813	4.8675	5.4203	6.5892	3.4907	5.5502	5.8155	4.8079
	S	102.256	101.550	118.012	68.259	116.434	138.108	93.799	68.777	70.178	94.091	84.229	108.991	96.311	71.048	92.887

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 80 - Megennis, Robert

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.0742	17.7440	18.0527	12.1802	9.2112	89.2157	145.2607
	S	105.343	89.492	78.973	87.437	99.336	91.114	52.415
2	T	12.2317	17.2078	17.3466	11.9077	8.9644	85.7167	
	S	112.599	92.281	82.188	89.438	102.070	94.833	
3	T	12.0784	16.9244	17.3111	11.7951	8.8867	84.8588	
	S	114.028	93.826	82.357	90.292	102.963	95.792	
4	T	12.1174	17.1950	17.1544	11.7443	8.8859	84.9347	
	S	113.661	92.350	83.109	90.682	102.972	95.706	
5	T	12.0618	17.1850	17.0486	11.6562	8.8442	84.6981	
	S	114.185	92.404	83.625	91.368	103.458	95.974	
6	T	12.0230	16.9255	17.0866	11.6669	8.7914	84.3434	
	S	114.553	93.820	83.439	91.284	104.079	96.377	
7	T	11.9806	16.8533	16.9176	11.5830	8.8370	84.0577	
	S	114.959	94.222	84.272	91.945	103.542	96.705	
8	T	11.9372	16.8508	16.8069	11.5723	8.7317	83.6406	
	S	115.377	94.236	84.827	92.030	104.791	97.187	
9	T	11.8453	17.0460	16.9047	11.5482	8.6870	83.7303	
	S	116.272	93.157	84.336	92.222	105.330	97.083	
10	T	11.9404	16.7710	17.2162	11.6059	8.7325	83.9972	
	S	115.346	94.685	82.810	91.764	104.781	96.775	
11	T	11.8161	16.7168	16.7781	11.5396	8.6731	83.2162	
	S	116.559	94.992	84.973	92.291	105.499	97.683	
12	T	11.8178	48.4685	17.2834	11.5017	8.7134	115.9610	
	S	116.542	32.763	82.489	92.595	105.011	70.099	
13	T	11.9482	16.9608	16.6159	11.7704	9.1856	84.3698	
	S	115.270	93.625	85.802	90.481	99.612	96.347	
14	T	11.8595	16.8009	16.4672	11.5353	8.7504	83.1660	
	S	116.132	94.516	86.577	92.325	104.567	97.742	
15	T	11.8518	16.7125	16.6530	11.5332	8.7357	83.2223	
	S	116.208	95.016	85.611	92.342	104.743	97.676	
16	T	11.8476	16.9728	16.9491	12.0424	9.7545	85.5310	
	S	116.249	93.559	84.115	88.438	93.803	95.039	
17	T	13.0165	17.2454	17.9148	12.1982	9.4258	88.1182	
	S	105.810	92.080	79.581	87.308	97.074	92.249	
18	T	17.8300	29.8598	25.9914	16.6220	16.8072	133.4648	
	S	77.245	53.180	54.852	64.072	54.441	60.906	
19	T	12.7711	17.3950	17.9140	12.0095	9.0409	87.5692	
	S	107.843	91.288	79.585	88.680	101.207	92.827	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 80 - Megennis, Robert

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6303	7.3961	4.6566	8.8586	8.3559	2.8426	7.2897	5.2411	4.6826	5.3237	6.8431	3.5522	5.3229	5.4597	4.7961
	S	111.322	108.319	123.725	69.963	115.868	134.800	96.057	73.241	72.949	95.798	81.104	107.104	100.424	75.678	93.115
21	T	4.5929	7.2532	4.6918	8.6562	8.3084	2.8097	7.2550	5.1765	4.4681	5.2708	6.4061	3.4624	5.5924	5.5095	4.9425
	S	112.229	110.453	122.796	71.599	116.530	136.378	96.517	74.155	76.451	96.760	86.636	109.882	95.584	74.994	90.357
22	T	4.7339	7.5270													
	S	108.886	106.435													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 80 - Megennis, Robert

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0527	17.2145	17.2134	12.1668	8.8751	85.2512	
	S	114.271	92.245	82.824	87.533	103.097	95.351	
21	T	11.9450	16.9646	16.8996	11.6769	9.0548	84.3955	
	S	115.301	93.604	84.362	91.206	101.051	96.318	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3068	8.3202	4.9932	9.0504	8.5688	2.9057	7.5606	5.3965	4.7558	5.4679	6.6823	3.5404	5.7717	5.8471	4.9295
	S	97.131	96.288	115.384	68.480	112.989	131.872	92.615	71.132	71.826	93.272	83.055	107.461	92.615	70.664	90.596
2	T	4.6910	7.5240	4.7108	8.7933	8.3959	2.8481	7.3058	5.3721	4.6170	5.4090	6.4655	3.5099	5.4765	5.6862	4.8804
	S	109.882	106.477	122.301	70.482	115.316	134.539	95.845	71.455	73.985	94.287	85.840	108.395	97.607	72.664	91.507
3	T	4.6505	7.5717	4.7350	8.7610	8.3311	2.8128	7.6513	5.4150	4.5940	5.3773	6.4278	3.5047	5.5198	5.4835	4.8642
	S	110.839	105.807	121.676	70.742	116.213	136.228	91.517	70.889	74.356	94.843	86.344	108.556	96.841	75.350	91.812
4	T	4.6349	7.3661	4.7374	8.6728	8.4157	2.8421	7.2427	5.3079	4.4952	5.3249	6.4610	3.5730	5.4388	5.6512	4.7975
	S	111.212	108.760	121.614	71.462	115.045	134.823	96.680	72.319	75.990	95.776	85.900	106.480	98.284	73.114	93.088
5	T	4.6023	7.3161	4.7445	8.5072	8.3826	2.8249	7.4568	5.2860	4.5206	5.2864	6.3274	3.4692	5.3724	5.5054	4.8055
	S	111.999	109.503	121.432	72.853	115.499	135.644	93.905	72.619	75.563	96.474	87.714	109.666	99.498	75.050	92.933
6	T	4.5778	7.3733	4.6982	8.5238	8.4309	2.8390	7.3372	5.2324	4.4923	5.2818	6.3934	3.4783	5.3769	5.4916	4.8311
	S	112.599	108.654	122.629	72.711	114.837	134.971	95.435	73.363	76.039	96.558	86.808	109.379	99.415	75.239	92.441
7	T	4.6377	7.3840	4.7025	8.4542	8.4160	2.8599	7.0964	5.2258	4.4811	5.3012	6.3490	3.4909	5.3324	5.4379	4.8399
	S	111.144	108.496	122.517	73.309	115.041	133.984	98.674	73.455	76.229	96.205	87.415	108.985	100.245	75.982	92.273
8	T	4.5936	7.3400	4.6953	8.4401	8.4032	2.8417	7.2223	5.2022	4.4419	5.2711	6.3205	3.4713	5.2598	5.4294	4.8238
	S	112.211	109.147	122.705	73.432	115.216	134.842	96.954	73.789	76.902	96.754	87.810	109.600	101.628	76.101	92.581
9	T	4.5932	7.2759	4.6619	8.4009	8.2844	2.8203	7.4731	5.2150	4.4687	5.2514	6.2961	3.4572	5.2361	5.3913	4.7996
	S	112.221	110.108	123.584	73.775	116.868	135.866	93.700	73.608	76.441	97.117	88.150	110.047	102.088	76.639	93.048
10	T	4.5986	7.3556	4.6831	8.3182	8.3309	2.8211	7.2666	5.3472	4.7731	5.2944	6.3983	3.4979	5.2319	5.3307	4.8227
	S	112.089	108.915	123.025	74.508	116.216	135.827	96.362	71.788	71.566	96.328	86.742	108.767	102.170	77.510	92.602
11	T	4.6079	7.8236	5.6370	8.6100	8.4352	2.8488	7.0460	5.2092	4.4668	5.2313	6.3082	3.4562	5.3621	5.5488	4.8083
	S	111.863	102.400	102.206	71.983	114.779	134.506	99.379	73.690	76.473	97.490	87.981	110.079	99.690	74.463	92.879
12	T	4.5870	7.6607	4.7421	8.3939	8.3772	2.8343	7.1128	5.1759	4.4343	5.2428	6.3462	3.4896	5.2520	5.4423	4.8715
	S	112.373	104.577	121.494	73.836	115.573	135.195	98.446	74.164	77.034	97.276	87.454	109.025	101.779	75.920	91.674
13	T	4.6438	7.3168	4.6697	8.3827	8.3193	2.8038	7.1725	5.1119	4.4003	5.2281	6.2163	3.4394	5.3484	5.4283	4.8284
	S	110.998	109.493	123.378	73.935	116.378	136.665	97.627	75.092	77.629	97.550	89.281	110.617	99.945	76.116	92.493
14	T	4.6031	7.2968	4.6540	8.3703	8.3765	2.8234	7.0653	5.0765	4.5017	5.2414	6.3192	3.4750	5.2901	5.4605	4.8460
	S	111.980	109.793	123.794	74.044	115.583	135.716	99.108	75.616	75.880	97.302	87.828	109.483	101.046	75.667	92.157
15	T	4.6003	7.2535	4.6518	8.3146	8.2924	2.7957	7.3130	5.8704	4.4918	5.2327	6.2840	3.4577	5.2038	5.8924	4.7740
	S	112.048	110.448	123.852	74.540	116.755	137.061	95.751	65.390	76.048	97.464	88.320	110.031	102.722	70.121	93.546
16	T	4.6007	7.2115	4.6473	8.3763	8.4567	2.8771	7.0701	5.1045	4.3955	5.2310	6.2602	3.4808	5.1288	5.2832	4.8067
	S	112.038	111.092	123.972	73.991	114.487	133.183	99.041	75.201	77.714	97.496	88.655	109.301	104.224	78.207	92.910
17	T	4.6024	7.2111	4.6644	8.3191	8.4578	2.8722	7.8045	5.4512	5.4095	9.2594	10.0176	6.6083	8.8452	6.5864	9.3724
	S	111.997	111.098	123.518	74.500	114.472	133.411	89.721	70.418	63.146	55.079	55.402	57.572	60.433	62.733	47.650
18	T	9.8638	9.9751	9.3810	12.6830	16.9430	8.9397	14.9736	6.1199	5.1613	8.5496	10.3538	6.3052	11.3724	8.2105	7.6102
	S	52.257	80.314	61.415	48.866	57.143	42.863	46.764	62.724	66.183	59.652	53.604	60.340	47.004	50.324	58.683
19	T	5.2870	8.2099	4.7945	8.5800	8.2918	2.8126	7.3987	5.3672	4.5862	5.2932	6.3855	3.4850	5.6316	5.5155	4.7719
	S	97.495	97.582	120.166	72.235	116.764	136.238	94.642	71.520	74.482	96.350	86.916	109.169	94.919	74.913	93.588

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.3134	17.6192	17.7129	12.1502	9.3121	89.0969	146.7093
	S	103.450	90.126	80.488	87.653	98.259	91.235	51.898
2	T	12.2348	17.1892	17.2949	11.8745	8.9864	85.6855	
	S	112.570	92.381	82.434	89.688	101.821	94.868	
3	T	12.3067	17.0921	17.6603	11.8051	9.0245	85.6997	
	S	111.912	92.906	80.728	90.215	101.391	94.852	
4	T	12.1035	17.0885	17.0458	11.7859	9.0118	84.9612	
	S	113.791	92.925	83.638	90.362	101.534	95.677	
5	T	12.0606	16.8898	17.2634	11.6138	8.8416	84.4073	
	S	114.196	94.019	82.584	91.701	103.488	96.304	
6	T	12.0715	16.9547	17.0619	11.6752	8.8552	84.3580	
	S	114.093	93.659	83.559	91.219	103.329	96.361	
7	T	12.0865	16.8702	16.8033	11.6502	8.8233	84.0089	
	S	113.951	94.128	84.845	91.415	103.703	96.761	
8	T	12.0353	16.8433	16.8664	11.5916	8.7311	83.7562	
	S	114.436	94.278	84.528	91.877	104.798	97.053	
9	T	11.9378	16.6853	17.1568	11.5475	8.6933	83.6251	
	S	115.371	95.171	83.097	92.228	105.253	97.205	
10	T	12.0387	16.6491	17.3869	11.6927	8.7298	84.0703	
	S	114.404	95.378	81.997	91.082	104.813	96.691	
11	T	13.4606	17.0452	16.7220	11.5395	8.8183	85.3994	
	S	102.319	93.161	85.258	92.292	103.761	95.186	
12	T	12.4028	16.7711	16.7230	11.5890	8.7416	83.9626	
	S	111.045	94.684	85.253	91.897	104.672	96.815	
13	T	11.9865	16.7020	16.6847	11.4444	8.7878	83.3097	
	S	114.902	95.076	85.448	93.059	104.122	97.573	
14	T	11.9508	16.7468	16.6435	11.5606	8.7651	83.3998	
	S	115.245	94.821	85.660	92.123	104.391	97.468	
15	T	11.9053	16.6070	17.6752	11.5167	8.6615	84.4281	
	S	115.686	95.620	80.660	92.474	105.640	96.281	
16	T	11.8588	16.8330	16.5701	11.4912	8.6096	82.9304	
	S	116.139	94.336	86.039	92.680	106.277	98.020	
17	T	11.8755	16.7769	18.6652	19.2770	15.4535	105.4815	
	S	115.976	94.651	76.382	55.247	59.210	77.064	
18	T	19.3561	29.6260	26.2548	18.9034	17.6776	146.4421	
	S	71.154	53.600	54.302	56.339	51.760	55.509	
19	T	13.0044	16.8718	17.3521	11.6787	9.1166	86.4106	
	S	105.908	94.119	82.162	91.192	100.366	94.072	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6029	7.3782	4.6752	8.3830	8.4112	2.8600	7.1502	5.1729	4.6290	5.3684	6.5451	3.4636	5.3870	5.4647	4.8768
	S	111.985	108.582	123.232	73.932	115.106	133.980	97.931	74.207	73.794	95.000	84.796	109.844	99.229	75.609	91.575
21	T	4.6183	7.3654	4.6775	8.3159	8.3323	2.8194	7.1216	5.1865	4.4864	5.2630	6.4200	3.4663	5.3255	5.5659	4.8716
	S	111.611	108.770	123.172	74.529	116.196	135.909	98.324	74.012	76.139	96.903	86.449	109.758	100.375	74.235	91.672
22	T	4.7569	7.8696													
	S	108.359	101.801													

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0534	16.7942	16.9521	11.9135	8.8506	84.3682	
	S	114.264	94.554	84.101	89.394	103.383	96.349	
21	T	12.0429	16.6482	16.7945	11.6830	8.7918	83.8356	
	S	114.364	95.383	84.890	91.158	104.074	96.961	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3945	8.3230	5.0415	8.9941	8.7331	2.9190	7.8530	5.6460	4.9191	5.5796	6.6364	3.5679	5.7485	5.7695	4.9892
	S	95.552	96.256	114.279	68.909	110.863	131.272	89.167	67.989	69.442	91.404	83.630	106.633	92.989	71.615	89.512
2	T	4.7774	7.5037	4.7772	8.7382	8.6123	2.9117	7.5515	5.4566	4.8099	5.3565	6.6244	3.5824	5.4713	5.5305	4.9387
	S	107.894	106.766	120.601	70.927	112.418	131.601	92.727	70.349	71.018	95.211	83.781	106.201	97.700	74.710	90.427
3	T	4.7408	7.3838	4.7195	8.5874	8.4661	2.8676	7.2574	5.3121	4.6087	5.3455	6.4662	3.5505	5.4012	5.7832	4.9395
	S	108.727	108.499	122.076	72.172	114.360	133.625	96.485	72.262	74.119	95.407	85.831	107.155	98.968	71.445	90.412
4	T	4.7333	7.3157	4.7450	8.4756	8.4955	2.8924	7.2158	5.2493	4.4989	5.2935	6.3565	3.5267	5.3548	5.5830	4.8373
	S	108.900	109.509	121.420	73.124	113.964	132.479	97.041	73.127	75.928	96.345	87.312	107.878	99.825	74.007	92.322
5	T	4.6763	7.3012	4.7221	8.5111	8.4431	2.8698	7.1593	5.2020	4.5128	5.3104	6.4910	3.6395	5.4320	5.6334	4.8614
	S	110.227	109.727	122.009	72.819	114.671	133.522	97.807	73.792	75.694	96.038	85.503	104.535	98.407	73.345	91.865
6	T	4.7053	7.2076	4.6969	8.3920	8.5111	2.8969	7.2565	5.1946	4.4965	5.2674	6.3436	3.5093	5.2587	5.5050	4.8522
	S	109.548	111.152	122.663	73.853	113.755	132.273	96.497	73.897	75.968	96.822	87.490	108.413	101.650	75.056	92.039
7	T	4.6740	7.2531	4.7083	8.4454	8.5163	2.8904	7.2214	5.1660	4.4562	5.2654	6.4400	3.5476	5.2060	5.4076	4.8788
	S	110.281	110.454	122.366	73.386	113.686	132.571	96.966	74.306	76.655	96.859	86.180	107.243	102.679	76.408	91.537
8	T	4.6838	7.2615	4.7038	8.4474	8.4949	2.8816	7.4797	5.1895	4.4049	5.2569	6.3753	3.5248	5.2202	5.4394	4.8272
	S	110.051	110.327	122.483	73.368	113.972	132.975	93.617	73.969	77.548	97.015	87.055	107.936	102.399	75.961	92.516
9	T	4.6408	7.1967	4.6732	8.4302	8.4299	2.8681	7.1348	5.1898	4.3815	5.2403	6.3295	3.5120	5.2450	5.4189	4.8384
	S	111.070	111.320	123.285	73.518	114.851	133.601	98.143	73.965	77.962	97.323	87.685	108.330	101.915	76.248	92.301
10	T	4.6363	7.1873	4.6820	8.3221	8.3974	2.8480	7.1443	5.2044	4.4184	5.2542	6.4052	3.5063	5.2644	5.5145	4.7708
	S	111.178	111.466	123.053	74.473	115.295	134.544	98.012	73.758	77.311	97.065	86.648	108.506	101.540	74.926	93.609
11	T	4.6093	7.3464	4.7144	8.5080	8.4515	2.8582	7.1131	5.1739	4.4103	5.2538	6.4274	3.5107	5.3423	5.5820	4.8513
	S	111.829	109.052	122.208	72.846	114.557	134.064	98.442	74.192	77.453	97.073	86.349	108.370	100.059	74.020	92.056
12	T	4.6540	7.3404	4.7224	8.4727	8.4463	2.8675	7.0880	5.1282	4.3583	5.2233	6.4416	3.5130	5.2115	5.5442	4.8691
	S	110.755	109.141	122.001	73.149	114.628	133.629	98.791	74.853	78.377	97.639	86.159	108.299	102.570	74.525	91.719
13	T	4.6629	7.2315	4.6954	8.3923	8.4440	2.8563	7.4579	5.2288	4.4168	5.2716	6.3313	3.4947	5.1630	5.4287	4.8749
	S	110.544	110.784	122.702	73.850	114.659	134.153	93.891	73.413	77.339	96.745	87.660	108.866	103.534	76.111	91.610
14	T	4.6594	7.1753	4.6535	8.3568	8.4122	2.8493	7.0399	5.2012	4.3844	5.2893	6.2932	3.4953	5.1308	5.4145	4.8398
	S	110.627	111.652	123.807	74.164	115.093	134.483	99.466	73.803	77.911	96.421	88.190	108.847	104.184	76.310	92.275
15	T	4.6173	7.2784	4.6845	8.2971	8.3684	2.8417	7.3063	5.1356	4.3756	5.2180	6.2433	3.5018	5.1548	5.4429	4.8198
	S	111.635	110.070	122.988	74.698	115.695	134.842	95.839	74.746	78.067	97.739	88.895	108.645	103.699	75.912	92.658
16	T	4.6446	7.1165	4.6706	8.2520	8.4915	2.8932	7.0499	5.0946	4.3539	5.2465	6.2697	3.5100	5.1257	5.3191	4.8143
	S	110.979	112.574	123.354	75.106	114.018	132.442	99.324	75.347	78.456	97.208	88.521	108.392	104.287	77.679	92.763
17	T	4.6510	7.1374	4.7393	8.5629	8.5227	2.8950	7.8223	5.7353	5.4075	8.9277	9.9576	6.7979	8.5674	7.0693	8.5488
	S	110.827	112.245	121.566	72.379	113.600	132.360	89.517	66.930	63.170	57.126	55.736	55.966	62.393	58.447	52.240
18	T	10.2654	10.3119	9.1492	12.8028	17.1146	8.3203	15.4999	5.7858	5.4104	8.6481	10.3745	6.3802	11.3415	8.1093	7.6777
	S	50.213	77.690	62.971	48.409	56.571	46.054	45.176	66.346	63.136	58.972	53.497	59.631	47.132	50.952	58.167
19	T	5.3358	8.1625	4.7832	8.7430	8.3189	2.8675	7.1524	5.2376	4.4642	5.3058	6.4132	3.5114			5.1728
	S	96.603	98.148	120.450	70.888	116.383	133.629	97.901	73.290	76.518	96.121	86.540	108.348			86.334

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.3645	17.7272	18.4181	12.2160	9.3164	90.1144
	S	103.055	89.577	77.407	87.181	98.214	90.205
2	T	12.2809	17.3505	17.8180	11.9809	9.0537	86.6423
	S	112.148	91.522	80.014	88.891	101.064	93.820
3	T	12.1033	17.0535	17.1782	11.8117	8.9517	85.4295
	S	113.793	93.116	82.994	90.165	102.215	95.152
4	T	12.0607	16.9711	16.9640	11.6500	8.8815	84.5733
	S	114.195	93.568	84.042	91.416	103.023	96.115
5	T	12.0233	16.9542	16.8741	11.8014	9.0715	84.7654
	S	114.550	93.661	84.489	90.244	100.865	95.898
6	T	11.9045	16.9031	16.9476	11.6110	8.7680	84.0936
	S	115.693	93.945	84.123	91.723	104.357	96.664
7	T	11.9614	16.9617	16.8436	11.7054	8.7536	84.0765
	S	115.143	93.620	84.642	90.984	104.528	96.683
8	T	11.9653	16.9423	17.0741	11.6322	8.7450	84.1909
	S	115.106	93.727	83.500	91.556	104.631	96.552
9	T	11.8699	16.8601	16.7061	11.5698	8.7570	83.5291
	S	116.031	94.184	85.339	92.050	104.488	97.317
10	T	11.8693	16.7195	16.7671	11.6594	8.7707	83.5556
	S	116.037	94.976	85.029	91.343	104.325	97.286
11	T	12.0608	16.9595	16.6973	11.6812	8.8530	84.1526
	S	114.194	93.632	85.384	91.172	103.355	96.596
12	T	12.0628	16.9190	16.5745	11.6649	8.7245	83.8805
	S	114.175	93.856	86.017	91.300	104.877	96.909
13	T	11.9269	16.8363	17.1035	11.6029	8.6577	83.9501
	S	115.476	94.317	83.356	91.787	105.686	96.829
14	T	11.8288	16.7690	16.6255	11.5825	8.6261	83.1949
	S	116.434	94.696	85.753	91.949	106.073	97.708
15	T	11.9629	16.6655	16.8175	11.4613	8.6566	83.2855
	S	115.129	95.284	84.774	92.921	105.700	97.602
16	T	11.7871	16.7435	16.4984	11.5162	8.6357	82.8521
	S	116.846	94.840	86.413	92.478	105.956	98.112
17	T	11.8767	17.0856	18.9651	18.8853	15.3653	105.3421
	S	115.964	92.941	75.174	56.393	59.550	77.166
18	T	19.4611	29.9174	26.6961	19.0226	17.7217	147.1916
	S	70.771	53.078	53.404	55.986	51.632	55.226
19	T	12.9457	17.0619	16.8542	11.7190		90.9305
	S	106.388	93.070	84.589	90.878		89.396

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.7669	7.6909	4.6935	8.6254	8.5176	2.8744	7.1798	5.2643	4.5436	5.3194	6.4921	3.5550	5.2836	5.4613	4.8361
	S	108.132	104.167	122.752	71.854	113.668	133.308	97.527	72.918	75.181	95.875	85.489	107.020	101.171	75.656	92.345
21	T	4.6895	7.2809	4.6997	8.3706	8.4256	2.8560	7.0535	5.1804	4.4454	5.2607	6.4466	3.5059	5.4172	5.5822	5.0653
	S	109.917	110.033	122.590	74.042	114.910	134.167	99.274	74.099	76.841	96.945	86.092	108.518	98.676	74.018	88.167
22	T	5.5126														
	S	93.505														

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.3844	17.1430	16.9877	11.8115	8.8386	85.1039	
	S	111.210	92.630	83.924	90.166	103.523	95.516	
21	T	11.9806	16.7962	16.6793	11.7073	8.9231	84.2795	
	S	114.959	94.542	85.476	90.969	102.543	96.451	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 90 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.3194	8.1501	4.9221	8.9312	8.5167	2.8987	7.5373	5.4802	4.6988	5.4211	6.7030	3.5252	5.5130	5.7258	4.8404
	S	96.901	98.298	117.051	69.394	113.680	132.191	92.902	70.046	72.697	94.077	82.799	107.924	96.961	72.161	92.263
2	T	4.6119	7.6410	4.7405	8.5833	8.3896	2.8340	7.4484	5.3730	4.6189	5.3906	6.5651	3.4904	5.4016	5.6543	4.8122
	S	111.766	104.847	121.535	72.207	115.403	135.209	94.010	71.443	73.955	94.609	84.538	109.000	98.961	73.074	92.804
3	T	4.6059	7.4055	4.7116	8.4788	8.3083	2.8393	7.2813	5.3321	4.5610	5.3206	6.5150	3.4778	5.3289	5.5179	4.7565
	S	111.912	108.181	122.280	73.097	116.532	134.956	96.168	71.991	74.894	95.854	85.188	109.395	100.311	74.880	93.891
4	T	4.5908	7.2876	4.6748	8.3991	8.4025	2.8547	7.2413	5.2322	4.4806	5.2360	6.4181	3.4803	5.2520	5.5855	4.7592
	S	112.280	109.931	123.243	73.790	115.225	134.228	96.699	73.366	76.238	97.403	86.474	109.317	101.779	73.974	93.837
5	T	4.5830	7.1430	4.6569	8.3393	8.3819	2.8434	7.1179	5.1656	4.4833	5.2224	6.3765	3.4564	5.2678	5.4856	4.7442
	S	112.471	112.157	123.717	74.320	115.509	134.762	98.376	74.312	76.192	97.656	87.038	110.072	101.474	75.321	94.134
6	T	4.5743	7.1555	4.6499	8.4235	8.3965	2.8611	7.0840	5.2152	4.4556	5.2139	6.3563	3.4510	5.8375	5.8523	4.8627
	S	112.685	111.961	123.903	73.577	115.308	133.928	98.846	73.605	76.666	97.815	87.315	110.245	91.571	70.602	91.840
7	T	4.6194	7.2876	4.6821	8.3034	8.4106	2.8658	7.0870	5.1013	4.4476	5.2211	6.3676	3.4663	5.2213	5.4498	4.7387
	S	111.585	109.931	123.051	74.641	115.114	133.708	98.804	75.248	76.803	97.681	87.160	109.758	102.378	75.816	94.243
8	T	4.5772	7.1324	4.6513	8.2530	8.4117	2.8656	7.0295	5.1489	4.4616	5.2072	6.3616	3.4606	5.1400	5.4421	4.7747
	S	112.614	112.324	123.866	75.097	115.099	133.718	99.613	74.553	76.562	97.941	87.242	109.939	103.997	75.923	93.533
9	T	4.5796	7.0918	4.6557	8.2704	8.3897	2.8567	6.9814	5.0965	4.3934	5.1897	6.2977	3.4507	5.1780	5.3966	4.7515
	S	112.554	112.967	123.749	74.939	115.401	134.134	100.299	75.319	77.751	98.272	88.127	110.254	103.234	76.563	93.989
10	T	4.5712	7.0383	4.6303	8.2556	8.3773	2.8582	6.9852	5.0706	4.4216	5.1646	6.2929	3.4459	5.1401	5.5129	4.7149
	S	112.761	113.825	124.427	75.073	115.572	134.064	100.244	75.704	77.255	98.749	88.195	110.408	103.995	74.948	94.719
11	T	4.5496	7.0190	4.6031	8.2660	8.4205	2.8599	6.9665	5.0615	4.3585	5.1704	6.2929	3.4535	5.1217	5.5627	4.6883
	S	113.297	114.138	125.163	74.979	114.979	133.984	100.513	75.840	78.374	98.638	88.195	110.165	104.369	74.277	95.256
12	T	4.5441	7.0367	4.6040	8.2057	8.3660	2.8480	6.9929	5.0551	4.3920	5.1621	6.3002	3.4347	5.1271	5.4723	4.7149
	S	113.434	113.851	125.138	75.530	115.728	134.544	100.134	75.936	77.776	98.797	88.092	110.768	104.259	75.504	94.719
13	T	4.5526	7.0655	4.6360	8.2357	8.3766	2.8502	7.0108	5.0634	4.3870	5.1692	6.3103	3.4487	5.1560	5.3713	4.7921
	S	113.222	113.387	124.274	75.254	115.582	134.440	99.878	75.811	77.864	98.661	87.951	110.318	103.674	76.924	93.193
14	T	4.6218	7.0489	4.6122	8.2090	8.3613	2.8481	6.9774	5.0594	4.3498	5.1599	6.3329	3.4491	5.1214	5.3988	4.7560
	S	111.527	113.654	124.916	75.499	115.793	134.539	100.356	75.871	78.530	98.839	87.638	110.305	104.375	76.532	93.901
15	T	4.5572	7.1039	4.6317	8.2123	8.3841	2.8502	6.9894	5.0772	4.3727	5.1566	6.3663	3.4709	5.0967	5.3579	4.7304
	S	113.108	112.774	124.390	75.469	115.478	134.440	100.184	75.605	78.119	98.902	87.178	109.613	104.881	77.116	94.409
16	T	4.5548	7.0224	4.6085	8.1718	8.3766	2.8461	6.9672	5.0113	4.3482	5.1818	6.3326	3.4528	5.1344	5.3852	4.7580
	S	113.167	114.083	125.016	75.843	115.582	134.634	100.503	76.600	78.559	98.421	87.642	110.187	104.111	76.725	93.861
17	T	4.5593	7.0101	4.6056	8.1474	9.0957	4.2326	12.7751	9.8833	8.1328	10.2385	9.8959	6.3234	9.2017	7.5066	8.1659
	S	113.056	114.283	125.095	76.070	106.444	90.531	54.812	38.840	42.002	49.812	56.084	60.166	58.092	55.042	54.690
18	T	8.6839	11.3725	9.3924	12.7251	18.2383	7.3689	14.4070	6.4500	6.7206	8.5216	10.7008	7.0380	11.5185	8.2893	8.3697
	S	59.357	70.445	61.341	48.705	53.085	52.000	48.603	59.514	50.827	59.848	51.865	54.057	46.408	49.845	53.358
19	T	5.3782	7.5104	4.7546	8.5115	8.3694	2.8450	7.0828	5.2146	4.4825	5.2369	6.4553	3.4785	5.2313	5.4203	4.7418
	S	95.841	106.670	121.175	72.816	115.681	134.686	98.863	73.613	76.205	97.386	85.976	109.373	102.182	76.229	94.182

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 90 - Thompson, Parker

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.0722	17.4479	17.7163	12.1241	9.0382	88.1830	152.7408
	S	105.359	91.011	80.473	87.842	101.237	92.181	49.848
2	T	12.3815	16.9729	17.4403	11.9557	8.8920	85.5548	
	S	111.236	93.558	81.746	89.079	102.901	95.013	
3	T	12.1171	16.7871	17.1744	11.8356	8.8067	84.4405	
	S	113.664	94.594	83.012	89.983	103.898	96.267	
4	T	11.9624	16.8016	16.9541	11.6541	8.7323	83.8947	
	S	115.133	94.512	84.091	91.384	104.783	96.893	
5	T	11.7999	16.7212	16.7668	11.5989	8.7242	83.2672	
	S	116.719	94.967	85.030	91.819	104.881	97.623	
6	T	11.8054	16.8200	16.7548	11.5702	9.2885	84.3893	
	S	116.665	94.409	85.091	92.047	98.509	96.325	
7	T	11.9697	16.7140	16.6359	11.5887	8.6876	83.2696	
	S	115.063	95.007	85.699	91.900	105.323	97.620	
8	T	11.7837	16.6647	16.6400	11.5688	8.6006	82.9174	
	S	116.879	95.289	85.678	92.058	106.388	98.035	
9	T	11.7475	16.6601	16.4713	11.4874	8.6287	82.5794	
	S	117.240	95.315	86.556	92.710	106.041	98.436	
10	T	11.6686	16.6329	16.4774	11.4575	8.5860	82.4796	
	S	118.032	95.471	86.523	92.952	106.569	98.555	
11	T	11.6221	16.6865	16.3865	11.4633	8.5752	82.3941	
	S	118.505	95.164	87.003	92.905	106.703	98.658	
12	T	11.6407	16.5717	16.4400	11.4623	8.5618	82.2558	
	S	118.315	95.823	86.720	92.913	106.870	98.823	
13	T	11.7015	16.6123	16.4612	11.4795	8.6047	82.4254	
	S	117.701	95.589	86.609	92.774	106.337	98.620	
14	T	11.6611	16.5703	16.3866	11.4928	8.5705	82.3060	
	S	118.108	95.831	87.003	92.667	106.762	98.763	
15	T	11.7356	16.5964	16.4393	11.5229	8.5676	82.3575	
	S	117.359	95.681	86.724	92.425	106.798	98.701	
16	T	11.6309	16.5484	16.3267	11.5144	8.5872	82.1517	
	S	118.415	95.958	87.322	92.493	106.554	98.949	
17	T	11.6157	17.2431	30.7912	20.1344	15.5251	119.7739	
	S	118.570	92.092	46.302	52.895	58.937	67.868	
18	T	20.7649	30.9634	27.5776	19.2224	18.5565	149.7966	
	S	66.327	51.285	51.697	55.404	49.309	54.266	
19	T	12.2650	16.8809	16.7799	11.6922	8.7098	84.7131	
	S	112.293	94.068	84.964	91.086	105.054	95.957	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 90 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5347	7.2505	4.6669	8.3555	8.3437	2.8340	7.0556	5.1464	4.4755	5.1806	6.4159	3.4714	5.1897	5.4700	4.7377
	S	113.669	110.494	123.452	74.175	116.037	135.209	99.244	74.589	76.325	98.444	86.504	109.597	103.001	75.536	94.263
21	T	4.5483	7.1768	4.6560	8.2502	8.3195	2.8278	7.0385	5.1486	4.4393	5.1948	6.3958	3.4595	5.2188	5.3693	4.7974
	S	113.329	111.629	123.741	75.122	116.375	135.505	99.485	74.557	76.947	98.175	86.776	109.974	102.427	76.953	93.090
22	T	4.8478	9.5166	7.1922												
	S	106.328	84.183	80.106												

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 90 - Thompson, Parker

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.9174	16.6992	16.6775	11.5965	8.6611	83.1281	
	S	115.568	95.092	85.485	91.838	105.645	97.786	
21	T	11.8328	16.5697	16.6264	11.5906	8.6783	82.8406	
	S	116.394	95.835	85.748	91.885	105.435	98.126	
22	T	16.7088						
	S	82.428						

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 28, 2017



Section Data for Car 92 - Gore, Dev (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.5234	9.1280	5.0721	9.2625	8.5696	2.8530	7.9383	5.5752	4.8869	5.5187	6.7949	3.5434	6.1230	6.6885	5.0629
	S	93.322	87.767	113.589	66.912	112.979	134.308	88.209	68.852	69.899	92.413	81.679	107.370	87.301	61.775	88.209
2	T	4.7367	7.7113	4.8406	8.7969	8.4909	2.8637	7.9541	5.5129	4.8782	5.4112	6.6221	3.5068	5.6580	5.8306	4.9736
	S	108.821	103.891	119.022	70.454	114.026	133.807	88.034	69.630	70.024	94.249	83.810	108.491	94.476	70.864	89.792
3	T	4.7123	7.5219	4.7558	8.6852	8.3837	2.8147	7.6388	5.3734	4.7331	5.3210	6.9153	3.5571	5.5662	5.7595	4.9650
	S	109.385	106.507	121.144	71.360	115.484	136.136	91.667	71.438	72.171	95.847	80.257	106.956	96.034	71.739	89.948
4	T	4.7115	7.5117	4.7655	8.5666	8.4542	2.8822	7.4115	5.2715	4.7194	5.2962	6.5694	3.5301	5.5882	5.6482	4.9203
	S	109.403	106.652	120.897	72.348	114.521	132.948	94.478	72.819	72.380	96.295	84.483	107.774	95.656	73.153	90.765
5	T	4.6939	7.4640	4.7724	8.6099	8.4977	2.8857	7.7727	5.2449	4.6198	5.2958	6.6284	3.5188	5.5479	5.6741	4.9238
	S	109.814	107.333	120.723	71.984	113.935	132.786	90.088	73.188	73.941	96.303	83.731	108.121	96.351	72.819	90.700
6	T	4.6797	7.4944	4.9071	8.6741				5.2224	4.7236	5.2629	6.5824	3.4903	5.4869	5.6586	4.8973
	S	110.147	106.898	117.409	71.451				73.503	72.316	96.905	84.316	109.003	97.422	73.018	91.191
7	T	4.6911	7.4584	4.7814	8.5083	8.4659	2.8817	7.5217	5.2351	4.7635	5.2762				5.6949	4.8581
	S	109.879	107.414	120.495	72.843	114.363	132.971	93.094	73.325	71.710	96.660				72.553	91.927
8	T	4.6657	7.3831	4.7309	8.6183	8.4490	2.8847	92.4443		4.6156	5.4272	6.5798	3.5043	5.5072	5.7430	4.8579
	S	110.477	108.509	121.782	71.914	114.591	132.832	7.575		74.008	93.971	84.349	108.568	97.063	71.945	91.931
9	T	4.6559	7.4132	4.7450	8.4914				5.1791	4.5578	5.2915			5.4019	5.6676	4.8321
	S	110.710	108.069	121.420	72.988				74.118	74.946	96.381			98.955	72.902	92.422
10	T	4.6605	7.3958	4.7137	8.5633	8.4253	2.8831	7.6093	5.2373	4.7060	5.3029	6.5450	3.4768	5.4512	5.6232	4.8571
	S	110.601	108.323	122.226	72.375	114.914	132.906	92.023	73.294	72.586	96.174	84.798	109.427	98.060	73.478	91.946
11	T	4.6601	7.3475	4.6863	8.9899	8.4714	2.8370	7.5044	5.3478	4.7617	5.4444	6.5988	3.5145	5.4230	5.5551	4.9578
	S	110.610	109.035	122.941	68.941	114.288	135.066	93.309	71.780	71.737	93.674	84.106	108.253	98.570	74.379	90.078
12	T	4.6841	7.4198	4.7478	8.5851	8.4842	2.8841	7.2840	5.1257	4.5200	5.2439	6.5172	3.4716	5.3360	5.6017	4.8415
	S	110.043	107.973	121.348	72.192	114.116	132.860	96.132	74.890	75.573	97.256	85.159	109.591	100.177	73.760	92.242
13	T	4.6529	7.3359	4.7215	8.5378	8.4422	2.8796	7.1253	5.1224	4.5683	5.2850	6.5213	3.4803	5.3431	5.7230	4.7642
	S	110.781	109.208	122.024	72.592	114.684	133.068	98.273	74.938	74.774	96.500	85.106	109.317	100.044	72.197	93.739
14	T	4.6438	7.3652	4.6963	8.5149	8.4315	2.8816	7.3794	5.2208	4.7899	5.3330	6.5030	3.4981	5.4209	5.6839	5.1890
	S	110.998	108.773	122.679	72.787	114.829	132.975	94.889	73.526	71.315	95.631	85.345	108.760	98.608	72.693	86.065
15	T	4.7518	7.3871	4.7246	8.5322	8.4671	2.8774	7.5150	5.3321	4.6817	5.2807	6.4786	3.4741	5.4349	5.6189	4.8961
	S	108.476	108.451	121.944	72.639	114.346	133.169	93.177	71.991	72.963	96.578	85.667	109.512	98.354	73.534	91.214
16	T	4.6554	7.3269	4.7096	8.4974	8.4738	2.8861	7.3372	5.1435	4.5662	5.2000	6.4895	3.4841	6.1309	6.1409	5.3919
	S	110.722	109.342	122.332	72.937	114.256	132.768	95.435	74.631	74.809	98.077	85.523	109.197	87.189	67.284	82.826
17	T	5.0723	8.4902	5.1217	8.8671	8.6446	2.9329	8.0974	5.7103	4.8868	5.5480	6.7911	3.5440	5.8686	5.7371	5.0285
	S	101.621	94.360	112.489	69.896	111.998	130.649	86.476	67.223	69.901	91.925	81.725	107.352	91.086	72.019	88.812
18	T	5.4395	9.0178	8.6504	11.4209	18.0840	8.4620	14.6896				10.1940	5.8470	11.2635	7.2501	6.3675
	S	94.761	88.839	66.602	54.267	53.538	45.283	47.668				54.444	65.068	47.458	56.990	70.136
19	T	5.1006	7.9582	4.9477	8.9407	8.3881	2.8130	7.3313	5.4705	4.9467	5.4499	6.5697	3.4800	5.6845	5.6914	4.8261
	S	101.058	100.668	116.445	69.320	115.423	136.218	95.512	70.170	69.054	93.580	84.479	109.326	94.036	72.598	92.537

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 92 - Gore, Dev (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	
1	T	14.2001	17.8321	18.4004	12.3136	9.6664	92.5404	131.5079
	S	96.990	89.050	77.481	86.490	94.658	87.841	57.897
2	T	12.5519	17.2878	18.3452	12.0333	9.1648	87.7876	
	S	109.726	91.854	77.714	88.504	99.839	92.596	
3	T	12.2777	17.0689	17.7453	12.2363	9.1233	86.7030	
	S	112.177	93.032	80.341	87.036	100.293	93.755	
4	T	12.2772	17.0208	17.4024	11.8656	9.1183	85.8465	
	S	112.181	93.295	81.924	89.755	100.348	94.690	
5	T	12.2364	17.1076	17.6374	11.9242	9.0667	86.1498	
	S	112.555	92.822	80.833	89.314	100.919	94.357	
6	T	12.4015			11.8453	8.9772	85.8188	
	S	111.057			89.909	101.925	94.721	
7	T	12.2398	16.9742	17.5203			85.6057	
	S	112.524	93.551	81.373			94.956	
8	T	12.1140	17.0673	16.9577	12.0070	9.0115	85.3088	
	S	113.693	93.041	84.073	88.698	101.537	95.287	
9	T	12.1582					84.7604	
	S	113.279					95.903	
10	T	12.1095	16.9886	17.5526	11.8479	8.9280	85.4505	
	S	113.735	93.472	81.223	89.889	102.487	95.129	
11	T	12.0338	17.4613	17.6139	12.0432	8.9375	86.0997	
	S	114.450	90.941	80.941	88.432	102.378	94.411	
12	T	12.1676	17.0693	16.9297	11.7611	8.8076	84.7467	
	S	113.192	93.030	84.212	90.553	103.888	95.919	
13	T	12.0574	16.9800	16.8160	11.8063	8.8234	84.5028	
	S	114.226	93.519	84.781	90.206	103.702	96.196	
14	T	12.0615	16.9464	17.3901	11.8360	8.9190	85.5513	
	S	114.188	93.705	81.982	89.980	102.590	95.017	
15	T	12.1117	16.9993	17.5288	11.7593	8.9090	85.4523	
	S	113.714	93.413	81.334	90.567	102.705	95.127	
16	T	12.0365	16.9712	17.0469	11.6895	9.6150	86.4334	
	S	114.425	93.568	83.633	91.107	95.164	94.047	
17	T	13.6119	17.5117	18.6945	12.3391	9.4126	90.3406	
	S	101.182	90.680	76.262	86.311	97.210	89.979	
18	T	17.6682	29.5049			17.1105	135.7209	
	S	77.952	53.820			53.476	59.894	
19	T	12.9059	17.3288	17.7485	12.0196	9.1645	87.5984	
	S	106.717	91.637	80.327	88.605	99.842	92.796	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 92 - Gore, Dev (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6546	7.4236	4.6707	8.6760	8.2771	2.8267	7.3299	5.2395	4.6727	5.2811	6.5838	3.5030	5.3579	5.6155	4.8364
	S	110.741	107.918	123.351	71.435	116.971	135.558	95.530	73.263	73.104	96.571	84.298	108.608	99.768	73.579	92.340
21	T	4.6634	7.3286	4.7264	8.4613	8.3981	2.8484	7.2964	5.1477	4.5894	5.2381	6.5875	3.4962	5.5068	5.9720	5.0776
	S	110.532	109.316	121.898	73.248	115.286	134.525	95.969	74.570	74.430	97.364	84.250	108.819	97.070	69.187	87.953
22	T	4.8742														
	S	105.752														

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 92 - Gore, Dev (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0943	16.9531	17.2421	11.8649	8.8609	84.9485	
	S	113.878	93.668	82.686	89.761	103.263	95.691	
21	T	12.0550	16.8594	17.0335	11.8256	9.0030	85.3379	
	S	114.249	94.188	83.699	90.059	101.633	95.254	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.5895	8.6327	5.0175	9.1546	8.5543	2.8300	8.0907	5.4688	4.9326	5.6099	6.8382	3.5812	5.9066	6.1233	5.0369
	S	92.218	92.803	114.825	67.701	113.181	135.400	86.547	70.192	69.252	90.911	81.162	106.237	90.500	67.477	88.664
2	T	4.7387	8.0569	4.9224	8.8578	8.5654	2.8926	7.6800	5.4246	4.7586	5.3545	6.6862	3.5587	5.6898	5.7367	4.9593
	S	108.776	99.435	117.044	69.969	113.034	132.470	91.175	70.763	71.784	95.247	83.007	106.908	93.948	72.024	90.051
3	T	4.7200	7.6543	4.9246	9.1076	8.5515	2.8645	7.8538	5.5411	5.0838	5.5978	6.6492	3.5109	5.7767	5.7860	4.9756
	S	109.206	104.665	116.992	68.050	113.218	133.769	89.158	69.276	67.192	91.107	83.469	108.364	92.535	71.411	89.756
4	T	4.6988	7.7439	4.8806	8.5923	8.4490	2.8596	7.5119	5.3690	4.7778	5.3314	6.5460	3.5103	5.7357	5.6708	4.8937
	S	109.699	103.454	118.046	72.131	114.591	133.998	93.216	71.496	71.495	95.660	84.785	108.382	93.196	72.861	91.258
5	T	4.6933	7.5174	4.7634	8.4899	8.4975	2.8787	7.5342	5.3511	4.7647	5.4104	6.5476	3.5144	5.7059	5.7798	4.9562
	S	109.828	106.571	120.951	73.001	113.937	133.109	92.940	71.735	71.692	94.263	84.764	108.256	93.683	71.487	90.108
6	T	4.6974	7.5696	4.7924	8.7739	8.5621	2.9012	7.4350	5.3977	4.7071	5.3135	6.4453	3.4786	5.5536	5.6159	4.9053
	S	109.732	105.836	120.219	70.638	113.078	132.077	94.180	71.116	72.569	95.982	86.109	109.370	96.252	73.574	91.043
7	T	4.7188	7.5311	4.7491	8.8042	8.4922	2.8451	7.7173	5.2598	4.6811	5.2874	6.4741	3.4910	5.5545	5.6148	4.9050
	S	109.234	106.377	121.315	70.395	114.008	134.681	90.735	72.981	72.972	96.456	85.726	108.982	96.236	73.588	91.048
8	T	4.7121	7.5604	4.8561	8.9227	8.4382	2.8367	7.7134	5.3912	4.7123	5.3704	6.5478	3.4932	5.5132	5.6458	4.8126
	S	109.390	105.965	118.642	69.460	114.738	135.080	90.781	71.202	72.489	94.965	84.761	108.913	96.957	73.184	92.796
9	T	4.6697	7.5303	4.7517	8.5338	8.4781	2.8876	7.4144	5.2911	4.6510	5.2313	6.4333	3.4846	5.5450	5.6186	4.7608
	S	110.383	106.388	121.248	72.626	114.198	132.699	94.442	72.549	73.445	97.490	86.270	109.182	96.401	73.538	93.806
10	T	4.6400	7.4763	4.7474	8.5095	8.4300	2.8809	7.3113	5.2470	4.6510	5.2613	6.4578	3.4673	5.6643	5.4974	4.8806
	S	111.089	107.157	121.358	72.833	114.850	133.008	95.773	73.159	73.445	96.934	85.943	109.726	94.371	75.159	91.503
11	T	4.6711	7.4536	4.7777	8.4475	8.4886	2.8849	7.2202	5.3132	4.6443	5.2500	6.4119	3.4719	5.6100	5.5659	4.8029
	S	110.350	107.483	120.589	73.368	114.057	132.823	96.982	72.247	73.551	97.143	86.558	109.581	95.284	74.235	92.984
12	T	4.6723	7.5109	4.7650	8.4590	8.4641	2.8757	7.2107	5.2935	4.7415	5.2537	6.5948	3.5346	5.7163	5.5868	4.9771
	S	110.321	106.663	120.910	73.268	114.387	133.248	97.109	72.516	72.043	97.074	84.157	107.637	93.512	73.957	89.729
13	T	4.7265	7.5652	4.8184	8.5380	8.5276	2.8980	7.3519	5.1721	4.6888	5.2858	6.4108	3.4773	5.6017	5.5284	4.7780
	S	109.056	105.898	119.570	72.590	113.535	132.223	95.244	74.218	72.853	96.485	86.573	109.411	95.426	74.738	93.468
14	T	4.6291	7.4199	4.7526	8.4265	8.4548	2.8772	7.2584	5.3142	4.6720	5.2497	6.4642	3.4885	5.6406	5.6223	5.0147
	S	111.351	107.971	121.226	73.550	114.513	133.179	96.471	72.234	73.114	97.148	85.857	109.060	94.767	73.490	89.056
15	T	4.7409	7.4886	4.7675	8.4298	8.4847	2.8907	7.3345	5.3063	4.6454	5.3157	6.5429	3.5063	5.5182	5.5374	4.7872
	S	108.725	106.981	120.847	73.522	114.109	132.557	95.470	72.341	73.533	95.942	84.825	108.506	96.870	74.617	93.289
16	T	4.6582	7.4609	4.7790	8.4548	8.5189	2.9008	7.2511	5.2468	4.6546	5.3008	6.5132	3.4918	5.8780	5.6333	5.1055
	S	110.655	107.378	120.556	73.304	113.651	132.095	96.568	73.161	73.388	96.212	85.212	108.957	90.940	73.346	87.473
17	T	4.7816	7.6134	4.8496	8.5019	8.4945	2.8999	7.7024	5.5213	4.7828	5.3350	6.5482	3.5040	5.7133	5.7702	4.9024
	S	107.800	105.227	118.801	72.898	113.977	132.136	90.910	69.524	71.421	95.595	84.756	108.577	93.562	71.606	91.096
18	T	5.4042	9.1496	8.6654	11.7408	18.0734	8.3758	14.4572	5.9733	5.0564	8.0399	10.0600	5.8452	11.3501	7.2090	6.1593
	S	95.380	87.560	66.487	52.788	53.569	45.749	48.435	64.263	67.556	63.434	55.169	65.088	47.096	57.315	72.507
19	T	5.1824	8.1610	5.0299	9.0585	8.3301	2.7962	7.5624	5.4738	4.9246	5.6997	6.5849	3.4904	5.6662	6.1745	5.0752
	S	99.463	98.166	114.542	68.419	116.227	137.037	92.593	70.127	69.364	89.478	84.284	109.000	94.339	66.917	87.995

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.6502	17.7089	18.4921	12.4481	9.4878	91.3668	134.3657
	S	100.898	89.670	77.097	85.555	96.440	88.969	56.665
2	T	12.9793	17.4232	17.8632	12.0407	9.2485	87.8822	
	S	106.113	91.140	79.811	88.450	98.935	92.497	
3	T	12.5789	17.6591	18.4787	12.2470	9.2876	88.5974	
	S	109.491	89.923	77.153	86.960	98.518	91.750	
4	T	12.6245	17.0413	17.6587	11.8774	9.2460	86.5708	
	S	109.095	93.183	80.735	89.666	98.962	93.898	
5	T	12.2808	16.9874	17.6500	11.9580	9.2203	86.4045	
	S	112.148	93.478	80.775	89.062	99.238	94.078	
6	T	12.3620	17.3360	17.5398	11.7588	9.0322	86.1486	
	S	111.412	91.599	81.283	90.570	101.304	94.358	
7	T	12.2802	17.2964	17.6582	11.7615	9.0455	86.1255	
	S	112.154	91.808	80.738	90.550	101.155	94.383	
8	T	12.4165	17.3609	17.8169	11.9182	9.0064	86.5261	
	S	110.923	91.467	80.019	89.359	101.594	93.946	
9	T	12.2820	17.0119	17.3565	11.6646	9.0296	85.2813	
	S	112.137	93.344	82.141	91.302	101.333	95.317	
10	T	12.2237	16.9395	17.2093	11.7191	9.1316	85.1221	
	S	112.672	93.743	82.844	90.877	100.201	95.496	
11	T	12.2313	16.9361	17.1777	11.6619	9.0819	85.0137	
	S	112.602	93.762	82.996	91.323	100.750	95.618	
12	T	12.2759	16.9231	17.2457	11.8485	9.2509	85.6560	
	S	112.193	93.834	82.669	89.885	98.909	94.901	
13	T	12.3836	17.0656	17.2128	11.6966	9.0790	85.3685	
	S	111.217	93.050	82.827	91.052	100.782	95.220	
14	T	12.1725	16.8813	17.2446	11.7139	9.1291	85.2847	
	S	113.146	94.066	82.674	90.918	100.229	95.314	
15	T	12.2561	16.9145	17.2862	11.8586	9.0245	85.2961	
	S	112.374	93.881	82.475	89.808	101.391	95.301	
16	T	12.2399	16.9737	17.1525	11.8140	9.3698	85.8477	
	S	112.523	93.554	83.118	90.147	97.654	94.689	
17	T	12.4630	16.9964	18.0065	11.8832	9.2173	86.9205	
	S	110.509	93.429	79.176	89.622	99.270	93.520	
18	T	17.8150	29.8142	25.4869	18.0999	17.1953	135.5596	
	S	77.310	53.262	55.938	58.840	53.212	59.965	
19	T	13.1909	17.3886	17.9608	12.2846	9.1566	89.2098	
	S	104.411	91.322	79.377	86.694	99.928	91.120	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.7142	7.6726	4.7711	8.9180	8.4274	2.8057	7.5516	5.3105	4.6783	5.3590	6.6553	3.5465	5.4754	5.7152	4.8210
	S	109.341	104.415	120.755	69.497	114.885	136.573	92.726	72.284	73.016	95.167	83.392	107.276	97.627	72.295	92.634
21	T	4.6546	7.3957	4.7114	8.5995	8.4966	2.8549	7.6795	5.2542	4.6673	5.2988	6.6774	3.4880	5.8063	5.5696	4.8943
	S	110.741	108.325	122.286	72.071	113.949	134.219	91.181	73.058	73.188	96.248	83.116	109.075	92.063	74.185	91.247
22	T	4.7395														
	S	108.757														

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.4437	17.3454	17.5404	12.0143	9.0219	86.4218	
	S	110.680	91.549	81.280	88.644	101.420	94.060	
21	T	12.1071	17.0961	17.6010	11.9762	9.2943	86.0481	
	S	113.757	92.884	81.000	88.926	98.447	94.468	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.4746	9.1594	5.2676	9.2663	8.6980	2.9233	8.3073	5.6564	4.9267	5.6663	6.8143	3.5702	6.1928	7.2854	5.0647
	S	94.154	87.466	109.374	66.885	111.311	131.079	84.291	67.864	69.335	90.006	81.446	106.564	86.317	56.714	88.177
2	T	4.7625	7.6873	4.8849	8.7089	8.5920	2.9024	7.4187	5.4813	4.9213	5.3641	6.5956	3.5366	5.9064	5.7348	5.0241
	S	108.232	104.216	117.942	71.165	112.684	132.022	94.387	70.031	69.411	95.077	84.147	107.576	90.503	72.048	88.890
3	T	4.7335	7.6283	4.8404	8.7217	8.5624	2.8892	7.5006	5.4247	4.8787	5.3639	6.5846	3.5274	5.5535	5.7783	4.9184
	S	108.895	105.022	119.027	71.061	113.074	132.626	93.356	70.762	70.017	95.080	84.288	107.857	96.254	71.506	90.800
4	T	4.6798	7.4890	4.8927	8.7771	8.4887	2.8767	7.5231	5.3307	4.8695	5.3003	6.5652	3.5106	5.5573	5.7000	4.9127
	S	110.145	106.975	117.754	70.612	114.055	133.202	93.077	72.010	70.149	96.221	84.537	108.373	96.188	72.488	90.905
5	T	4.6701	7.4794	4.8123	8.5884	8.5038	2.8804	7.3926	5.3732	4.7738	5.3369	6.5479	3.4972	5.6153	5.8062	4.9025
	S	110.373	107.112	119.722	72.164	113.853	133.031	94.720	71.440	71.555	95.561	84.760	108.788	95.194	71.162	91.095
6	T	4.6675	7.5427	4.8444	8.9879	8.5064	2.8560	8.0770	5.3436	4.7422	5.3451	6.4854	3.4717	5.4926	5.5584	4.9034
	S	110.435	106.213	118.928	68.956	113.818	134.167	86.694	71.836	72.032	95.414	85.577	109.587	97.321	74.335	91.078
7	T	4.6936	7.4608	4.7745	8.6207	8.4639	2.8605	7.6287	5.2822	4.7645	5.2984	6.5267	3.4792	5.4839	5.5960	4.8689
	S	109.821	107.379	120.669	71.894	114.390	133.956	91.789	72.671	71.695	96.255	85.035	109.351	97.475	73.835	91.723
8	T	4.6214	7.3744	4.8603	8.8371	8.4609	2.8578	7.5794	5.3779	4.7638	5.3640	6.5990	3.4872	5.5078	5.7156	4.8789
	S	111.536	108.637	118.539	70.133	114.430	134.083	92.386	71.378	71.706	95.078	84.104	109.100	97.052	72.290	91.535
9	T	4.6460	7.4629	4.7180	8.6788	8.4925	2.8948	7.3629	5.3216	4.7641	5.2825	6.4529	3.4675	5.3859	5.6497	4.8514
	S	110.946	107.349	122.115	71.412	114.004	132.369	95.102	72.133	71.701	96.545	86.008	109.720	99.249	73.133	92.054
10	T	4.6463	7.3629	4.7560	8.4817	8.4421	2.8720	7.2313	5.2455	4.6945	5.2877	6.4137	3.4596	5.5024	5.6953	4.8682
	S	110.939	108.807	121.139	73.072	114.685	133.420	96.833	73.180	72.764	96.450	86.534	109.971	97.148	72.548	91.736
11	T	4.6488	7.3678	4.7929	8.5273	8.4600	2.8607	7.2151	5.2842	4.6602	5.2180	6.5039	3.4699	5.4588	5.6504	4.8281
	S	110.879	108.735	120.206	72.681	114.442	133.947	97.050	72.644	73.300	97.739	85.333	109.644	97.924	73.124	92.498
12	T	4.6415	7.4806	4.7885	8.5606	8.4501	2.8647	7.1266	5.2673	4.7334	5.2556	6.5250	3.4984	5.7730	5.7349	4.8827
	S	111.053	107.095	120.317	72.398	114.576	133.760	98.255	72.877	72.166	97.039	85.057	108.751	92.594	72.047	91.464
13	T	4.6733	7.5220	4.8150	8.6887	8.4337	2.8481	7.4286	5.3111	4.6267	5.2415	6.4824	3.4658	5.4654	5.6485	4.7659
	S	110.298	106.506	119.654	71.331	114.799	134.539	94.261	72.276	73.830	97.300	85.616	109.774	97.805	73.149	93.705
14	T	4.6132	7.4055	4.7404	8.6827	8.4958	2.8694	7.1781	5.2479	4.6952	5.2280	6.4188	3.4496	5.5207	5.6574	4.9602
	S	111.735	108.181	121.537	71.380	113.960	133.541	97.551	73.146	72.753	97.552	86.465	110.289	96.826	73.034	90.035
15	T	4.7420	7.5458	4.7815	8.4994	8.4052	2.8436	7.4436	5.2919	4.6895	5.2844	6.5295	3.4734	5.4802	5.6206	4.7944
	S	108.700	106.170	120.493	72.920	115.188	134.752	94.071	72.538	72.842	96.510	84.999	109.534	97.541	73.512	93.148
16	T	4.6160	7.4536	4.7626	8.6507	8.4798	2.8692	7.3326	5.2054	4.5970	5.2159	6.5407	3.5142	5.8832	6.0666	4.8767
	S	111.667	107.483	120.971	71.644	114.175	133.550	95.495	73.743	74.307	97.778	84.853	108.262	90.860	68.108	91.576
17	T	4.7857	7.5619	4.9189	8.7198	8.5278	2.9009	7.3307	5.6998	4.8139	5.2763	6.7208	3.6173	6.0471	6.1018	5.0507
	S	107.707	105.944	117.127	71.076	113.532	132.091	95.520	67.347	70.959	96.659	82.579	105.176	88.397	67.715	88.422
18	T	5.2623	9.2930	8.2848	11.0769	18.1496	8.5688	14.1984	5.8098	5.0855	8.0952	10.0002	5.7482	11.4235	7.0601	6.1653
	S	97.952	86.209	69.541	55.952	53.345	44.718	49.317	66.072	67.170	63.000	55.499	66.187	46.793	58.524	72.436
19	T	5.2187	8.0818	5.0788	9.0959	8.4139	2.8393	7.5045	5.4059	4.8301	5.6630	6.6162	3.4918	5.7282	6.2139	4.9542
	S	98.771	99.128	113.439	68.138	115.069	134.956	93.308	71.008	70.721	90.058	83.885	108.957	93.318	66.493	90.144

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13
2.258 mile(s)
USF2000
July 28, 2017



Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	14.4270	17.9643	18.8904	12.4806	9.7630	94.2733	135.2380
	S	95.465	88.395	75.471	85.332	93.721	86.226	56.300
2	T	12.5722	17.3009	17.8213	11.9597	9.4430	87.5209	
	S	109.549	91.785	79.999	89.049	96.897	92.878	
3	T	12.4687	17.2841	17.8040	11.9485	9.0809	86.9056	
	S	110.458	91.874	80.076	89.133	100.761	93.536	
4	T	12.3817	17.2658	17.7233	11.8655	9.0679	86.4734	
	S	111.235	91.971	80.441	89.756	100.905	94.003	
5	T	12.2917	17.0922	17.5396	11.8848	9.1125	86.1800	
	S	112.049	92.905	81.284	89.610	100.412	94.324	
6	T	12.3871	17.4943	18.1628	11.8305	8.9643	86.8243	
	S	111.186	90.770	78.495	90.022	102.072	93.624	
7	T	12.2353	17.0846	17.6754	11.8251	8.9631	85.8025	
	S	112.566	92.947	80.659	90.063	102.085	94.738	
8	T	12.2347	17.2980	17.7211	11.9630	8.9950	86.2855	
	S	112.571	91.800	80.451	89.024	101.723	94.208	
9	T	12.1809	17.1713	17.4486	11.7354	8.8534	85.4315	
	S	113.068	92.477	81.708	90.751	103.350	95.150	
10	T	12.1189	16.9238	17.1713	11.7014	8.9620	84.9592	
	S	113.647	93.830	83.027	91.015	102.098	95.679	
11	T	12.1607	16.9873	17.1595	11.7219	8.9287	84.9461	
	S	113.256	93.479	83.084	90.856	102.479	95.694	
12	T	12.2691	17.0107	17.1273	11.7806	9.2714	85.5829	
	S	112.255	93.350	83.240	90.403	98.691	94.982	
13	T	12.3370	17.1224	17.3664	11.7239	8.9312	85.4167	
	S	111.638	92.741	82.094	90.840	102.450	95.166	
14	T	12.1459	17.1785	17.1212	11.6468	8.9703	85.1629	
	S	113.394	92.438	83.270	91.441	102.003	95.450	
15	T	12.3273	16.9046	17.4250	11.8139	8.9536	85.4250	
	S	111.725	93.936	81.818	90.148	102.194	95.157	
16	T	12.2162	17.1305	17.1350	11.7566	9.3974	86.0642	
	S	112.742	92.698	83.203	90.587	97.367	94.450	
17	T	12.4808	17.2476	17.8444	11.9971	9.6644	88.0734	
	S	110.351	92.068	79.895	88.771	94.677	92.296	
18	T	17.5778	29.2265	25.0937	18.0954	17.1717	134.2216	
	S	78.353	54.333	56.814	58.855	53.285	60.563	
19	T	13.1606	17.5098	17.7405	12.2792	9.2200	89.1362	
	S	104.651	90.689	80.363	86.732	99.241	91.195	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.7442	7.7417	4.8278	8.6878	8.3549	2.7977	7.6416	5.3709	4.6973	5.2763	6.6700	3.5024	5.5886	5.6306	4.8730
	S	108.649	103.483	119.337	71.338	115.882	136.963	91.634	71.471	72.721	96.659	83.208	108.627	95.649	73.381	91.646
21	T	4.6400	7.4834	4.7568	8.4481	8.3538	2.8573	7.7503	5.2888	4.8153	5.2262	6.6052	3.4615	5.6985	5.7294	4.8764
	S	111.089	107.055	121.118	73.362	115.897	134.106	90.348	72.580	70.939	97.585	84.025	109.910	93.805	72.116	91.582
22	T	5.3319														
	S	96.674														

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.5695	17.0427	17.7098	11.9463	9.0910	86.4048	
	S	109.573	93.175	80.502	89.149	100.649	94.078	
21	T	12.2402	16.8019	17.8544	11.8314	9.1600	85.9910	
	S	112.520	94.510	79.850	90.015	99.891	94.531	
22	T							
	S							

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1


July 28, 2017

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
I1 to I2	0.382576 miles
I2 to I3	0.441098 miles
I4 to I5	0.396023 miles
I5 to I6	0.295833 miles
I6 to I7	0.254167 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data



Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 28, 2017

Section Data for Car

SF to PI	2.134091 miles
PO to I2	0.382576 miles
I7 to PI	0.114773 miles
PO to PI	2.008712 miles