

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.6813	8.2537	5.0034	9.2813	8.6384	2.8675	7.9576	5.6321	5.0691	5.6150	6.7990	3.5651	6.0372	5.6192	4.9443
	S	90.728	97.064	115.149	66.776	112.079	133.629	87.995	68.156	67.387	90.828	81.630	106.716	88.542	73.530	90.324
2	T	4.6188	7.4251	4.7740	8.4649	8.4153	2.8846	7.3417	5.3228	4.6240	5.3057	6.4474	3.5255	5.4014	5.5285	4.9327
	S	111.599	107.896	120.682	73.217	115.050	132.837	95.377	72.117	73.873	96.123	86.081	107.915	98.964	74.737	90.537
3	T	4.6395	7.2501	4.7060	8.3646	8.5145	2.8886	7.3137	5.3014	4.5996	5.2852	6.4675	3.5157	5.3925	5.5837	4.8242
	S	111.101	110.500	122.426	74.095	113.710	132.653	95.742	72.408	74.265	96.496	85.814	108.216	99.128	73.998	92.573
4	T	4.5656	7.2980	4.7415	8.3922	8.4993	2.9044	7.2479	5.1941	4.5156	5.2669	6.3671	3.4949	5.3197	5.4529	4.8504
	S	112.900	109.775	121.509	73.851	113.913	131.931	96.611	73.904	75.647	96.831	87.167	108.860	100.484	75.773	92.073
5	T	4.5897	7.2195	4.7126	8.3411	8.4910	2.8924	7.1112	5.1140	4.4697	5.2423	6.2895	3.4667	5.2440	5.4643	4.7954
	S	112.307	110.968	122.254	74.303	114.024	132.479	98.468	75.061	76.424	97.286	88.242	109.745	101.935	75.615	93.129
6	T	4.5826	7.1678	4.6907	8.2686	8.5054	2.9140	7.1615	5.1032	4.4435	5.2400	6.3250	3.4748	5.2700	5.5144	4.8294
	S	112.481	111.769	122.825	74.955	113.831	131.497	97.777	75.220	76.874	97.328	87.747	109.490	101.432	74.928	92.473
7	T	4.6015	7.1777	4.6658	8.2423	8.4709	2.8909	7.1248	5.0791	4.4587	5.2723	6.3083	3.4870	5.2727	5.4430	4.7803
	S	112.019	111.615	123.481	75.194	114.295	132.548	98.280	75.577	76.612	96.732	87.979	109.107	101.380	75.911	93.423
8	T	4.5664	7.2079	4.7566	8.4555	8.5226	2.8956	7.2086	5.1311	4.4962	5.2396	6.3102	3.4644	5.2439	5.4332	4.8340
	S	112.880	111.147	121.124	73.298	113.602	132.332	97.138	74.811	75.973	97.336	87.953	109.818	101.937	76.048	92.385
9	T	4.5753	7.2706	4.6718	8.2516	8.4602	2.8832	7.1443	5.1889	4.4674	5.2615	6.5324	3.4929	5.3267	5.4973	4.8277
	S	112.660	110.188	123.322	75.109	114.440	132.902	98.012	73.978	76.463	96.931	84.961	108.922	100.352	75.161	92.506
10	T	4.5723	7.2851	4.7028	8.3413	8.3240	2.8270	7.2959	5.2316	4.5468	5.2494	6.3554	3.4567	5.2669	5.4384	4.8422
	S	112.734	109.969	122.509	74.302	116.312	135.544	95.975	73.374	75.128	97.154	87.327	110.063	101.491	75.975	92.229
11	T	4.5735	7.1734	4.6558	8.3383	8.4911	2.8842	7.2439	5.1241	4.4832	5.2351	6.2760	3.4552	5.2359	5.4423	4.8253
	S	112.705	111.682	123.746	74.328	114.023	132.855	96.664	74.913	76.194	97.419	88.432	110.111	102.092	75.920	92.552
12	T	4.5794	7.1687	4.6643	8.3030	8.4863	2.8981	7.0592	5.1415	4.4583	5.2079	6.3882	3.4927	5.2740	5.4260	4.8215
	S	112.559	111.755	123.520	74.644	114.088	132.218	99.194	74.660	76.619	97.928	86.879	108.928	101.355	76.149	92.625
13	T	4.5807	7.2058	4.6823	8.3331	8.4633	2.9063	7.3512	5.1753	4.4413	5.2342	6.3606	3.4788	5.2360	5.3805	4.8476
	S	112.527	111.179	123.046	74.375	114.398	131.845	95.253	74.172	76.912	97.436	87.256	109.364	102.090	76.792	92.126
14	T	4.5865	7.1708	4.6526	8.2744	8.4729	2.8947	7.1068	5.1469	4.4424	5.2447	6.2526	3.4684	5.1822	5.3842	4.8219
	S	112.385	111.722	123.831	74.902	114.268	132.374	98.529	74.582	76.893	97.241	88.763	109.692	103.150	76.740	92.617
15	T	4.5684	7.1044	4.6688	8.2743	8.4783	2.8968	7.1807	5.1065	4.5249	5.2662	6.2962	3.4712	5.2180	5.4157	4.8623
	S	112.830	112.766	123.401	74.903	114.195	132.278	97.515	75.172	75.491	96.844	88.148	109.603	102.443	76.293	91.848
16	T	4.6505	7.2603	4.7852	8.7100	8.6066	2.9154	7.5711	5.5534	4.6256	5.4195	6.6738	3.5809	5.8473	5.8392	4.9714
	S	110.839	110.345	120.400	71.156	112.493	131.434	92.487	69.122	73.848	94.105	83.161	106.246	91.417	70.760	89.832
17	T	5.4031	9.9792	10.0860	11.7078	16.2731	8.5736	14.1507	5.8140	6.1063	7.6976	8.9156	7.3216	10.2940	8.3637	8.3090
	S	95.400	80.281	57.122	52.937	59.496	44.693	49.484	66.024	55.941	66.254	62.250	51.963	51.928	49.402	53.748
18	T	5.4046	7.7300	4.8051	8.5273	8.5781	2.8857	7.2836	5.2951	4.5868	5.3152	6.5835	3.4916	5.3195	5.5287	4.8487
	S	95.373	103.640	119.901	72.681	112.867	132.786	96.138	72.494	74.473	95.951	84.302	108.963	100.488	74.734	92.105
19	T	4.5705	7.2477	4.7367	8.3832	8.3964	2.8393	7.1642	5.1849	4.5255	5.2558	6.3779	3.4530	5.4431	5.6027	4.8400
	S	112.779	110.537	121.632	73.930	115.309	134.956	97.740	74.035	75.481	97.036	87.019	110.181	98.206	73.747	92.271

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.2571	17.9197	18.6588	12.4140	9.6023	90.9642	155.8058
	S	103.889	88.615	76.408	85.790	95.290	89.363	48.868
2	T	12.1991	16.8802	17.2885	11.7531	8.9269	85.0124	
	S	112.900	94.072	82.464	90.614	102.499	95.619	
3	T	11.9561	16.8791	17.2147	11.7527	8.9082	84.6468	
	S	115.194	94.078	82.818	90.617	102.714	96.032	
4	T	12.0395	16.8915	16.9576	11.6340	8.8146	84.1105	
	S	114.396	94.009	84.073	91.542	103.805	96.644	
5	T	11.9321	16.8321	16.6949	11.5318	8.7107	83.4434	
	S	115.426	94.341	85.396	92.353	105.043	97.417	
6	T	11.8585	16.7740	16.7082	11.5650	8.7448	83.4909	
	S	116.142	94.668	85.328	92.088	104.634	97.362	
7	T	11.8435	16.7132	16.6626	11.5806	8.7597	83.2753	
	S	116.289	95.012	85.562	91.964	104.456	97.614	
8	T	11.9645	16.9781	16.8359	11.5498	8.7083	83.7658	
	S	115.113	93.530	84.681	92.209	105.072	97.042	
9	T	11.9424	16.7118	16.8006	11.7939	8.8196	83.8518	
	S	115.326	95.020	84.859	90.301	103.746	96.942	
10	T	11.9879	16.6653	17.0743	11.6048	8.7236	83.7358	
	S	114.889	95.285	83.499	91.772	104.888	97.077	
11	T	11.8292	16.8294	16.8512	11.5111	8.6911	83.4373	
	S	116.430	94.356	84.604	92.519	105.280	97.424	
12	T	11.8330	16.7893	16.6590	11.5961	8.7667	83.3691	
	S	116.393	94.581	85.580	91.841	104.372	97.504	
13	T	11.8881	16.7964	16.9678	11.5948	8.7148	83.6770	
	S	115.853	94.541	84.023	91.852	104.994	97.145	
14	T	11.8234	16.7473	16.6961	11.4973	8.6506	83.1020	
	S	116.487	94.819	85.390	92.630	105.773	97.817	
15	T	11.7732	16.7526	16.8121	11.5624	8.6892	83.3327	
	S	116.984	94.789	84.801	92.109	105.303	97.546	
16	T	12.0455	17.3166	17.7501	12.0933	9.4282	87.0102	
	S	114.339	91.701	80.320	88.065	97.049	93.424	
17	T	20.0652	27.9809	26.0710	16.6132	17.6156	138.9953	
	S	68.640	56.751	54.685	64.106	51.943	58.483	
18	T	12.5351	17.1054	17.1655	11.8987	8.8111	86.1835	
	S	109.873	92.834	83.055	89.506	103.846	94.320	
19	T	11.9844	16.7796	16.8746	11.6337	8.8961	84.0209	
	S	114.922	94.636	84.487	91.544	102.854	96.747	

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5709	7.2773	4.7145	8.5141	8.4235	2.8661	7.1102	5.3355	4.6755	5.4116	6.4907	3.4732	5.3740	5.4396	4.8470
	S	112.769	110.087	122.205	72.794	114.938	133.695	98.482	71.945	73.060	94.242	85.507	109.540	99.469	75.958	92.138
21	T	4.5847	7.2991	4.6806	8.4104	8.4952	2.9039	7.4080	5.5066	4.5398	5.3028	6.3896	3.4808	5.3048	5.4683	4.8499
	S	112.429	109.758	123.090	73.691	113.968	131.954	94.523	69.710	75.244	96.176	86.860	109.301	100.766	75.559	92.082
22	T	4.9976	7.8579	6.0177	9.9603											
	S	103.140	101.953	95.740	62.224											

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.9918	16.9376	17.1212	11.9023	8.8472	84.5237	
	S	114.851	93.753	83.270	89.479	103.423	96.172	
21	T	11.9797	16.9056	17.4544	11.6924	8.7856	84.6245	
	S	114.967	93.931	81.680	91.085	104.148	96.057	
22	T	13.8756						
	S	99.259						

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 11 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7477	8.3411	4.9292	9.1440	8.5060	2.8083	7.6749	5.5073	4.9335	5.4464	6.7919	3.5805	5.7428	5.5952	4.8725
	S	89.680	96.047	116.882	67.779	113.823	136.446	91.236	69.701	69.239	93.640	81.715	106.257	93.081	73.846	91.655
2	T	4.6009	7.5362	4.7592	8.7467	8.4848	2.8856	7.7902	5.4137	4.7296	5.3508	6.5139	3.5174	5.5032	5.5002	4.8591
	S	112.033	106.305	121.057	70.858	114.108	132.791	89.886	70.906	72.224	95.313	85.202	108.164	97.134	75.121	91.908
3	T	4.6254	7.3883	4.7365	8.5134	8.4598	2.8648	7.2774	5.3752	4.5209	5.2856	6.4884	3.5033	5.4712	5.4798	4.8516
	S	111.440	108.433	121.638	72.800	114.445	133.755	96.219	71.414	75.558	96.489	85.537	108.599	97.702	75.401	92.050
4	T	4.5673	7.3165	4.7327	8.3818	8.4357	2.8633	7.2071	5.2026	4.4646	5.2709	6.3321	3.4860	5.3534	5.4910	4.8192
	S	112.858	109.497	121.735	73.943	114.772	133.825	97.158	73.783	76.511	96.758	87.649	109.138	99.852	75.247	92.669
5	T	4.5799	7.3212	4.6803	8.2924	8.3840	2.8482	7.1298	5.1546	4.3589	5.2352	6.2906	3.4457	5.2678	5.4635	4.8024
	S	112.547	109.427	123.098	74.740	115.480	134.535	98.211	74.470	78.366	97.417	88.227	110.414	101.474	75.626	92.993
6	T	4.5858	7.1943	4.6536	8.3538	8.4054	2.8544	7.0892	5.1720	4.4253	5.2564	6.3204	3.4381	5.3556	5.4522	4.8522
	S	112.402	111.357	123.804	74.191	115.186	134.243	98.774	74.220	77.190	97.025	87.811	110.658	99.811	75.783	92.039
7	T	4.5652	7.2590	4.6618	8.3279	8.3894	2.8433	7.0782	5.1259	4.4988	5.4268	6.4890	3.5190	5.4416	5.3962	4.8341
	S	112.910	110.365	123.587	74.421	115.405	134.767	98.927	74.887	75.929	93.978	85.529	108.114	98.233	76.569	92.383
8	T	4.5680	7.2065	4.6622	8.3266	8.4202	2.8572	7.1220	5.1203	4.3618	5.2007	6.3734	3.4460	5.2899	5.3449	4.7888
	S	112.840	111.169	123.576	74.433	114.983	134.111	98.319	74.969	78.314	98.064	87.081	110.405	101.050	77.304	93.257
9	T	4.5394	7.2247	4.6585	8.4199	8.3274	2.8273	7.2202	5.1349	4.4835	5.2379	6.5522	3.4630	5.4253	5.5022	4.8078
	S	113.551	110.889	123.674	73.608	116.265	135.529	96.982	74.756	76.188	97.367	84.704	109.863	98.528	75.094	92.889
10	T	4.5506	7.2776	4.7141	8.4510	8.3085	2.8123	7.1817	5.1900	4.5853	5.2640	6.4622	3.4554	5.3623	5.3834	4.8188
	S	113.272	110.082	122.216	73.337	116.529	136.252	97.502	73.962	74.497	96.884	85.884	110.104	99.686	76.751	92.677
11	T	4.5535	7.2102	4.6343	8.2754	8.3358	2.8290	7.4106	5.2408	4.4411	5.2400	6.3413	3.4679	5.3086	5.4003	4.8177
	S	113.200	111.112	124.320	74.893	116.147	135.448	94.490	73.245	76.916	97.328	87.521	109.707	100.694	76.511	92.698
12	T	4.5437	7.2424	4.5895	8.3907	8.3807	2.8273	7.3174	5.1302	4.4284	5.2046	6.4259	3.4661	5.2933	5.4717	4.8323
	S	113.444	110.618	125.534	73.864	115.525	135.529	95.693	74.824	77.136	97.990	86.369	109.764	100.985	75.513	92.418
13	T	4.5716	7.2182	4.6485	8.3413	8.3281	2.8271	7.2461	5.1187	4.5087	5.2150	6.3682	3.4390	5.3343	5.3838	4.8426
	S	112.751	110.988	123.940	74.302	116.255	135.539	96.635	74.992	75.763	97.795	87.152	110.629	100.209	76.745	92.221
14	T	4.5650	7.2447	4.6314	8.3654	8.3818	2.8416	7.1076	5.1389	4.4124	5.2500	6.2935	3.4299	5.2152	5.4083	4.8033
	S	112.914	110.582	124.398	74.088	115.510	134.847	98.518	74.698	77.416	97.143	88.186	110.923	102.498	76.398	92.976
15	T	4.5577	7.1311	4.6338	8.3607	8.3179	2.8235	7.2558	131.5188	5.2948	5.6905	6.8553	3.5904	5.8841		
	S	113.095	112.344	124.333	74.129	116.397	135.712	96.506	2.919	64.514	89.623	80.959	105.964	90.846		
16	T			5.0562	8.8473	8.5440	2.8953	7.3738	5.3528	4.4943	5.2624	6.5164	3.5015	5.4236	5.5971	4.8910
	S			113.947	70.052	113.317	132.346	94.962	71.713	76.005	96.914	85.170	108.655	98.559	73.821	91.309
17	T	4.6079	7.3098	4.7544	8.6283	8.4904	2.8972	7.2137	5.2583	4.4478	5.2748	6.4501	3.4991	5.4420	5.6398	4.8342
	S	111.863	109.598	121.180	71.830	114.033	132.259	97.069	73.001	76.800	96.686	86.045	108.729	98.226	73.262	92.382
18	T	4.5907	7.2767	4.7108	8.4836	8.4459	2.8942	7.1580	5.1723	4.3678	5.2320	6.4274	3.5178	5.3408	5.5315	4.7792
	S	112.282	110.096	122.301	73.055	114.633	132.396	97.824	74.215	78.207	97.477	86.349	108.151	100.087	74.696	93.445

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 11 - Enders, Kory (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	13.2703	17.6500	18.1157	12.2383	9.3233	89.6213		153.0007	
	S	103.786	89.969	78.699	87.022	98.141	90.702		49.764	
2	T	12.2954	17.2315	17.9335	11.8647	9.0206	86.1915			
	S	112.015	92.154	79.498	89.762	101.434	94.311			
3	T	12.1248	16.9732	17.1735	11.7740	8.9745	84.8416			
	S	113.591	93.557	83.016	90.454	101.956	95.811			
4	T	12.0492	16.8175	16.8743	11.6030	8.8394	83.9242			
	S	114.304	94.423	84.488	91.787	103.514	96.859			
5	T	12.0015	16.6764	16.6433	11.5258	8.7135	83.2545			
	S	114.758	95.222	85.661	92.401	105.009	97.638			
6	T	11.8479	16.7592	16.6865	11.5768	8.7937	83.4087			
	S	116.246	94.751	85.439	91.994	104.052	97.457			
7	T	11.9208	16.7173	16.7029	11.9158	8.9606	83.8562			
	S	115.535	94.989	85.355	89.377	102.114	96.937			
8	T	11.8687	16.7468	16.6041	11.5741	8.7359	83.0885			
	S	116.042	94.821	85.863	92.016	104.740	97.833			
9	T	11.8832	16.7473	16.8386	11.7901	8.8883	83.8242			
	S	115.901	94.819	84.667	90.330	102.944	96.974			
10	T	11.9917	16.7595	16.9570	11.7262	8.8177	83.8172			
	S	114.852	94.750	84.076	90.822	103.769	96.982			
11	T	11.8445	16.6112	17.0925	11.5813	8.7765	83.5065			
	S	116.280	95.595	83.410	91.959	104.256	97.343			
12	T	11.8319	16.7714	16.8760	11.6305	8.7594	83.5442			
	S	116.403	94.682	84.480	91.570	104.459	97.299			
13	T	11.8667	16.6694	16.8735	11.5832	8.7733	83.3912			
	S	116.062	95.262	84.492	91.944	104.294	97.478			
14	T	11.8761	16.7472	16.6589	11.5435	8.6451	83.0890			
	S	115.970	94.819	85.581	92.260	105.840	97.832			
15	T	11.7649	16.6786	144.0694	12.5458	9.4745	219.0455	222.5436		208.0078
	S	117.066	95.209	9.896	84.889	96.575	37.110	4.035		36.935
16	T		17.3913	17.2209	11.7788	8.9251	295.2311		83.7252	
	S		91.307	82.788	90.417	102.520	27.534		90.939	
17	T	12.0642	17.1187	16.9198	11.7249	8.9411	84.7478			
	S	114.162	92.761	84.261	90.832	102.336	95.918			
18	T	11.9875	16.9295	16.6981	11.6594	8.8586	83.9287			
	S	114.892	93.798	85.380	91.343	103.289	96.854			

Event: Cooper Tires USF2000 GP of Mid-Ohio

Track: Mid-Ohio Sports Car Course

Report: Section Data Report

Session: Race 2

Round 12 / 13

2.258 mile(s)

USF2000

July 29, 2017



Section Data for Car 12 - de la Vara, Moises (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.5576	8.2671	4.8878	9.1149	8.3995	2.8137	7.7170	5.7960	4.7751	5.4221	6.6804	3.5337	5.7546	5.6640	4.8556
	S	92.748	96.907	117.872	67.996	115.267	136.184	90.738	66.229	71.536	94.059	83.079	107.665	92.890	72.949	91.974
2	T	4.6697	7.4836	4.7350	8.4427	8.4082	2.8496	7.2390	5.2385	4.5461	5.3273	6.4238	3.4862	5.3680	5.6505	4.8397
	S	110.383	107.052	121.676	73.409	115.147	134.469	96.730	73.277	75.139	95.733	86.397	109.132	99.580	73.123	92.277
3	T	4.6114	7.3382	4.6977	8.4252	8.4243	2.8554	7.5687	5.5110	4.6046	5.2925	6.4699	3.5005	5.4007	5.6038	4.8168
	S	111.778	109.173	122.642	73.562	114.927	134.195	92.516	69.654	74.185	96.363	85.782	108.686	98.977	73.732	92.715
4	T	4.5801	7.3336	4.7319	8.3331	8.4121	2.8605	7.1400	5.2329	4.4895	5.2718	6.5073	3.5161	5.3254	5.5378	4.8278
	S	112.542	109.242	121.756	74.375	115.094	133.956	98.071	73.356	76.087	96.741	85.289	108.204	100.377	74.611	92.504
5	T	4.5971	7.1852	4.7024	8.3141	8.4526	2.8750	7.0788	5.1109	4.4361	5.2479	6.3594	3.4745	5.2663	5.5132	4.7807
	S	112.126	111.498	122.520	74.545	114.542	133.281	98.919	75.107	77.003	97.182	87.272	109.499	101.503	74.944	93.415
6	T	4.5943	7.2099	4.6972	8.3424	8.4521	2.8680	7.0654	5.1218	4.4839	5.2425	6.3591	3.4746	5.2713	5.5304	4.7771
	S	112.194	111.116	122.655	74.292	114.549	133.606	99.107	74.947	76.182	97.282	87.277	109.496	101.407	74.711	93.486
7	T	4.5918	7.2136	4.6877	8.3595	8.4631	2.8865	7.2414	5.1130	4.3721	5.2513	6.4123	3.5008	5.2321	5.5458	4.7973
	S	112.255	111.059	122.904	74.140	114.400	132.750	96.698	75.076	78.130	97.119	86.552	108.676	102.167	74.504	93.092
8	T	4.6136	7.2327	4.7298	8.3101	8.4594	2.8890	7.3475	5.1615	4.3864	5.2491	6.3442	3.4834	5.2846	5.4043	4.8037
	S	111.725	110.766	121.810	74.581	114.450	132.635	95.301	74.371	77.875	97.160	87.481	109.219	101.152	76.454	92.968
9	T	4.6062	7.2032	4.6838	8.2740	8.4746	2.8915	7.3772	5.2005	4.4222	5.2693	6.6492	3.5384	5.2741	5.4934	4.8196
	S	111.905	111.220	123.006	74.906	114.245	132.520	94.918	73.813	77.245	96.787	83.469	107.522	101.353	75.214	92.661
10	T	4.6217	7.2524	4.6904	8.4890	8.4581	2.8880	7.1440	5.1186	4.3620	5.2214	6.2888	3.4685	5.2115	5.4004	4.8182
	S	111.529	110.465	122.833	73.009	114.468	132.681	98.016	74.994	78.311	97.675	88.252	109.688	102.570	76.509	92.688
11	T	4.6137	7.2068	4.6815	8.2692	8.4984	2.8943	7.1967	5.1327	4.3835	5.2139	6.3220	3.4725	5.2504	5.3690	4.8175
	S	111.723	111.164	123.067	74.950	113.925	132.392	97.298	74.788	77.927	97.815	87.789	109.562	101.810	76.957	92.702
12	T	4.6142	7.1523	4.6423	8.2747	8.4491	2.8905	7.4213	5.1617	4.4797	5.2352	6.3909	3.4644	5.2869	5.4548	4.7936
	S	111.710	112.011	124.106	74.900	114.590	132.566	94.354	74.368	76.253	97.417	86.842	109.818	101.108	75.746	93.164
13	T	4.5881	7.1746	4.6767	8.2827	8.4381	2.8763	7.0626	5.1016	4.3886	5.2420	6.2912	3.4617	5.2141	5.3413	4.7917
	S	112.346	111.663	123.193	74.827	114.739	133.220	99.146	75.244	77.836	97.291	88.218	109.904	102.519	77.356	93.201
14	T	4.5912	7.2659	4.6832	8.2342	8.4603	2.9023	7.1342	5.1307	4.4170	5.2183	6.2892	3.4671	5.2109	5.4217	4.7595
	S	112.270	110.260	123.022	75.268	114.438	132.027	98.151	74.817	77.336	97.733	88.247	109.733	102.582	76.209	93.831
15	T	4.5798	7.2106	4.6867	8.2194	8.4820	2.9090	7.0147	5.0515	4.4525	5.2503	6.2976	3.4621	5.2482	5.4719	4.8156
	S	112.550	111.105	122.930	75.404	114.145	131.723	99.823	75.990	76.719	97.137	88.129	109.891	101.853	75.510	92.738
16	T	4.6835	7.4458	4.7536	8.6695	8.5703	2.9066	7.3485	5.5340	4.6637	5.3815	6.8588	3.6185	5.7105	6.0588	4.9316
	S	110.058	107.596	121.200	71.489	112.969	131.832	95.288	69.365	73.245	94.769	80.918	105.142	93.607	68.195	90.557
17	T	4.9684	9.6642	10.1839	11.7099	16.1380	8.1908	14.1655	5.9600	7.0095	7.9452	8.5741	7.3136	10.8641	8.5600	8.9212
	S	103.747	82.897	56.573	52.927	59.994	46.782	49.432	64.407	48.733	64.190	64.730	52.020	49.203	48.269	50.060
18	T	5.5779	7.8117	4.6705	8.5810	8.4550	2.8706	7.0862	5.2917	4.5042	5.2956	6.5249	3.5111	5.3674	5.5456	4.7582
	S	92.410	102.556	123.356	72.226	114.510	133.485	98.816	72.541	75.838	96.306	85.059	108.358	99.591	74.506	93.857
19	T	4.5768	7.3465	4.7003	8.4477	8.4501	2.8474	6.9462	5.1389	4.4476	5.2514	6.3707	3.4845	5.3826	5.6140	4.7919
	S	112.623	109.050	122.574	73.366	114.576	134.573	100.807	74.698	76.803	97.117	87.118	109.185	99.310	73.598	93.197

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 12 - de la Vara, Moises (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.1549	17.5144	18.2881	12.1025	9.2883	89.2391	153.4211
	S	104.697	90.666	77.957	87.998	98.511	91.090	49.627
2	T	12.2186	16.8509	17.0236	11.7511	8.8542	84.7079	
	S	112.719	94.236	83.747	90.630	103.341	95.963	
3	T	12.0359	16.8495	17.6843	11.7624	8.9012	85.1207	
	S	114.430	94.243	80.619	90.543	102.795	95.497	
4	T	12.0655	16.7452	16.8624	11.7791	8.8415	84.0999	
	S	114.150	94.830	84.548	90.414	103.489	96.656	
5	T	11.8876	16.7667	16.6258	11.6073	8.7408	83.3942	
	S	115.858	94.709	85.751	91.753	104.681	97.474	
6	T	11.9071	16.7945	16.6711	11.6016	8.7459	83.4900	
	S	115.668	94.552	85.518	91.798	104.620	97.363	
7	T	11.9013	16.8226	16.7265	11.6636	8.7329	83.6683	
	S	115.725	94.394	85.235	91.310	104.776	97.155	
8	T	11.9625	16.7695	16.8954	11.5933	8.7680	83.6993	
	S	115.133	94.693	84.383	91.863	104.357	97.119	
9	T	11.8870	16.7486	16.9999	11.9185	8.8125	84.1772	
	S	115.864	94.811	83.864	89.357	103.830	96.568	
10	T	11.9428	16.9471	16.6246	11.5102	8.6800	83.4330	
	S	115.322	93.701	85.757	92.527	105.415	97.429	
11	T	11.8883	16.7676	16.7129	11.5359	8.7229	83.3221	
	S	115.851	94.704	85.304	92.320	104.896	97.559	
12	T	11.7946	16.7238	17.0627	11.6261	8.7513	83.7116	
	S	116.771	94.952	83.555	91.604	104.556	97.105	
13	T	11.8513	16.7208	16.5528	11.5332	8.6758	82.9313	
	S	116.213	94.969	86.129	92.342	105.466	98.018	
14	T	11.9491	16.6945	16.6819	11.5075	8.6780	83.1857	
	S	115.262	95.118	85.463	92.548	105.439	97.719	
15	T	11.8973	16.7014	16.5187	11.5479	8.7103	83.1519	
	S	115.763	95.079	86.307	92.225	105.048	97.758	
16	T	12.1994	17.2398	17.5462	12.2403	9.3290	87.1352	
	S	112.897	92.110	81.253	87.008	98.081	93.290	
17	T	19.8481	27.8479	27.1350	16.5193	18.1777	140.1684	
	S	69.391	57.022	52.540	64.470	50.336	57.993	
18	T	12.4822	17.0360	16.8821	11.8205	8.8785	85.8516	
	S	110.339	93.212	84.449	90.098	103.058	94.684	
19	T	12.0468	16.8978	16.5327	11.6221	8.8671	83.7966	
	S	114.327	93.974	86.234	91.636	103.190	97.006	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 12 - de la Vara, Moises (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5805	7.3912	4.7405	8.6660	8.3427	2.8105	7.5796	5.3277	4.5904	5.4080	6.3421	3.4683	5.2884	5.4808	4.8008
	S	112.532	108.391	121.535	71.518	116.051	136.339	92.383	72.051	74.414	94.305	87.510	109.695	101.079	75.387	93.024
21	T	4.5948	7.2082	4.6867	8.3252	8.4546	2.8746	7.0410	5.0764	4.4232	5.2718	6.3063	3.4565	5.3062	5.7127	4.7732
	S	112.182	111.142	122.930	74.445	114.515	133.299	99.450	75.617	77.227	96.741	88.007	110.069	100.740	72.327	93.562
22	T	4.6584	7.8820	6.3874	9.0228	9.5920										
	S	110.651	101.641	90.199	68.690	100.936										

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 12 - de la Vara, Moises (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.1317	17.0087	17.4977	11.7501	8.7567	84.8175	
	S	113.527	93.361	81.478	90.638	104.491	95.839	
21	T	11.8949	16.7798	16.5406	11.5781	8.7627	83.5114	
	S	115.787	94.635	86.193	91.984	104.420	97.338	
22	T	14.2694	18.6148					
	S	96.519	85.306					

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.6771	8.1849	4.9579	8.8295	8.5597	2.8918	7.4253	5.3573	4.4973	5.3119	6.4520	3.5311	5.5056	5.4150	4.8547
	S	90.795	97.880	116.206	70.193	113.109	132.506	94.303	71.652	75.955	96.011	86.020	107.744	97.091	76.303	91.991
2	T	4.5789	7.4003	4.7707	8.4916	8.4124	2.8659	7.2166	5.2335	4.4607	5.2967	6.3727	3.4849	5.4408	5.3509	4.8317
	S	112.572	108.257	120.766	72.987	115.090	133.704	97.030	73.347	76.578	96.286	87.090	109.172	98.248	77.217	92.429
3	T	4.5617	7.2801	4.7087	8.3923	8.4016	2.8611	7.1594	5.3087	4.5099	5.2499	6.3077	3.4682	5.3932	5.3562	4.8167
	S	112.996	110.045	122.356	73.850	115.238	133.928	97.805	72.308	75.742	97.145	87.988	109.698	99.115	77.141	92.717
4	T	4.5775	7.2569	4.6977	8.3345	8.4096	2.8705	7.1169	5.1544	4.4124	5.2377	6.2954	3.4608	5.3340	5.3238	4.8037
	S	112.606	110.397	122.642	74.362	115.128	133.490	98.389	74.473	77.416	97.371	88.160	109.933	100.215	77.610	92.968
5	T	4.5564	7.1664	4.6962	8.2432	8.4038	2.8655	7.0171	5.1157	4.3811	5.1970	6.2864	3.4601	5.3193	5.2467	4.8443
	S	113.128	111.791	122.681	75.186	115.208	133.722	99.789	75.036	77.969	98.134	88.286	109.955	100.492	78.751	92.189
6	T	4.5720	7.1470	4.6883	8.2821	8.4367	2.8757	6.9636	5.0947	4.3467	5.1870	6.2169	3.4596	5.2698	5.2702	4.8438
	S	112.742	112.094	122.888	74.833	114.758	133.248	100.555	75.346	78.586	98.323	89.273	109.971	101.436	78.400	92.198
7	T	4.5661	7.1082	4.6628	8.1829	8.4046	2.8774	6.9965	5.0438	4.3312	5.1816	6.2227	3.4583	5.2172	5.2004	4.7989
	S	112.887	112.706	123.560	75.740	115.197	133.169	100.083	76.106	78.867	98.425	89.190	110.012	102.458	79.452	93.061
8	T	4.5560	7.0920	4.6365	8.1526	8.4038	2.8795	6.9798	5.0384	4.3286	5.1916	6.2111	3.4550	5.2099	5.1867	4.7993
	S	113.138	112.963	124.261	76.021	115.208	133.072	100.322	76.188	78.915	98.236	89.356	110.117	102.602	79.662	93.053
9	T	4.5535	7.1071	4.6431	8.1498	8.3901	2.8740	6.9192	5.0359	4.3214	5.2024	6.2048	3.4511	5.2093	5.2085	4.8406
	S	113.200	112.723	124.084	76.048	115.396	133.327	101.201	76.225	79.046	98.032	89.447	110.242	102.614	79.328	92.259
10	T	4.5506	7.0929	4.6591	8.1203	8.3570	2.8718	6.9132	5.0248	4.3516	5.1902	6.2688	3.4736	5.2083	5.2676	4.7638
	S	113.272	112.949	123.658	76.324	115.853	133.429	101.288	76.394	78.498	98.262	88.534	109.527	102.633	78.438	93.747
11	T	4.5333	7.1606	4.6642	8.1655	8.4307	2.8805	6.9478	5.0402	4.3335	5.1842	6.2763	3.4822	5.1824	5.3814	4.7507
	S	113.704	111.881	123.523	75.901	114.840	133.026	100.784	76.160	78.826	98.376	88.428	109.257	103.146	76.780	94.005
12	T	4.5508	7.2074	4.6697	8.2378	8.4053	2.8748	6.9997	5.0234	4.3697	5.1943	6.3032	3.4695	5.2225	5.3538	4.8186
	S	113.267	111.155	123.378	75.235	115.187	133.290	100.037	76.415	78.173	98.185	88.051	109.657	102.354	77.175	92.681
13	T	4.5566	7.1770	4.6707	8.2381	8.4219	2.8836	6.9978	5.0721	4.3418	5.2124	6.2499	3.4643	5.1977	5.3204	4.7987
	S	113.123	111.626	123.351	75.232	114.960	132.883	100.064	75.681	78.675	97.844	88.801	109.821	102.843	77.660	93.065
14	T	4.5714	7.2710	4.6678	8.1496	8.4261	2.8952	7.0192	5.0373	4.3627	5.1898	6.2810	3.4634	5.2258	5.2273	4.8267
	S	112.756	110.182	123.428	76.049	114.903	132.351	99.759	76.204	78.298	98.270	88.362	109.850	102.290	79.043	92.525
15	T	4.5513	7.2307	4.6670	8.1574	8.4007	2.8861	7.0046	5.0472	4.3540	5.2137	6.2526	3.4522	5.2128	5.2383	4.8349
	S	113.254	110.797	123.449	75.977	115.250	132.768	99.967	76.055	78.455	97.819	88.763	110.206	102.545	78.877	92.368
16	T	4.5537	7.2297	5.0994	8.9178	8.7234	3.1286	8.2804	7.1585	5.5785	7.0298	7.4890	4.0439	6.9649	6.4547	5.9580
	S	113.195	110.812	112.981	69.498	110.987	122.477	84.564	53.623	61.233	72.548	74.109	94.081	76.748	64.013	74.957
17	T	7.0277	10.4366	9.7466	12.6614	16.6031	7.2570	13.7268	6.5842	5.6927	8.2671	10.4670	7.7605	11.3482	9.0302	8.9025
	S	73.346	76.762	59.112	48.950	58.313	52.802	51.012	58.301	60.005	61.690	53.024	49.024	47.104	45.756	50.165
18	T	5.4466	7.5427	4.7481	8.4757	8.4253	2.8616	7.1650	5.2093	4.4661	5.2456	6.3555	3.4742	5.3113	5.3140	4.8477
	S	94.638	106.213	121.340	73.123	114.914	133.905	97.729	73.688	76.485	97.224	87.326	109.509	100.643	77.753	92.124
19	T	4.5602	7.3264	4.7040	8.2728	8.3933	2.8626	6.9639	5.1234	4.3589	5.2184	6.3145	3.4652	5.2348	5.2688	4.8049
	S	113.033	109.349	122.478	74.917	115.352	133.858	100.551	74.924	78.366	97.731	87.893	109.793	102.114	78.420	92.945

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.1428	17.3892	17.2799	11.7639	9.0367	87.4511	160.1272
	S	104.793	91.318	82.505	90.531	101.254	92.953	47.549
2	T	12.1710	16.9040	16.9108	11.6694	8.9257	84.2083	
	S	113.160	93.940	84.306	91.264	102.513	96.532	
3	T	11.9888	16.7939	16.9780	11.5576	8.8614	83.7754	
	S	114.880	94.555	83.972	92.147	103.257	97.031	
4	T	11.9546	16.7441	16.6837	11.5331	8.7948	83.2858	
	S	115.209	94.837	85.454	92.343	104.039	97.601	
5	T	11.8626	16.6470	16.5139	11.4834	8.7794	82.7992	
	S	116.102	95.390	86.332	92.743	104.221	98.175	
6	T	11.8353	16.7188	16.4050	11.4039	8.7294	82.6541	
	S	116.370	94.980	86.905	93.389	104.818	98.347	
7	T	11.7710	16.5875	16.3715	11.4043	8.6755	82.2526	
	S	117.006	95.732	87.083	93.386	105.469	98.827	
8	T	11.7285	16.5564	16.3468	11.4027	8.6649	82.1208	
	S	117.430	95.912	87.215	93.399	105.598	98.986	
9	T	11.7502	16.5399	16.2765	11.4072	8.6604	82.1108	
	S	117.213	96.008	87.591	93.362	105.653	98.998	
10	T	11.7520	16.4773	16.2896	11.4590	8.6819	82.1136	
	S	117.195	96.372	87.521	92.940	105.392	98.995	
11	T	11.8248	16.5962	16.3215	11.4605	8.6646	82.4135	
	S	116.473	95.682	87.350	92.928	105.602	98.634	
12	T	11.8771	16.6431	16.3928	11.4975	8.6920	82.7005	
	S	115.960	95.412	86.970	92.629	105.269	98.292	
13	T	11.8477	16.6600	16.4117	11.4623	8.6620	82.6030	
	S	116.248	95.315	86.870	92.913	105.634	98.408	
14	T	11.9388	16.5757	16.4192	11.4708	8.6892	82.6143	
	S	115.361	95.800	86.830	92.844	105.303	98.395	
15	T	11.8977	16.5581	16.4058	11.4663	8.6650	82.5035	
	S	115.760	95.902	86.901	92.881	105.597	98.527	
16	T	12.3291	17.6412	21.0174	14.5188	11.0088	96.6103	
	S	111.709	90.014	67.833	73.353	83.115	84.140	
17	T	20.1832	29.2645	26.0037	18.7341	19.1087	145.5116	
	S	68.239	54.262	54.826	56.848	47.884	55.864	
18	T	12.2908	16.9010	16.8404	11.6011	8.7855	84.8887	
	S	112.057	93.956	84.658	91.802	104.149	95.758	
19	T	12.0304	16.6661	16.4462	11.5329	8.7000	82.8721	
	S	114.483	95.281	86.688	92.345	105.172	98.089	

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5353	7.2080	4.6849	8.2495	8.3878	2.8650	6.9576	5.0816	4.3398	5.1875	6.2664	3.4451	5.2747	5.2490	4.8195
	S	113.654	111.145	122.977	75.129	115.427	133.746	100.642	75.540	78.711	98.313	88.568	110.434	101.341	78.716	92.663
21	T	4.5560	7.2423	4.6752	8.2753	8.4396	2.8735	6.9527	5.0578	4.3252	5.1975	6.2976	3.4689	5.2874	5.2736	4.8231
	S	113.138	110.619	123.232	74.894	114.719	133.350	100.713	75.895	78.977	98.124	88.129	109.676	101.098	78.349	92.594
22	T	5.1340	8.9573	5.5896	10.2011	9.9490	3.3735									
	S	100.400	89.439	103.073	60.755	97.314	113.586									

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.8929	16.6373	16.3790	11.4539	8.7198	82.5517	
	S	115.806	95.445	87.043	92.981	104.934	98.469	
21	T	11.9175	16.7149	16.3357	11.4951	8.7563	82.7457	
	S	115.567	95.002	87.274	92.648	104.496	98.238	
22	T	14.5469	20.1501					
	S	94.678	78.806					

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 22 - Ming, Calvin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.6215	8.2988	4.9105	9.1859	8.3426	2.8546	8.1546	5.5024	4.7475	5.4148	6.5354	3.4613	5.6865	5.5852	4.7938
	S	91.693	96.536	117.327	67.470	116.053	134.233	85.869	69.763	71.952	94.186	84.922	109.917	94.003	73.978	93.160
2	T	4.5705	7.5454	4.7172	8.6552	8.4268	2.8425	7.3093	5.2771	4.5361	5.2978	6.4773	3.4612	5.4718	5.5597	4.7719
	S	112.779	106.175	122.135	71.607	114.893	134.805	95.799	72.741	75.305	96.266	85.684	109.920	97.691	74.317	93.588
3	T	4.5577	7.4059	4.6611	8.4258	8.3261	2.8201	7.2326	5.3742	4.5241	5.2922	6.3892	3.4415	5.5685	5.7763	4.7551
	S	113.095	108.175	123.605	73.557	116.283	135.875	96.815	71.427	75.505	96.368	86.865	110.549	95.995	71.531	93.918
4	T	4.5478	7.3617	4.6847	8.4286	8.3755	2.8507	7.3497	5.2291	4.4500	5.2507	6.3381	3.4547	5.3480	5.5050	4.7200
	S	113.342	108.825	122.983	73.532	115.597	134.417	95.273	73.409	76.762	97.130	87.566	110.127	99.952	75.056	94.617
5	T	4.5460	7.3027	4.6772	8.3464	8.3630	2.8468	7.1588	5.1508	4.4739	5.2639	6.3537	3.4203	5.3839	5.6437	4.7578
	S	113.386	109.704	123.180	74.256	115.770	134.601	97.813	74.525	76.352	96.886	87.351	111.234	99.286	73.211	93.865
6	T	4.5753	7.2701	4.6389	8.4450	8.3582	2.8316	7.2121	5.1355	4.4085	5.2164	6.3353	3.4424	5.3197	5.4614	4.7515
	S	112.660	110.196	124.197	73.389	115.836	135.323	97.091	74.747	77.485	97.769	87.604	110.520	100.484	75.655	93.989
7	T	4.5576	7.2303	4.6155	8.3648	8.3524	2.8502	7.2009	5.1280	4.4217	5.2218	6.3105	3.4490	5.2823	5.3588	4.7231
	S	113.098	110.803	124.826	74.093	115.917	134.440	97.242	74.856	77.253	97.667	87.949	110.309	101.196	77.103	94.555
8	T	4.5501	7.2073	4.6133	8.3103	8.3600	2.8574	7.2291	5.1190	4.3918	5.2139	6.2223	3.4347	5.2797	5.3379	4.7447
	S	113.284	111.156	124.886	74.579	115.811	134.102	96.862	74.988	77.779	97.815	89.195	110.768	101.245	77.405	94.124
9	T	4.5411	7.2444	4.6196	8.3095	8.3257	2.8442	7.1252	5.0994	4.3294	5.2109	6.2700	3.4355	5.3094	5.3830	4.7193
	S	113.509	110.587	124.716	74.586	116.288	134.724	98.275	75.276	78.900	97.872	88.517	110.742	100.679	76.757	94.631
10	T	4.5301	7.1781	4.6318	8.2998	8.2811	2.8316	7.0762	5.1273	4.3703	5.2339	6.2934	3.4441	5.2504	5.3567	4.7083
	S	113.784	111.608	124.387	74.673	116.915	135.323	98.955	74.867	78.162	97.442	88.188	110.466	101.810	77.134	94.852
11	T	4.5192	7.1994	4.6144	8.2795	8.2680	2.8282	7.0361	5.0656	4.3446	5.2036	6.2510	3.4550	5.2432	5.3257	4.7264
	S	114.059	111.278	124.856	74.856	117.100	135.486	99.519	75.779	78.624	98.009	88.786	110.117	101.950	77.583	94.489
12	T	4.5288	7.1815	4.6389	8.2482	8.3893	2.8739	7.0397	5.0957	4.3295	5.2297	6.2362	3.4531	5.1697	5.2928	4.7062
	S	113.817	111.556	124.197	75.140	115.407	133.332	99.468	75.331	78.898	97.520	88.997	110.178	103.400	78.065	94.894
13	T	4.5378	7.2003	4.6406	8.1968	8.3775	2.8737	6.9939	5.0157	4.2904	5.2095	6.2550	3.4645	5.1827	5.3333	4.7021
	S	113.591	111.264	124.151	75.612	115.569	133.341	100.120	76.532	79.617	97.898	88.729	109.815	103.140	77.472	94.977
14	T	4.5269	7.1890	4.6150	8.2415	8.3734	2.8787	6.9610	5.0571	4.3229	5.2249	6.2156	3.4517	5.2165	5.3089	4.7092
	S	113.865	111.439	124.840	75.201	115.626	133.109	100.593	75.906	79.019	97.610	89.291	110.222	102.472	77.828	94.834
15	T	4.5190	7.1737	4.6217	8.1729	8.3734	2.8766	6.9729	5.0414	4.3107	5.1862	6.2105	3.4436	5.1892	5.2524	4.7187
	S	114.064	111.677	124.659	75.833	115.626	133.207	100.421	76.142	79.243	98.338	89.365	110.482	103.011	78.665	94.643
16	T	4.5768	8.0871	5.8850	9.1876	8.7794	2.9216	7.7816	5.7697	4.5143	5.5795	6.4653	3.7227	6.4527	6.3013	5.5392
	S	112.623	99.063	97.899	67.458	110.279	131.155	89.985	66.531	75.669	91.406	85.843	102.199	82.841	65.571	80.624
17	T	6.7669	11.0862	9.8834	12.0546	16.5093	7.7842	14.3174	6.3566	6.6371	7.6031	9.4321	7.0551	11.2234	8.7853	8.7479
	S	76.173	72.264	58.293	51.414	58.645	49.226	48.907	60.388	51.467	67.078	58.842	53.926	47.628	47.031	51.051
18	T	5.3942	7.6688	4.7517	8.5619	8.4266	2.8460	7.1997	5.1995	4.4291	5.2811	6.4535	3.4574	5.4133	5.4994	4.7746
	S	95.557	104.467	121.248	72.387	114.896	134.639	97.258	73.827	77.124	96.571	86.000	110.041	98.747	75.132	93.535
19	T	4.5179	7.3265	4.6691	8.5574	8.3313	2.8156	7.0440	5.1562	4.4451	5.2253	6.3854	3.4362	5.3106	5.3203	4.7518
	S	114.092	109.348	123.393	72.425	116.210	136.092	99.408	74.447	76.847	97.602	86.917	110.720	100.656	77.661	93.984

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 22 - Ming, Calvin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.2093	17.5285	18.4045	11.9502	9.1478	89.0954	156.7808
	S	104.265	90.593	77.464	89.120	100.024	91.237	48.564
2	T	12.2626	17.0820	17.1225	11.7751	8.9330	84.9198	
	S	112.315	92.961	83.264	90.445	102.429	95.723	
3	T	12.0670	16.7519	17.1309	11.6814	9.0100	84.5504	
	S	114.135	94.793	83.223	91.171	101.554	96.141	
4	T	12.0464	16.8041	17.0288	11.5888	8.8027	83.8943	
	S	114.331	94.498	83.722	91.899	103.945	96.893	
5	T	11.9799	16.7094	16.7835	11.6176	8.8042	83.6889	
	S	114.965	95.034	84.945	91.671	103.928	97.131	
6	T	11.9090	16.8032	16.7561	11.5517	8.7621	83.4019	
	S	115.650	94.503	85.084	92.194	104.427	97.465	
7	T	11.8458	16.7172	16.7506	11.5323	8.7313	83.0669	
	S	116.267	94.989	85.112	92.349	104.795	97.858	
8	T	11.8206	16.6703	16.7399	11.4362	8.7144	82.8715	
	S	116.515	95.257	85.167	93.125	104.999	98.089	
9	T	11.8640	16.6352	16.5540	11.4809	8.7449	82.7666	
	S	116.088	95.457	86.123	92.763	104.632	98.214	
10	T	11.8099	16.5809	16.5738	11.5273	8.6945	82.6131	
	S	116.620	95.770	86.020	92.389	105.239	98.396	
11	T	11.8138	16.5475	16.4463	11.4546	8.6982	82.3599	
	S	116.582	95.963	86.687	92.976	105.194	98.699	
12	T	11.8204	16.6375	16.4649	11.4659	8.6228	82.4132	
	S	116.517	95.444	86.589	92.884	106.114	98.635	
13	T	11.8409	16.5743	16.3000	11.4645	8.6472	82.2738	
	S	116.315	95.808	87.465	92.895	105.815	98.802	
14	T	11.8040	16.6149	16.3410	11.4405	8.6682	82.2923	
	S	116.678	95.574	87.246	93.090	105.558	98.780	
15	T	11.7954	16.5463	16.3250	11.3967	8.6328	82.0629	
	S	116.764	95.970	87.331	93.448	105.991	99.056	
16	T	13.9721	17.9670	18.0656	12.0448	10.1754	91.5638	
	S	98.573	88.382	78.917	88.420	89.923	88.777	
17	T	20.9696	28.5639	27.3111	17.0352	18.2785	144.2426	
	S	65.679	55.593	52.202	62.518	50.059	56.355	
18	T	12.4205	16.9885	16.8283	11.7346	8.8707	85.3568	
	S	110.887	93.472	84.719	90.757	103.149	95.233	
19	T	11.9956	16.8887	16.6453	11.6107	8.7468	83.2927	
	S	114.815	94.025	85.651	91.726	104.610	97.593	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 22 - Ming, Calvin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5278	7.2634	4.6148	8.3657	8.3292	2.8356	7.0280	5.0745	4.3160	5.1950	6.2798	3.4197	5.3086	5.4430	4.7190
	S	113.842	110.298	124.845	74.085	116.239	135.133	99.634	75.646	79.145	98.171	88.379	111.254	100.694	75.911	94.637
21	T	4.5148	7.2315	4.5954	8.3524	8.2995	2.8119	7.0507	5.0745	4.4118	5.2492	6.3571	3.4345	5.3084	5.3731	4.7854
	S	114.170	110.784	125.372	74.203	116.655	136.271	99.313	75.646	77.427	97.158	87.304	110.774	100.698	76.898	93.324
22	T	5.2730	8.8481	5.8887	9.2622	9.1543	3.2597									
	S	97.754	90.543	97.838	66.914	105.763	117.551									

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 22 - Ming, Calvin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.8782	16.6949	16.4185	11.4748	8.7283	82.7201	
	S	115.950	95.116	86.834	92.812	104.831	98.269	
21	T	11.8269	16.6519	16.5370	11.6063	8.7429	82.8502	
	S	116.453	95.362	86.212	91.761	104.656	98.114	
22	T	14.7368	18.4165					
	S	93.458	86.225					

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 23 - Kohl, Lucas

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.6516	8.2113	4.9166	9.0360	8.4352	2.8562	7.7261	5.4085	4.6667	5.4300	6.5533	3.5205	5.6044	5.5498	4.8481
	S	91.205	97.565	117.182	68.589	114.779	134.158	90.631	70.974	73.198	93.923	84.690	108.068	95.380	74.450	92.117
2	T	4.6161	7.3439	4.7475	8.5872	8.4308	2.8754	7.2628	5.2847	4.5271	5.2393	6.4272	3.5013	5.4103	5.5589	4.8474
	S	111.665	109.089	121.356	72.174	114.839	133.262	96.413	72.637	75.455	97.341	86.352	108.661	98.801	74.328	92.130
3	T	4.6115	7.2802	4.6842	8.3719	8.4267	2.8777	7.1939	5.2924	4.5422	5.2281	6.4132	3.4934	5.3169	5.3813	4.7962
	S	111.776	110.043	122.996	74.030	114.895	133.156	97.336	72.531	75.204	97.550	86.540	108.907	100.537	76.781	93.113
4	T	4.5646	7.2727	4.6797	8.4812	8.4224	2.8762	7.6251	5.2606	4.5619	5.2601	6.4158	3.4655	5.3926	5.4033	4.7997
	S	112.924	110.157	123.114	73.076	114.953	133.225	91.832	72.970	74.879	96.956	86.505	109.783	99.126	76.468	93.046
5	T	4.5628	7.3244	4.7210	8.4854	8.4191	2.8693	7.6943	5.2029	4.5111	5.2534	6.3389	3.4494	5.3029	5.4858	4.9004
	S	112.969	109.379	122.037	73.040	114.998	133.545	91.006	73.779	75.722	97.080	87.555	110.296	100.802	75.318	91.134
6	T	4.6214	7.2315	4.6831	8.3381	8.4202	2.8816	7.0973	5.1002	4.4518	5.1780	6.3403	3.4690	5.2724	5.3660	4.7476
	S	111.536	110.784	123.025	74.330	114.983	132.975	98.661	75.264	76.731	98.494	87.535	109.673	101.386	77.000	94.067
7	T	4.5517	7.1621	4.6730	8.3538	8.4016	2.8803	7.0678	5.1021	4.4576	5.1986	6.3191	3.4635	5.2483	5.3595	4.7432
	S	113.244	111.858	123.290	74.191	115.238	133.035	99.073	75.236	76.631	98.103	87.829	109.847	101.851	77.093	94.154
8	T	4.5594	7.1864	4.6720	8.3018	8.4140	2.8873	7.1258	5.1148	4.4033	5.1700	6.3375	3.4675	5.2416	5.3240	4.7475
	S	113.053	111.480	123.317	74.655	115.068	132.713	98.266	75.050	77.576	98.646	87.574	109.720	101.981	77.607	94.069
9	T	4.5673	7.1498	4.6348	8.3209	8.4165	2.8856	7.0370	5.0839	4.3683	5.2091	6.3384	3.4573	5.2369	5.2832	4.7645
	S	112.858	112.050	124.307	74.484	115.034	132.791	99.507	75.506	78.198	97.906	87.562	110.044	102.073	78.207	93.733
10	T	4.5565	7.2060	4.6861	8.2574	8.3524	2.8778	7.0292	5.1055	4.4065	5.1783	6.3106	3.4570	5.2352	5.3441	4.7567
	S	113.125	111.176	122.946	75.057	115.917	133.151	99.617	75.186	77.520	98.488	87.947	110.053	102.106	77.316	93.887
11	T	4.5558	7.2337	4.7001	8.3361	8.4227	2.8769	7.4286	5.1049	4.4527	5.2189	6.3298	3.4591	5.2962	5.3552	4.7458
	S	113.142	110.751	122.580	74.348	114.949	133.193	94.261	75.195	76.715	97.722	87.680	109.987	100.930	77.155	94.102
12	T	4.5337	7.2259	4.6836	8.2699	8.3496	2.8580	7.0452	5.0984	4.4129	5.2418	6.3084	3.4576	5.3131	5.3487	4.7482
	S	113.694	110.870	123.011	74.943	115.955	134.073	99.391	75.291	77.407	97.295	87.978	110.034	100.609	77.249	94.055
13	T	4.5540	7.1967	4.6762	8.3071	8.4032	2.8750	7.0916	5.0561	4.3799	5.2005	6.3671	3.5747	5.4139	5.4747	4.8026
	S	113.187	111.320	123.206	74.608	115.216	133.281	98.740	75.921	77.991	98.067	87.167	106.430	98.736	75.471	92.989
14	T	4.5787	7.2606	4.6756	8.2704	8.4215	2.8993	7.1373	5.0537	4.3924	5.1640	6.3322	3.4586	5.2714	5.3492	4.7717
	S	112.577	110.340	123.222	74.939	114.965	132.164	98.108	75.957	77.769	98.761	87.647	110.002	101.405	77.242	93.592
15	T	4.5550	7.1778	4.6826	8.2657	8.4145	2.8953	7.0756	5.0438	4.4659	5.2007	6.3273	3.4450	5.2600	5.3885	4.7695
	S	113.162	111.613	123.038	74.981	115.061	132.346	98.964	76.106	76.489	98.064	87.715	110.437	101.625	76.678	93.635
16	T	4.6540	7.5091	4.9907	8.6305	8.6116	2.9467	7.7017	5.4413	4.5451	5.3656	6.5375	3.7976	6.4452	5.8845	5.3903
	S	110.755	106.689	115.442	71.812	112.428	130.038	90.919	70.546	75.156	95.050	84.895	100.183	82.937	70.215	82.851
17	T	6.6920	11.2834	10.0682	11.9618	16.2185	8.0165	14.2229	6.1198	6.9490	7.4674	9.2115	7.1086	10.9530	8.7815	8.6693
	S	77.025	71.001	57.223	51.813	59.696	47.799	49.232	62.725	49.157	68.297	60.251	53.520	48.804	47.051	51.514
18	T	5.4461	7.6028	4.8530	8.4892	8.3130	2.8139	7.2590	5.2762	4.5639	5.2662	6.6084	3.4996	5.3328	5.4475	4.7901
	S	94.647	105.374	118.718	73.007	116.466	136.175	96.463	72.754	74.846	96.844	83.984	108.714	100.237	75.848	93.232
19	T	4.5250	7.3710	4.7118	8.4147	8.3188	2.8434	7.1447	5.1404	4.4888	5.2232	6.5549	3.5365	5.8140	5.8357	4.7780
	S	113.913	108.688	122.275	73.654	116.385	134.762	98.007	74.676	76.098	97.641	84.669	107.579	91.941	70.802	93.468

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 23 - Kohl, Lucas

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.1279	17.4712	17.8013	11.9833	9.1249	88.4143	157.8205
	S	104.912	90.890	80.089	88.874	100.275	91.940	48.244
2	T	12.0914	17.0180	17.0746	11.6665	8.9116	84.6599	
	S	113.905	93.310	83.497	91.287	102.675	96.017	
3	T	11.9644	16.7986	17.0285	11.6413	8.8103	83.9098	
	S	115.114	94.529	83.723	91.485	103.856	96.875	
4	T	11.9524	16.9036	17.4476	11.6759	8.8581	84.4814	
	S	115.230	93.942	81.712	91.214	103.295	96.220	
5	T	12.0454	16.9045	17.4083	11.5923	8.7523	84.5211	
	S	114.340	93.937	81.897	91.871	104.544	96.175	
6	T	11.9146	16.7583	16.6493	11.5183	8.7414	83.1985	
	S	115.595	94.756	85.630	92.462	104.674	97.704	
7	T	11.8351	16.7554	16.6275	11.5177	8.7118	82.9822	
	S	116.372	94.773	85.742	92.466	105.030	97.958	
8	T	11.8584	16.7158	16.6439	11.5075	8.7091	82.9529	
	S	116.143	94.997	85.658	92.548	105.063	97.993	
9	T	11.7846	16.7374	16.4892	11.5475	8.6942	82.7535	
	S	116.871	94.875	86.462	92.228	105.243	98.229	
10	T	11.8921	16.6098	16.5412	11.4889	8.6922	82.7593	
	S	115.814	95.603	86.190	92.698	105.267	98.222	
11	T	11.9338	16.7588	16.9862	11.5487	8.7553	83.5165	
	S	115.409	94.753	83.932	92.218	104.508	97.332	
12	T	11.9095	16.6195	16.5565	11.5502	8.7707	82.8950	
	S	115.645	95.548	86.110	92.206	104.325	98.061	
13	T	11.8729	16.7103	16.5276	11.5676	8.9886	83.3733	
	S	116.001	95.028	86.261	92.067	101.796	97.499	
14	T	11.9362	16.6919	16.5834	11.4962	8.7300	83.0366	
	S	115.386	95.133	85.970	92.639	104.811	97.894	
15	T	11.8604	16.6802	16.5853	11.5280	8.7050	82.9672	
	S	116.124	95.200	85.961	92.384	105.112	97.976	
16	T	12.4998	17.2421	17.6881	11.9031	10.2428	88.4514	
	S	110.184	92.098	80.601	89.472	89.331	91.901	
17	T	21.3516	28.1803	27.2917	16.6789	18.0616	143.7234	
	S	64.504	56.350	52.239	63.853	50.660	56.559	
18	T	12.4558	16.8022	17.0991	11.8746	8.8324	85.5617	
	S	110.573	94.509	83.378	89.687	103.596	95.005	
19	T	12.0828	16.7335	16.7739	11.7781	9.3505	84.7009	
	S	113.986	94.897	84.994	90.422	97.856	95.971	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 23 - Kohl, Lucas

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5173	7.5782	4.7525	8.5183	8.4311	2.8681	7.2504	5.1431	4.3603	5.3995	6.3700	3.4650	5.3119	5.4185	4.7870
	S	114.107	105.716	121.228	72.758	114.835	133.601	96.578	74.637	78.341	94.453	87.127	109.799	100.632	76.254	93.292
21	T	4.5499	7.2405	4.6777	8.2967	8.4340	2.8856	7.0960	5.0741	4.4143	5.1807	6.3415	3.4534	5.3293	5.3634	4.7995
	S	113.289	110.647	123.167	74.701	114.795	132.791	98.679	75.652	77.383	98.442	87.519	110.168	100.303	77.037	93.049
22	T	4.8152	8.5904	6.4834	9.0826	10.3271										
	S	107.047	93.259	88.863	68.237	93.752										

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 23 - Kohl, Lucas

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.3307	16.9494	16.7538	11.7695	8.7769	84.1712	
	S	111.695	93.688	85.096	90.488	104.251	96.575	
21	T	11.9182	16.7307	16.5844	11.5222	8.7827	83.1366	
	S	115.560	94.913	85.965	92.430	104.182	97.776	
22	T	15.0738	19.4097					
	S	91.369	81.812					

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 27 - Kaminsky, Colin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7683	8.2657	5.1347	9.3840	8.5528	2.8894	7.7953	5.5302	4.9471	5.6435	6.8904	3.5561	5.9765	5.8839	4.8930
	S	89.360	96.923	112.204	66.046	113.201	132.616	89.827	69.412	69.049	90.369	80.547	106.986	89.441	70.222	91.271
2	T	4.7661	7.7869	4.7948	8.6693	8.4998	2.8500	7.4057	5.9735	4.6663	5.3481	6.4607	3.5055	5.4220	5.5487	4.8068
	S	108.150	102.883	120.159	71.491	113.906	134.450	94.552	64.261	73.204	95.361	85.904	108.531	98.588	74.465	92.908
3	T	4.6313	7.3097	4.7201	8.3926	8.4791	2.8797	7.3104	5.3741	4.6671	5.3090	6.4921	3.5061	5.3941	5.5686	4.7567
	S	111.298	109.599	122.060	73.848	114.185	133.063	95.785	71.428	73.191	96.063	85.489	108.512	99.098	74.199	93.887
4	T	4.5628	7.2648	4.7366	8.3365	8.4880	2.8791	7.2465	5.2209	4.5104	5.2756	6.4304	3.4966	5.2378	5.6565	4.7235
	S	112.969	110.276	121.635	74.344	114.065	133.091	96.630	73.524	75.734	96.671	86.309	108.807	102.055	73.045	94.547
5	T	4.5863	7.1988	4.7377	8.3060	8.5134	2.9009	7.1985	5.1919	4.4689	5.2526	6.3792	3.4833	5.3195	5.5415	4.7721
	S	112.390	111.287	121.607	74.617	113.724	132.091	97.274	73.935	76.437	97.095	87.002	109.222	100.488	74.561	93.584
6	T	4.6085	7.2223	4.6954	8.4080	8.4445	2.8635	7.2241	5.1537	4.4527	5.2260	6.3497	3.4621	5.3036	5.5491	4.8712
	S	111.849	110.925	122.702	73.712	114.652	133.816	96.929	74.483	76.715	97.589	87.406	109.891	100.789	74.459	91.680
7	T	4.6380	7.1952	4.7185	8.2057	8.5012	2.9117	7.0862	5.0443	4.4071	5.2124	6.3456	3.4777	5.2286	5.4576	4.7278
	S	111.137	111.343	122.102	75.530	113.888	131.601	98.816	76.098	77.509	97.844	87.462	109.398	102.235	75.708	94.461
8	T	4.5920	7.2126	4.7010	8.1806	8.4952	2.9053	7.0840	5.1006	4.4016	5.2114	6.3395	3.4764	5.1685	5.3859	4.7098
	S	112.251	111.075	122.556	75.761	113.968	131.891	98.846	75.259	77.606	97.862	87.546	109.439	103.424	76.715	94.822
9	T	4.5665	7.1526	4.6819	8.1560	8.4790	2.8910	7.0388	5.1072	4.4145	5.2246	6.3392	3.4696	5.1784	5.4182	4.7386
	S	112.877	112.006	123.056	75.990	114.186	132.543	99.481	75.161	77.379	97.615	87.550	109.654	103.226	76.258	94.245
10	T	4.5805	7.1600	4.7223	8.1978	8.4160	2.8657	7.1155	5.1654	4.4411	5.2125	6.3522	3.4789	5.2509	5.5039	4.7641
	S	112.532	111.891	122.003	75.602	115.041	133.713	98.409	74.314	76.916	97.842	87.371	109.361	101.801	75.071	93.741
11	T	4.5724	7.2360	4.6973	8.2246	8.4220	2.8554	7.0402	5.1963	4.5886	5.2742	6.4264	3.4626	5.2676	5.5749	4.7703
	S	112.732	110.715	122.653	75.356	114.959	134.195	99.461	73.872	74.443	96.697	86.363	109.875	101.478	74.115	93.619
12	T	4.5910	7.2540	4.6767	8.2873	8.3710	2.8292	6.9784	5.1028	4.4718	5.2254	6.3674	3.4546	5.1792	5.4781	4.7279
	S	112.275	110.441	123.193	74.786	115.659	135.438	100.342	75.226	76.388	97.600	87.163	110.130	103.210	75.424	94.459
13	T	4.5447	9.4260	6.8334	8.5064	8.5011	2.9053	7.2315	5.1805	4.4326	5.2198	6.3420	3.4729	5.2106	5.4212	4.7396
	S	113.419	84.992	84.312	72.860	113.889	131.891	96.830	74.098	77.063	97.705	87.512	109.550	102.588	76.216	94.225
14	T	4.5870	7.3039	4.7247	8.2090	8.5101	2.9158	7.0963	5.1570	4.4371	5.2315	6.3590	3.4853	5.2536	5.4462	4.8083
	S	112.373	109.686	121.941	75.499	113.769	131.416	98.675	74.435	76.985	97.486	87.278	109.160	101.748	75.866	92.879
15	T	4.6034	7.1800	4.7180	8.1556	8.5089	2.9168	7.0865	5.1155	4.5401	5.2428	6.3499	3.4733	5.3783	5.6374	5.0422
	S	111.973	111.579	122.115	75.994	113.785	131.371	98.811	75.039	75.239	97.276	87.403	109.537	99.389	73.293	88.571
16	T	5.2040	7.9413	4.9697	8.9217	8.9347	2.9995	8.1795	5.7610	4.6150	5.3780	6.6202	3.5618	5.6092		
	S	99.050	100.882	115.930	69.468	108.362	127.749	85.608	66.631	74.018	94.831	83.834	106.815	95.298		
17	T			5.1578	8.9139	8.6406	2.9576	7.5540	5.4809	4.5663	5.5194	7.8570	7.1636	10.2639	7.1538	6.0356
	S			111.702	69.529	112.050	129.558	92.696	70.037	74.807	92.401	70.638	53.109	52.080	57.757	73.993
18	T	5.0503	8.5044	5.0105	8.7921	8.3971	2.8186	7.6779	5.4016	4.6434	5.2993	6.6029	3.4903	5.5849	5.6123	4.8550
	S	102.064	94.203	114.986	70.492	115.300	135.948	91.200	71.065	73.565	96.239	84.054	109.003	95.713	73.621	91.986
19	T	4.6254	7.3325	4.7409	8.5170	8.5021	2.8953	7.1275	5.1919	4.4989	5.2574	6.4035	3.4587	5.3179	5.6270	4.7603
	S	111.440	109.258	121.525	72.769	113.876	132.346	98.243	73.935	75.928	97.006	86.671	109.999	100.518	73.428	93.816

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 27 - Kaminsky, Colin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	13.4004	17.9368	18.2726	12.5339	9.5326	91.1109		147.9775	
	S	102.778	88.531	78.023	84.970	95.986	89.219		51.453	
2	T	12.5817	17.1691	18.0455	11.8088	8.9275	86.5042			
	S	109.466	92.489	79.005	90.187	102.492	93.970			
3	T	12.0298	16.8717	17.3516	11.8011	8.9002	84.7907			
	S	114.488	94.119	82.164	90.246	102.807	95.869			
4	T	12.0014	16.8245	16.9778	11.7060	8.7344	84.0660			
	S	114.759	94.383	83.973	90.979	104.758	96.695			
5	T	11.9365	16.8194	16.8593	11.6318	8.8028	83.8506			
	S	115.383	94.412	84.564	91.559	103.944	96.944			
6	T	11.9177	16.8525	16.8305	11.5757	8.7657	83.8344			
	S	115.565	94.227	84.708	92.003	104.384	96.963			
7	T	11.9137	16.7069	16.5376	11.5580	8.7063	83.1576			
	S	115.604	95.048	86.209	92.144	105.096	97.752			
8	T	11.9136	16.6758	16.5862	11.5509	8.6449	82.9644			
	S	115.605	95.225	85.956	92.201	105.843	97.979			
9	T	11.8345	16.6350	16.5605	11.5638	8.6480	82.8561			
	S	116.378	95.459	86.089	92.098	105.805	98.107			
10	T	11.8823	16.6138	16.7220	11.5647	8.7298	83.2268			
	S	115.910	95.580	85.258	92.091	104.813	97.670			
11	T	11.9333	16.6466	16.8251	11.7006	8.7302	83.6088			
	S	115.414	95.392	84.735	91.021	104.809	97.224			
12	T	11.9307	16.6583	16.5530	11.5928	8.6338	82.9948			
	S	115.439	95.325	86.128	91.867	105.979	97.943			
13	T	16.2594	17.0075	16.8446	11.5618	8.6835	87.9676			
	S	84.706	93.368	84.637	92.114	105.372	92.407			
14	T	12.0286	16.7191	16.6904	11.5905	8.7389	83.5248			
	S	114.500	94.978	85.419	91.886	104.704	97.322			
15	T	11.8980	16.6645	16.7421	11.5927	8.8516	83.9487			
	S	115.757	95.290	85.155	91.868	103.371	96.831			
16	T	12.9110	17.8564	18.5555	11.9982	9.1710	95.9295	39.2911		84.9144
	S	106.674	88.929	76.833	88.763	99.771	84.737	22.854		90.476
17	T		17.5545	17.6012	13.3764	17.4275	125.1537		96.8777	
	S		90.459	80.999	79.618	52.503	64.951		78.593	
18	T	13.5149	17.1892	17.7229	11.9022	9.0752	87.7406			
	S	101.908	92.381	80.443	89.479	100.824	92.646			
19	T	12.0734	17.0191	16.8183	11.6609	8.7766	84.2563			
	S	114.075	93.304	84.770	91.331	104.254	96.477			

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 3 - Askew, Oliver (R)

Table with columns: Lap, T/SF to I1, I1 to I2A, I2A to I2, I2 to I3A, I3A to I3, I3 to I4, I4 to I5A, I5A to I5B, I5B to I5, I5 to I6A, I6A to I6, I6 to I7A, I7A to I7, I7 to I8, I8 to SF. Rows include lap data for laps 20, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18.

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 3 - Askew, Oliver (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
20	T	12.1291	16.8833	28.9985	19.3774	17.0050	125.2066			112.4175
	S	113.551	94.055	49.164	54.961	53.808	64.923			68.341
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF		
1	T	13.2424	17.7148	17.9021	12.0165	9.1795	88.8100	158.8878		
	S	104.005	89.640	79.638	88.628	99.679	91.530	47.920		
2	T	12.4041	16.8327	17.5496	11.7829	8.9883	85.1611			
	S	111.034	94.337	81.237	90.385	101.799	95.452			
3	T	12.0545	16.6870	17.2038	11.7827	8.8723	84.0910			
	S	114.254	95.161	82.870	90.387	103.130	96.667			
4	T	11.9761	16.6917	17.0042	11.6338	8.9164	83.8003			
	S	115.002	95.134	83.843	91.544	102.620	97.002			
5	T	12.0125	16.6924	16.6561	11.5396	8.7534	83.1319			
	S	114.653	95.130	85.595	92.291	104.531	97.782			
6	T	11.8974	16.6791	16.6098	11.4979	8.7786	82.9026			
	S	115.762	95.206	85.834	92.626	104.231	98.052			
7	T	11.8336	16.5858	16.4936	11.4698	8.7117	82.5320			
	S	116.387	95.742	86.438	92.853	105.031	98.493			
8	T	11.8353	16.6124	16.5039	11.4429	8.6713	82.5234			
	S	116.370	95.589	86.385	93.071	105.521	98.503			
9	T	11.8305	16.5478	16.3659	11.5158	8.6348	82.3399			
	S	116.417	95.962	87.113	92.482	105.967	98.722			
10	T	11.8984	16.5396	16.6636	11.5410	8.7940	83.0038			
	S	115.753	96.009	85.557	92.280	104.048	97.933			
11	T	11.9371	16.7487	16.6264	11.6031	8.7563	83.2457			
	S	115.377	94.811	85.748	91.786	104.496	97.648			
12	T	11.9625	16.7066	16.4490	11.4736	8.6982	82.8853			
	S	115.133	95.050	86.673	92.822	105.194	98.073			
13	T	11.8385	16.6047	16.4924	11.5165	8.7003	82.6068			
	S	116.338	95.633	86.445	92.476	105.169	98.404			
14	T	11.8281	16.6069	16.2899	11.4256	8.6341	82.2559			
	S	116.441	95.620	87.519	93.212	105.975	98.823			
15	T	11.7595	16.5671	16.2979	11.4559	8.6510	82.1676			
	S	117.120	95.850	87.476	92.965	105.768	98.930			
16	T	14.3358	17.7108	18.0875	12.0030	10.5033	92.0211			
	S	96.072	89.660	78.821	88.728	87.115	88.336			
17	T	20.8261	28.5299	27.2485	16.8399	18.7166	144.5923			
	S	66.132	55.659	52.321	63.243	48.887	56.219			
18	T	12.3364	16.8482	17.0208	11.7223	9.0466	85.3055			
	S	111.643	94.251	83.761	90.852	101.143	95.290			

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 3 - Askew, Oliver (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
19	T	4.5327	7.3636	4.6979	8.3691	8.3977	2.8408	7.1034	5.1855	4.3931	5.2217	6.3788	3.4657	5.2566	5.2286	4.7671
	S	113.719	108.797	122.637	74.055	115.291	134.885	98.576	74.026	77.756	97.669	87.007	109.777	101.690	79.023	93.682
20	T	4.5299	7.2574	4.6673	8.2040	8.3612	2.8443	7.0079	5.1217	4.3857	5.1682	6.3047	3.4517	5.2433	5.4727	4.7179
	S	113.789	110.389	123.441	75.545	115.795	134.719	99.920	74.948	77.887	98.680	88.030	110.222	101.948	75.499	94.659
21	T	4.5272	7.2985	4.6667	8.2112	8.4111	2.8556	6.9825	5.0997	4.3925	5.1842	6.3255	3.4589	5.2981	5.2825	4.8300
	S	113.857	109.767	123.457	75.479	115.108	134.186	100.283	75.272	77.767	98.376	87.740	109.993	100.894	78.217	92.462
22	T	5.2318	9.0966	6.1614	10.3268	11.1983										
	S	98.523	88.070	93.507	60.016	86.458										

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 3 - Askew, Oliver (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
19	T	12.0615	16.7668	16.6820	11.6005	8.7223	83.2023	
	S	114.188	94.708	85.462	91.806	104.904	97.699	
20	T	11.9247	16.5652	16.5153	11.4729	8.6950	82.7379	
	S	115.497	95.861	86.325	92.827	105.233	98.248	
21	T	11.9652	16.6223	16.4747	11.5097	8.7570	82.8242	
	S	115.107	95.532	86.538	92.531	104.488	98.145	
22	T	15.2580	21.5251					
	S	90.266	73.772					

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 36 - Keane, Darren (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.5682	8.4231	4.9206	9.1604	8.5599	2.8743	7.7540	5.6602	5.0044	5.5582	6.7811	3.5102	6.0419	5.7578	4.8971
	S	92.571	95.112	117.087	67.658	113.107	133.313	90.305	67.818	68.258	91.756	81.845	108.385	88.473	71.760	91.195
2	T	4.6057	7.4586	4.7833	8.5162	8.4385	2.8579	7.5193	5.4357	4.8015	5.3385	6.4598	3.4746	5.5666	5.5549	4.9015
	S	111.917	107.411	120.447	72.776	114.734	134.078	93.124	70.619	71.143	95.532	85.916	109.496	96.027	74.382	91.113
3	T	4.5817	7.3816	4.7410	8.9792	8.4481	2.8372	7.4955	5.3703	4.6161	5.3467	6.4426	3.4806	5.3681	5.5139	4.7897
	S	112.503	108.532	121.522	69.023	114.603	135.056	93.420	71.479	74.000	95.386	86.145	109.307	99.578	74.935	93.240
4	T	4.5397	7.2330	4.6615	8.4052	8.3600	2.8244	7.3631	5.2045	4.5242	5.2521	6.3691	3.4802	5.2601	5.4541	4.8285
	S	113.544	110.761	123.595	73.737	115.811	135.668	95.100	73.756	75.503	97.104	87.139	109.320	101.623	75.756	92.491
5	T	4.5627	7.1931	4.6740	8.5403	8.4334	2.8671	7.2471	5.1592	4.4607	5.2271	6.2907	3.4593	5.2265	5.4152	4.8005
	S	112.971	111.376	123.264	72.570	114.803	133.648	96.622	74.404	76.578	97.568	88.225	109.980	102.276	76.300	93.030
6	T	4.5817	7.2337	4.6304	8.4170	8.4558	2.8857	7.1251	5.0728	4.4515	5.1778	6.3103	3.4676	5.1975	5.4247	4.8010
	S	112.503	110.751	124.425	73.633	114.499	132.786	98.276	75.671	76.736	98.497	87.951	109.717	102.847	76.167	93.020
7	T	4.5946	7.2040	4.6728	8.3852	8.4158	2.8758	7.2258	5.0826	4.4398	5.2166	6.3486	3.4509	5.4999	5.5329	4.7799
	S	112.187	111.207	123.296	73.913	115.043	133.244	96.907	75.525	76.938	97.765	87.421	110.248	97.192	74.677	93.431
8	T	4.5416	7.2847	4.7385	8.4523	8.4414	2.8697	7.1590	5.1182	4.4429	5.1863	6.2700	3.4614	5.1536	5.4300	4.7577
	S	113.496	109.975	121.586	73.326	114.694	133.527	97.811	75.000	76.885	98.336	88.517	109.913	103.723	76.092	93.867
9	T	4.5493	7.1854	4.6361	8.3828	8.4207	2.8613	7.1276	5.0794	4.4312	5.1943	6.3862	3.4618	5.3400	5.6159	4.8125
	S	113.304	111.495	124.272	73.934	114.976	133.919	98.242	75.573	77.088	98.185	86.906	109.901	100.102	73.574	92.798
10	T	4.5567	7.2883	4.6907	8.4866	8.3137	2.8027	7.3614	5.1773	4.4741	5.2066	6.3733	3.4542	5.3154	5.4916	4.7685
	S	113.120	109.921	122.825	73.030	116.456	136.719	95.121	74.144	76.349	97.953	87.082	110.143	100.565	75.239	93.654
11	T	4.5532	7.2191	4.6535	8.3552	8.3641	2.8258	7.0912	5.2532	4.6222	5.3195	6.3909	3.4477	5.3477	5.4020	4.8097
	S	113.207	110.975	123.807	74.178	115.754	135.601	98.746	73.072	73.902	95.874	86.842	110.350	99.958	76.487	92.852
12	T	4.5491	7.2666	4.6817	8.3263	8.3924	2.8508	6.9490	5.1118	4.4319	5.1556	6.3165	3.4243	5.3487	5.4667	4.8149
	S	113.309	110.249	123.061	74.436	115.364	134.412	100.767	75.094	77.076	98.922	87.865	111.104	99.939	75.582	92.752
13	T	4.5577	7.3260	4.6757	8.3686	8.3323	2.8322	7.1230	5.1727	4.4864	5.1780	6.3230	3.4232	5.3696	5.4533	4.7907
	S	113.095	109.355	123.219	74.059	116.196	135.295	98.305	74.210	76.139	98.494	87.775	111.140	99.550	75.767	93.220
14	T	4.5657	7.3185	4.6743	8.4244	8.4011	2.8533	7.0446	5.1182	4.4122	5.1723	6.3606	3.4488	5.1888	5.3805	4.7838
	S	112.897	109.467	123.256	73.569	115.245	134.294	99.399	75.000	77.420	98.602	87.256	110.315	103.019	76.792	93.355
15	T	4.5589	7.2328	4.6470	8.2869	8.3533	2.8397	7.0184	5.0233	5.2904	5.3649	6.4114	3.4771	5.3806	5.4055	4.7905
	S	113.066	110.764	123.980	74.789	115.904	134.937	99.770	42.541	64.568	95.062	86.565	109.417	99.347	76.437	93.224
16	T	4.6809	7.4521	4.7430	8.3683	8.5148	3.1994	8.1459	5.3908	4.7165	5.6327	6.7314	3.5247	5.5542	5.6082	4.7886
	S	110.119	107.505	121.471	74.062	113.706	119.767	85.961	71.207	72.425	90.543	82.449	107.940	96.242	73.675	93.261
17	T	4.6931	8.5600	10.0340	11.1043	16.6952	7.9332	14.3810	6.0784	4.9713	7.5722	9.4092	7.3200	10.3277	7.8005	7.4975
	S	109.832	93.591	57.418	55.814	57.992	48.301	48.691	63.152	68.713	67.352	58.985	51.975	51.758	52.969	59.565
18	T	5.8895	8.4152	5.4695	8.8943	8.4353	2.8564	7.6329	5.2462	4.7061	5.2189	6.4988	3.4800	5.7507		
	S	87.521	95.201	105.336	69.682	114.777	134.149	91.738	73.170	72.585	97.722	85.400	109.326	92.953		
19	T			4.9449	8.4626	8.4874	2.8978	7.2726	5.1887	4.5366	5.2799	6.3550	3.4830	5.2363	5.4132	4.8023
	S			116.511	73.237	114.073	132.232	96.283	73.981	75.297	96.593	87.333	109.232	102.085	76.329	92.995

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 36 - Keane, Darren (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	13.3437	17.7203	18.4186	12.3393	9.5521	90.4714		150.8384
	S	103.215	89.612	77.404	86.310	95.790	89.849		50.477
2	T	12.2419	16.9547	17.7565	11.7983	9.0412	85.7126		
	S	112.505	93.659	80.291	90.267	101.203	94.838		
3	T	12.1226	17.4273	17.4819	11.7893	8.8487	85.3923		
	S	113.612	91.119	81.552	90.336	103.405	95.194		
4	T	11.8945	16.7652	17.0918	11.6212	8.7403	83.7597		
	S	115.791	94.717	83.413	91.643	104.687	97.049		
5	T	11.8671	16.9737	16.8670	11.5178	8.6858	83.5569		
	S	116.058	93.554	84.525	92.466	105.344	97.285		
6	T	11.8641	16.8728	16.6494	11.4881	8.6651	83.2326		
	S	116.087	94.113	85.630	92.705	105.596	97.664		
7	T	11.8768	16.8010	16.7482	11.5652	8.9508	83.7252		
	S	115.963	94.515	85.124	92.087	102.225	97.089		
8	T	12.0232	16.8937	16.7201	11.4563	8.6150	83.3073		
	S	114.551	93.997	85.268	92.962	106.210	97.576		
9	T	11.8215	16.8035	16.6382	11.5805	8.8018	83.4845		
	S	116.506	94.501	85.687	91.965	103.956	97.369		
10	T	11.9790	16.8003	17.0128	11.5799	8.7696	83.7611		
	S	114.974	94.519	83.801	91.970	104.338	97.047		
11	T	11.8726	16.7193	16.9666	11.7104	8.7954	83.6550		
	S	116.004	94.977	84.029	90.945	104.032	97.171		
12	T	11.9483	16.7187	16.4927	11.4721	8.7730	83.0863		
	S	115.269	94.981	86.443	92.834	104.297	97.836		
13	T	12.0017	16.7009	16.7821	11.5010	8.7928	83.4124		
	S	114.756	95.082	84.953	92.601	104.062	97.453		
14	T	11.9928	16.8255	16.5750	11.5329	8.6376	83.1471		
	S	114.842	94.378	86.014	92.345	105.932	97.764		
15	T	11.8798	16.6402	21.3321	11.7763	8.8577	88.0807		
	S	115.934	95.429	66.833	90.436	103.300	92.288		
16	T	12.1951	16.8831	18.2532	12.3641	9.0789	87.0515		
	S	112.937	94.056	78.106	86.136	100.783	93.379		
17	T	18.5940	27.7995	25.4307	16.9814	17.6477	134.3776		
	S	74.071	57.122	56.061	62.716	51.848	60.492		
18	T	13.8847	17.3296	17.5852	11.7177	9.2307	97.4754	25.8667	86.1161
	S	99.194	91.632	81.073	90.888	99.126	83.393	34.715	89.214
19	T		16.9500	16.9979	11.6349	8.7193	95.7711		81.2637
	S		93.685	83.874	91.535	104.940	84.877		93.693

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 36 - Keane, Darren (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5905	7.2107	4.6939	8.3194	8.4569	2.8989	7.0806	5.1368	4.4313	5.1643	6.3332	3.4710	5.2142	5.4702	4.7636
	S	112.287	111.104	122.742	74.497	114.484	132.182	98.894	74.728	77.086	98.755	87.633	109.609	102.517	75.533	93.751
21	T	4.5740	7.2291	4.6532	8.2965	8.4248	2.8867	7.0736	5.1603	4.4326	5.1688	6.2163	3.4372	5.1972	5.4470	4.7574
	S	112.692	110.821	123.815	74.703	114.920	132.740	98.992	74.388	77.063	98.669	89.281	110.687	102.853	75.855	93.873
22	T	4.6001	7.4244	5.1021												
	S	112.053	107.906	112.921												

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 36 - Keane, Darren (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
20	T	11.9046	16.7763	16.6487	11.4975	8.6852	83.2355			
	S	115.692	94.655	85.633	92.629	105.352	97.660			
21	T	11.8823	16.7213	16.6665	11.3851	8.6344	82.9547			
	S	115.910	94.966	85.542	93.543	105.971	97.991			
22	T	12.5265								
	S	109.949								

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 37 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.8303	8.2149	4.9531	9.6901	8.5057	2.8594	8.2017	5.4835	4.9555	5.7015	6.7039	3.5240	5.9008	6.1697	4.8939
	S	88.410	97.522	116.318	63.959	113.827	134.008	85.376	70.003	68.932	89.450	82.788	107.961	90.589	66.970	91.255
2	T	4.6521	7.5155	4.9047	8.9658	8.4214	2.8760	7.4257	5.7658	4.6119	5.3193	6.4858	3.5151	5.4806	5.5799	4.8502
	S	110.800	106.598	117.466	69.126	114.967	133.234	94.298	66.576	74.067	95.877	85.572	108.234	97.534	74.048	92.077
3	T	4.6479	7.3282	4.7276	8.4751	8.4590	2.8782	7.2397	5.4345	4.6198	5.2661	6.4568	3.5109	5.4711	5.6801	4.8285
	S	110.901	109.322	121.867	73.129	114.456	133.132	96.720	70.635	73.941	96.846	85.956	108.364	97.703	72.742	92.491
4	T	4.6203	7.2582	4.6872	8.4884	8.4637	2.8887	7.2086	5.1671	4.5441	5.2809	6.3337	3.4729	5.3383	5.5560	4.8572
	S	111.563	110.377	122.917	73.014	114.392	132.649	97.138	74.290	75.172	96.574	87.627	109.550	100.134	74.367	91.944
5	T	4.6203	7.2161	4.6781	8.3844	8.4772	2.8985	7.1167	5.1269	4.5386	5.2599	6.3780	3.4787	5.3668	5.7473	4.7647
	S	111.563	111.021	123.156	73.920	114.210	132.200	98.392	74.872	75.263	96.960	87.018	109.367	99.602	71.891	93.729
6	T	4.6086	7.2199	4.6901	8.3865	8.4751	2.9022	7.0794	5.1452	4.5469	5.2077	6.3111	3.4866	5.2890	5.6321	4.7756
	S	111.846	110.962	122.841	73.901	114.238	132.031	98.911	74.606	75.126	97.932	87.940	109.119	101.067	73.362	93.515
7	T	4.5908	7.1728	4.6653	8.3698	8.4685	2.8922	7.0650	5.1103	4.5252	5.2030	6.2930	3.4923	5.3152	5.5262	4.7927
	S	112.280	111.691	123.494	74.049	114.327	132.488	99.112	75.116	75.486	98.020	88.193	108.941	100.569	74.768	93.181
8	T	4.5820	7.2197	4.6576	8.2586	8.4488	2.8818	7.0938	5.1344	4.4952	5.1986	6.3091	3.4682	5.2694	5.4806	4.8695
	S	112.496	110.965	123.698	75.046	114.594	132.966	98.710	74.763	75.990	98.103	87.968	109.698	101.443	75.390	91.712
9	T	4.6017	7.2216	4.6465	8.3600	8.4196	2.8794	7.0154	5.0861	4.4703	5.1894	6.2908	3.4569	5.2297	5.4986	4.7830
	S	112.014	110.936	123.994	74.135	114.991	133.077	99.813	75.473	76.413	98.277	88.224	110.057	102.213	75.143	93.370
10	T	4.5827	7.1887	4.6812	8.3392	8.4197	2.8719	6.9906	5.1133	4.4867	5.2159	6.3017	3.4880	5.2956	5.5188	4.8010
	S	112.478	111.444	123.075	74.320	114.990	133.424	100.167	75.072	76.134	97.778	88.071	109.075	100.941	74.868	93.020
11	T	4.6054	7.2215	4.6618	8.3256	8.4533	2.8986	7.0194	5.0893	4.5134	5.2202	6.3598	3.4886	5.2623	5.5021	4.7563
	S	111.924	110.938	123.587	74.442	114.533	132.195	99.756	75.426	75.684	97.697	87.267	109.057	101.580	75.095	93.895
12	T	4.5980	7.2025	4.6523	8.3246	8.4946	2.8907	6.9566	5.0984	4.5037	5.1972	6.3400	3.4876	5.2426	5.5499	4.7884
	S	112.104	111.230	123.839	74.451	113.976	132.557	100.657	75.291	75.847	98.130	87.539	109.088	101.962	74.449	93.265
13	T	4.6059	7.1932	4.6974	8.3784	8.4468	2.8946	7.0961	5.1013	4.4433	5.2002	6.3567	3.4918	5.2959	5.5516	4.8090
	S	111.912	111.374	122.650	73.973	114.621	132.378	98.678	75.248	76.878	98.073	87.309	108.957	100.936	74.426	92.866
14	T	4.6060	7.2289	4.6499	8.3542	8.4950	2.9178	7.0406	5.0904	4.5485	5.1856	6.3728	3.4848	5.3056	5.5719	4.7678
	S	111.909	110.824	123.903	74.187	113.971	131.326	99.456	75.409	75.100	98.349	87.089	109.175	100.751	74.155	93.668
15	T	4.5961	7.1932	4.6784	8.3699	8.4945	2.9181	7.0529	5.2411	4.5541	5.2560	6.3468	3.4806	5.3324	5.5670	4.8180
	S	112.150	111.374	123.148	74.048	113.977	131.312	99.282	73.241	75.007	97.032	87.446	109.307	100.245	74.220	92.692
16	T	4.6396	7.4254	4.7488	8.4086	8.9349	3.2257	8.0949	5.5022	4.6867	5.4104	6.5147	3.5148	5.4636	5.5485	4.8333
	S	111.099	107.891	121.323	73.707	108.360	118.790	86.502	69.765	72.885	94.263	85.192	108.244	97.838	74.467	92.399
17	T	4.6154	9.2683	9.8853	11.3461	16.4551	7.9953	14.5514	6.0651	4.9378	7.5876	9.5027	7.2367	10.2116	8.0187	7.5044
	S	111.681	86.438	58.282	54.624	58.838	47.926	48.121	63.291	69.179	67.215	58.404	52.573	52.347	51.527	59.511
18	T	5.5400	7.9569	4.8100	8.8679	8.3505	2.8209	7.7383	5.4131	4.6084	5.3112	6.4804	3.4743	5.4923	5.5782	4.8388
	S	93.042	100.684	119.779	69.889	115.943	135.837	90.489	70.914	74.124	96.023	85.643	109.505	97.326	74.071	92.294
19	T	4.5904	7.4823	4.7864	8.8258	8.3313	2.8164	7.5207	5.2464	4.5600	5.2443	6.3423	3.4468	5.4220	5.5117	4.7723
	S	112.290	107.071	120.369	70.223	116.210	136.054	93.107	73.167	74.910	97.248	87.508	110.379	98.588	74.964	93.580

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 37 - Abel, Jacob (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.1680	18.1958	18.6407	12.4054	9.4248	91.5880	145.8198
	S	104.592	87.270	76.482	85.850	97.084	88.754	52.214
2	T	12.4202	17.3872	17.8034	11.8051	8.9957	86.3698	
	S	110.890	91.329	80.079	90.215	101.715	94.116	
3	T	12.0558	16.9341	17.2940	11.7229	8.9820	85.0235	
	S	114.242	93.773	82.438	90.848	101.870	95.607	
4	T	11.9454	16.9521	16.9198	11.6146	8.8112	84.1653	
	S	115.297	93.673	84.261	91.695	103.845	96.581	
5	T	11.8942	16.8616	16.7822	11.6379	8.8455	84.0522	
	S	115.794	94.176	84.952	91.511	103.442	96.711	
6	T	11.9100	16.8616	16.7715	11.5188	8.7756	83.7560	
	S	115.640	94.176	85.006	92.458	104.266	97.053	
7	T	11.8381	16.8383	16.7005	11.4960	8.8075	83.4823	
	S	116.342	94.306	85.368	92.641	103.889	97.372	
8	T	11.8773	16.7074	16.7234	11.5077	8.7376	83.3673	
	S	115.958	95.045	85.251	92.547	104.720	97.506	
9	T	11.8681	16.7796	16.5718	11.4802	8.6866	83.1490	
	S	116.048	94.636	86.031	92.768	105.335	97.762	
10	T	11.8699	16.7589	16.5906	11.5176	8.7836	83.2950	
	S	116.031	94.753	85.933	92.467	104.171	97.590	
11	T	11.8833	16.7789	16.6221	11.5800	8.7509	83.3776	
	S	115.900	94.640	85.770	91.969	104.561	97.494	
12	T	11.8548	16.8192	16.5587	11.5372	8.7302	83.3271	
	S	116.178	94.413	86.099	92.310	104.809	97.553	
13	T	11.8906	16.8252	16.6407	11.5569	8.7877	83.5622	
	S	115.829	94.380	85.674	92.153	104.123	97.278	
14	T	11.8788	16.8492	16.6795	11.5584	8.7904	83.6198	
	S	115.944	94.245	85.475	92.141	104.091	97.211	
15	T	11.8716	16.8644	16.8481	11.6028	8.8130	83.8991	
	S	116.014	94.160	84.620	91.788	103.824	96.888	
16	T	12.1742	17.3435	18.2838	11.9251	8.9784	86.9521	
	S	113.130	91.559	77.975	89.307	101.911	93.486	
17	T	19.1536	27.8012	25.5543	17.0903	17.4483	135.1815	
	S	71.907	57.118	55.790	62.316	52.441	60.132	
18	T	12.7669	17.2184	17.7598	11.7916	8.9666	87.2812	
	S	107.878	92.224	80.276	90.319	102.045	93.133	
19	T	12.2687	17.1571	17.3271	11.5866	8.8688	84.8991	
	S	112.259	92.554	82.280	91.917	103.171	95.747	

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 37 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5916	7.4490	4.7357	8.5374	8.4044	2.8597	7.1432	5.1389	4.5062	5.2048	6.4678	3.5996	5.4665	5.5570	4.7440
	S	112.260	107.550	121.658	72.595	115.199	133.994	98.027	74.698	75.805	97.986	85.810	105.694	97.786	74.353	94.138
21	T	4.5954	7.2143	4.6385	8.4123	8.4647	2.8930	7.1291	5.0195	4.5014	5.2186	6.3526	3.4907	5.3757	5.5660	4.8539
	S	112.168	111.048	124.207	73.675	114.379	132.451	98.221	76.474	75.885	97.727	87.366	108.991	99.437	74.233	92.007
22	T	5.0783	8.8060	6.4599	9.3494											
	S	101.501	90.976	89.187	66.290											

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 37 - Abel, Jacob (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.1847	16.9418	16.7883	11.6726	9.0661	84.4058	
	S	113.033	93.730	84.921	91.239	100.925	96.306	
21	T	11.8528	16.8770	16.6500	11.5712	8.8664	83.7257	
	S	116.198	94.090	85.627	92.039	103.199	97.088	
22	T	15.2659						
	S	90.219						

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.6226	8.3946	5.0734	9.1534	8.4262	2.8360	7.7161	5.5019	5.0465	5.7282	6.8410	3.5623	5.8042	5.9107	5.3254
	S	91.675	95.435	113.560	67.710	114.901	135.113	90.749	69.769	67.689	89.033	81.128	106.800	92.096	69.904	83.861
2	T	4.8412	7.7636	4.8067	8.6500	8.4090	2.8336	7.5176	5.2922	4.5857	5.2918	6.5076	3.6299	5.4711	5.4454	4.9118
	S	106.472	103.191	119.861	71.650	115.136	135.228	93.145	72.534	74.490	96.376	85.285	104.811	97.703	75.877	90.922
3	T	4.6368	7.2704	4.6873	8.4016	8.4225	2.8428	7.5684	5.3056	4.6004	5.2707	6.5773	3.5315	5.4113	5.4714	4.8667
	S	111.166	110.192	122.914	73.768	114.952	134.790	92.520	72.351	74.252	96.761	84.381	107.732	98.783	75.517	91.765
4	T	4.6225	7.2374	4.6866	8.3362	8.4162	2.8585	7.2466	5.2376	4.4776	5.2629	6.3874	3.5293	5.3562	5.3857	4.8761
	S	111.510	110.694	122.933	74.347	115.038	134.050	96.628	73.290	76.289	96.905	86.890	107.799	99.799	76.718	91.588
5	T	4.6040	7.1675	4.6730	8.3471	8.4407	2.8730	7.2124	5.1266	4.4422	5.2725	6.4344	3.5241	5.4895	5.7019	4.8873
	S	111.958	111.773	123.290	74.250	114.704	133.373	97.087	74.877	76.897	96.728	86.255	107.958	97.376	72.464	91.378
6	T	4.6540	7.3328	4.7167	8.3735	8.5128	2.9080	7.2250	5.0965	4.4103	5.2360	6.2721	3.5076	5.2326	6.2569	5.0231
	S	110.755	109.254	122.148	74.016	113.732	131.768	96.917	75.319	77.453	97.403	88.487	108.466	102.157	66.036	88.907
7	T	4.6533	7.1777	4.6363	8.3262	8.4336	2.8689	7.2317	5.1043	4.4765	5.2514	6.3979	3.5389	5.3156	5.3551	4.8794
	S	110.772	111.615	124.266	74.436	114.801	133.564	96.827	75.204	76.308	97.117	86.747	107.506	100.562	77.157	91.526
8	T	4.6091	7.1106	4.6418	8.2426	8.4856	2.8913	7.1400	5.1022	4.4743	5.2263	6.4527	3.5368	5.2933	5.3524	4.8224
	S	111.834	112.668	124.119	75.191	114.097	132.529	98.071	75.235	76.345	97.583	86.011	107.570	100.985	77.196	92.608
9	T	4.5786	7.0970	4.6434	8.2494	8.5007	2.8958	7.1373	5.0520	4.3509	5.2143	6.3770	3.5222	5.2932	5.4157	4.8918
	S	112.579	112.884	124.076	75.129	113.894	132.323	98.108	75.983	78.510	97.808	87.032	108.016	100.987	76.293	91.294
10	T	4.6204	7.0991	4.6800	8.2302	8.4574	2.8864	7.0360	5.0930	4.3415	5.2596	6.2994	3.5010	5.2359	5.4630	4.8385
	S	111.561	112.850	123.106	75.305	114.477	132.754	99.521	75.371	78.680	96.966	88.104	108.670	102.092	75.633	92.299
11	T	4.5980	7.1368	4.6908	8.3252	8.5241	2.9071	7.0910	5.0781	4.3557	5.2068	6.2897	3.5034	5.2389	5.3549	4.8261
	S	112.104	112.254	122.823	74.445	113.582	131.809	98.749	75.592	78.424	97.949	88.240	108.596	102.034	77.160	92.537
12	T	4.5882	7.1818	4.6799	8.2202	8.4529	2.8689	7.0544	5.0512	4.4186	5.2197	6.2714	3.4982	5.2006	5.2441	4.8595
	S	112.344	111.551	123.109	75.396	114.538	133.564	99.261	75.995	77.307	97.707	88.497	108.757	102.785	78.790	91.901
13	T	4.5847	7.1855	4.6709	8.2590	8.4649	2.8767	7.0469	5.0486	4.3581	5.2378	6.3164	3.4960	5.1747	5.3961	4.8721
	S	112.429	111.493	123.346	75.042	114.376	133.202	99.367	76.034	78.381	97.369	87.867	108.826	103.300	76.570	91.663
14	T	4.5829	7.2304	4.6594	8.2998	8.4129	2.8614	7.1002	5.0950	4.3948	5.2250	6.4028	3.5179	5.1905	5.3044	4.9515
	S	112.473	110.801	123.650	74.673	115.083	133.914	98.621	75.341	77.726	97.608	86.681	108.148	102.985	77.894	90.193
15	T	4.5905	7.1520	4.6430	8.1785	8.4237	2.8772	7.0815	5.2289	4.3443	5.2154	6.2788	3.5155	5.2598	5.4165	4.9349
	S	112.287	112.016	124.087	75.781	114.935	133.179	98.881	73.412	78.630	97.787	88.393	108.222	101.628	76.282	90.496
16	T	5.0955	7.6716	4.9690	9.1579	9.4719	3.1510	8.1717	5.3877	4.5590	5.2907	6.4962	3.5260	5.4825	5.4720	4.8559
	S	101.159	104.429	115.946	67.676	102.216	121.606	85.689	71.248	74.927	96.396	85.435	107.900	97.500	75.508	91.969
17	T	4.7426	9.3203	10.1436	11.2464	16.9264	7.7971	14.6925	5.8863	5.1373	7.7009	9.5674	7.1850	10.2280	8.0412	7.8215
	S	108.686	85.956	56.798	55.109	57.200	49.144	47.659	65.213	66.492	66.226	58.009	52.951	52.263	51.383	57.098
18	T	5.4633	7.8490	4.8246	8.5190	8.4307	2.8527	7.2465	5.2330	4.6450	5.3342	6.6059	3.5212	5.5122	5.4182	4.8725
	S	94.349	102.069	119.416	72.752	114.840	134.323	96.630	73.354	73.539	95.609	84.016	108.047	96.975	76.258	91.655
19	T	4.6151	7.3416	4.7369	8.4009	8.4384	2.8763	7.1201	5.1646	4.4209	5.2614	6.3593	3.4826	5.3941	5.5259	4.8038
	S	111.689	109.123	121.627	73.775	114.735	133.220	98.345	74.326	77.267	96.932	87.274	109.244	99.098	74.772	92.966

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.4680	17.5796	18.2645	12.5692	9.3665	90.9425	148.9354
	S	102.263	90.329	78.058	84.731	97.689	89.384	51.122
2	T	12.5703	17.0590	17.3955	11.7994	9.1010	85.9572	
	S	109.566	93.086	81.957	90.259	100.538	94.568	
3	T	11.9577	16.8241	17.4744	11.8480	8.9428	84.8647	
	S	115.179	94.386	81.587	89.889	102.317	95.785	
4	T	11.9240	16.7524	16.9618	11.6503	8.8855	83.9168	
	S	115.504	94.790	84.053	91.414	102.977	96.867	
5	T	11.8405	16.7878	16.7812	11.7069	9.0136	84.1962	
	S	116.319	94.590	84.957	90.972	101.513	96.546	
6	T	12.0495	16.8863	16.7318	11.5081	8.7402	84.7579	
	S	114.301	94.038	85.208	92.544	104.689	95.906	
7	T	11.8140	16.7598	16.8125	11.6493	8.8545	83.6468	
	S	116.580	94.748	84.799	91.422	103.337	97.180	
8	T	11.7524	16.7282	16.7165	11.6790	8.8301	83.3814	
	S	117.191	94.927	85.286	91.189	103.623	97.489	
9	T	11.7404	16.7501	16.5402	11.5913	8.8154	83.2193	
	S	117.311	94.803	86.195	91.879	103.796	97.679	
10	T	11.7791	16.6876	16.4705	11.5590	8.7369	83.0414	
	S	116.925	95.158	86.560	92.136	104.728	97.889	
11	T	11.8276	16.8493	16.5248	11.4965	8.7423	83.1266	
	S	116.446	94.245	86.275	92.637	104.664	97.788	
12	T	11.8617	16.6731	16.5242	11.4911	8.6988	82.8096	
	S	116.111	95.241	86.278	92.680	105.187	98.163	
13	T	11.8564	16.7239	16.4536	11.5542	8.6707	82.9884	
	S	116.163	94.951	86.649	92.174	105.528	97.951	
14	T	11.8898	16.7127	16.5900	11.6278	8.7084	83.2289	
	S	115.836	95.015	85.936	91.591	105.071	97.668	
15	T	11.7950	16.6022	16.6547	11.4942	8.7753	83.1405	
	S	116.768	95.647	85.602	92.655	104.270	97.772	
16	T	12.6406	18.6298	18.1184	11.7869	9.0085	88.7586	
	S	108.956	85.237	78.687	90.355	101.571	91.583	
17	T	19.4639	28.1728	25.7161	17.2683	17.4130	136.4365	
	S	70.760	56.365	55.439	61.674	52.547	59.579	
18	T	12.6736	16.9497	17.1245	11.9401	9.0334	86.3280	
	S	108.673	93.686	83.254	89.195	101.291	94.162	
19	T	12.0785	16.8393	16.7056	11.6207	8.8767	83.9419	
	S	114.027	94.301	85.342	91.647	103.079	96.838	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5650	7.3022	4.6798	8.5504	8.4495	2.8661	7.4087	5.1526	4.4457	5.3090	6.5597	3.4884	5.3654	5.5241	4.8715
	S	112.914	109.712	123.111	72.485	114.585	133.695	94.514	74.499	76.836	96.063	84.608	109.063	99.628	74.796	91.674
21	T	4.6029	7.2279	4.6578	8.3223	8.3612	2.8467	7.3932	5.2592	4.4309	5.2407	6.3471	3.4916	5.3226	5.3460	4.8371
	S	111.985	110.839	123.693	74.471	115.795	134.606	94.712	72.989	77.093	97.315	87.442	108.963	100.429	77.288	92.326
22	T	4.7531	7.8393	6.5043	9.5694	9.8347										
	S	108.446	102.195	88.578	64.766	98.445										

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.9820	16.9999	17.0070	11.8687	8.8538	84.5381	
	S	114.945	93.410	83.829	89.732	103.345	96.155	
21	T	11.8857	16.6835	17.0833	11.5878	8.8142	83.6872	
	S	115.876	95.181	83.455	91.907	103.810	97.133	
22	T	14.3436	19.4041					
	S	96.020	81.836					

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 79 - Malukas, David (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.6211	8.3473	5.0216	9.2544	8.3897	2.8568	7.8335	5.6911	4.9151	5.3958	6.6376	3.4751	5.7297	5.8243	4.8326
	S	91.700	95.976	114.732	66.971	115.401	134.130	89.389	67.450	69.498	94.518	83.615	109.480	93.294	70.941	92.412
2	T	4.5489	7.5625	4.7646	8.5294	8.3668	2.8252	7.1674	5.2601	4.5459	5.2266	6.4432	3.4376	5.4908	5.6426	4.7893
	S	113.314	105.935	120.920	72.663	115.717	135.630	97.696	72.976	75.143	97.578	86.137	110.674	97.353	73.225	93.248
3	T	4.5574	7.4098	4.7015	8.4273	8.2748	2.7946	7.4600	5.3255	4.5795	5.2056	6.3566	3.4749	5.3532	5.5032	4.7569
	S	113.103	108.118	122.543	73.543	117.004	137.115	93.864	72.080	74.591	97.971	87.311	109.486	99.855	75.080	93.883
4	T	4.5122	7.3062	4.6706	8.3612	8.2592	2.8083	7.4090	5.3122	4.5648	5.2051	6.4323	3.4469	5.3997	5.4337	4.7970
	S	114.236	109.652	123.354	74.125	117.225	136.446	94.510	72.261	74.832	97.981	86.283	110.376	98.995	76.041	93.098
5	T	4.5345	7.2110	4.6300	8.3402	8.3047	2.7964	7.2619	5.2709	4.4826	5.1922	6.4107	3.4320	5.3267	5.6121	4.7833
	S	113.674	111.099	124.435	74.311	116.582	137.027	96.425	72.827	76.204	98.224	86.574	110.855	100.352	73.623	93.365
6	T	4.5365	7.3246	4.6473	8.3898	8.3243	2.8098	7.1963	5.1309	4.5095	5.1519	6.3364	3.4175	5.3314	5.5284	4.7861
	S	113.624	109.376	123.972	73.872	116.308	136.373	97.304	74.814	75.749	98.993	87.589	111.325	100.264	74.738	93.310
7	T	4.5307	7.2041	4.6183	8.3341	8.3035	2.8037	7.2417	5.1589	4.5313	5.1744	6.3455	3.4339	5.3089	5.4410	4.7872
	S	113.769	111.206	124.751	74.366	116.599	136.670	96.694	74.408	75.385	98.562	87.464	110.794	100.689	75.939	93.289
8	T	4.5561	7.7952	5.6717	8.3471	8.3365	2.8115	7.5752	5.1249	4.5053	5.1554	6.3591	3.4321	5.2753	5.4986	4.7814
	S	113.135	102.773	101.581	74.250	116.138	136.291	92.437	74.902	75.820	98.925	87.277	110.852	101.330	75.143	93.402
9	T	4.5635	7.2539	4.6238	8.2929	8.3059	2.8191	7.5406	5.1948	4.4792	5.1308	6.7317	3.4915	5.3180	5.5861	4.7882
	S	112.952	110.442	124.602	74.735	116.566	135.923	92.861	73.894	76.262	99.400	82.446	108.966	100.516	73.966	93.269
10	T	4.5669	7.2083	4.6313	8.5854	8.3155	2.8343	7.3103	5.1934	4.5123	5.1522	6.3561	3.4359	5.2901	5.4012	4.7729
	S	112.867	111.141	124.401	72.189	116.431	135.195	95.786	73.914	75.702	98.987	87.318	110.729	101.046	76.498	93.568
11	T	4.5362	7.1574	4.6264	8.3445	8.3429	2.8635	7.3038	5.1668	4.4800	5.1604	6.3799	3.4334	5.2311	5.4316	4.7742
	S	113.631	111.931	124.532	74.273	116.049	133.816	95.872	74.294	76.248	98.830	86.992	110.810	102.186	76.070	93.543
12	T	4.5322	7.1694	4.6209	8.3547	8.3166	2.8095	7.1692	5.1130	4.5225	5.1552	6.2921	3.4399	5.1683	5.3035	4.7721
	S	113.732	111.744	124.681	74.183	116.416	136.388	97.672	75.076	75.531	98.929	88.206	110.600	103.428	77.907	93.584
13	T	4.5436	7.1264	4.6283	8.1866	8.4140	2.8798	7.0364	5.0918	4.3862	5.1295	6.2698	3.4362	5.1960	5.3498	4.7663
	S	113.446	112.418	124.481	75.706	115.068	133.058	99.515	75.389	77.879	99.425	88.520	110.720	102.876	77.233	93.698
14	T	4.5610	7.1344	4.6386	8.1927	8.4313	2.8964	7.0836	5.0889	4.3921	5.1325	6.3236	3.4313	5.1909	5.3270	4.7521
	S	113.013	112.292	124.205	75.649	114.832	132.296	98.852	75.432	77.774	99.367	87.766	110.878	102.977	77.564	93.978
15	T	4.5377	7.1627	4.6362	8.1464	8.4379	2.8992	7.0886	5.0730	4.3918	5.1411	6.3075	3.4322	5.1564	5.3072	4.7508
	S	113.594	111.848	124.269	76.079	114.742	132.168	98.782	75.668	77.779	99.201	87.990	110.849	103.666	77.853	94.003
16	T	4.6113	7.4320	4.7959	8.9140	9.1272	2.9577	7.3422	5.4921	4.8237	5.7712	7.0593	3.6297	6.0316	5.5564	4.7828
	S	111.781	107.796	120.131	69.528	106.077	129.554	95.370	69.894	70.815	88.370	78.620	104.817	88.624	74.361	93.374
17	T	5.1871	10.3403	10.0671	11.8256	16.2533	8.0459	14.2736	5.9827	6.8478	7.6294	9.0593	7.2887	10.8615	8.5871	8.7243
	S	99.372	77.477	57.230	52.409	59.568	47.624	49.058	64.162	49.883	66.847	61.263	52.198	49.215	48.117	51.189
18	T	5.4778	7.4407	4.8061	8.6476	8.3325	2.8157	7.1313	5.2279	4.6171	5.1450	6.8028	3.5036	5.3727	5.4521	4.7716
	S	94.099	107.669	119.876	71.670	116.193	136.088	98.191	73.426	73.984	99.125	81.584	108.590	99.493	75.784	93.594
19	T	4.4960	7.1968	4.5954	8.6319	8.2249	2.7785	7.1764	5.2524	4.5513	5.1784	6.4008	3.4320	5.4893	5.4196	4.7553
	S	114.647	111.318	125.372	71.800	117.714	137.910	97.574	73.083	75.053	98.486	86.708	110.855	97.380	76.238	93.914

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 79 - Malukas, David (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.3689	17.6441	18.4397	12.0334	9.2048	89.8257	153.8788
	S	103.021	89.999	77.316	88.504	99.405	90.495	49.480
2	T	12.3271	16.8962	16.9734	11.6698	8.9284	84.6009	
	S	111.727	93.983	83.995	91.261	102.482	96.084	
3	T	12.1113	16.7021	17.3650	11.5622	8.8281	84.1808	
	S	113.718	95.075	82.101	92.110	103.646	96.564	
4	T	11.9768	16.6204	17.2860	11.6374	8.8466	83.9184	
	S	114.995	95.542	82.476	91.515	103.430	96.866	
5	T	11.8410	16.6449	17.0154	11.6029	8.7587	83.5892	
	S	116.314	95.402	83.788	91.787	104.468	97.247	
6	T	11.9719	16.7141	16.8367	11.4883	8.7489	83.4207	
	S	115.042	95.007	84.677	92.703	104.585	97.443	
7	T	11.8224	16.6376	16.9319	11.5199	8.7428	83.2172	
	S	116.497	95.444	84.201	92.449	104.658	97.682	
8	T	13.4669	16.6836	17.2054	11.5145	8.7074	85.2254	
	S	102.271	95.181	82.862	92.492	105.083	95.380	
9	T	11.8777	16.5988	17.2146	11.8625	8.8095	84.1200	
	S	115.954	95.667	82.818	89.779	103.865	96.633	
10	T	11.8396	16.9009	17.0160	11.5083	8.7260	83.5661	
	S	116.328	93.957	83.785	92.542	104.859	97.274	
11	T	11.7838	16.6874	16.9506	11.5403	8.6645	83.2321	
	S	116.878	95.159	84.108	92.285	105.603	97.664	
12	T	11.7903	16.6713	16.8047	11.4473	8.6082	82.7391	
	S	116.814	95.251	84.838	93.035	106.294	98.246	
13	T	11.7547	16.6006	16.5144	11.3993	8.6322	82.4407	
	S	117.168	95.656	86.330	93.427	105.998	98.602	
14	T	11.7730	16.6240	16.5646	11.4561	8.6222	82.5764	
	S	116.986	95.522	86.068	92.964	106.121	98.440	
15	T	11.7989	16.5843	16.5534	11.4486	8.5886	82.4687	
	S	116.729	95.750	86.126	93.024	106.537	98.568	
16	T	12.2279	18.0412	17.6580	12.8305	9.6613	88.3271	
	S	112.634	88.018	80.739	83.005	94.708	92.031	
17	T	20.4074	28.0789	27.1041	16.6887	18.1502	140.9737	
	S	67.489	56.553	52.600	63.816	50.413	57.662	
18	T	12.2468	16.9801	16.9763	11.9478	8.8763	85.5445	
	S	112.460	93.519	83.981	89.138	103.083	95.024	
19	T	11.7922	16.8568	16.9801	11.5792	8.9213	83.5790	
	S	116.795	94.203	83.962	91.975	102.564	97.259	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 79 - Malukas, David (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5298	7.1753	4.6656	8.2476	8.3785	2.8645	7.0154	5.1127	4.4182	5.1271	6.2462	3.4342	5.2643	5.3968	4.7317
	S	113.792	111.652	123.486	75.146	115.556	133.769	99.813	75.080	77.314	99.471	88.854	110.784	101.542	76.561	94.383
21	T	4.5194	7.1173	4.6393	8.2437	8.4254	2.8718	7.0313	5.1429	4.4534	5.1536	6.3160	3.4292	5.3677	5.5342	4.7634
	S	114.054	112.562	124.186	75.181	114.912	133.429	99.587	74.640	76.703	98.960	87.872	110.946	99.586	74.660	93.755
22	T	5.3553	10.0753	7.0886	10.2240											
	S	96.251	79.515	81.276	60.619											

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 79 - Malukas, David (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.8409	16.6261	16.5463	11.3733	8.6985	82.6079	
	S	116.315	95.510	86.163	93.640	105.191	98.402	
21	T	11.7566	16.6691	16.6276	11.4696	8.7969	83.0086	
	S	117.149	95.263	85.742	92.854	104.014	97.927	
22	T	17.1639						
	S	80.242						

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 80 - Megennis, Robert

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7477	8.1332	5.0847	9.1973	8.6289	2.8931	7.8838	5.5675	4.9426	5.6753	6.9539	3.5801	5.7146	5.7795	4.8878
	S	89.680	98.502	113.308	67.386	112.202	132.447	88.818	68.947	69.112	89.863	79.811	106.269	93.540	71.491	91.368
2	T	4.6484	7.3311	4.7531	8.6035	8.4074	2.8477	7.4123	5.3539	4.8668	5.3092	6.5003	3.4781	5.6055	5.5576	4.8226
	S	110.889	109.279	121.213	72.037	115.158	134.558	94.468	71.698	70.188	96.060	85.381	109.386	95.361	74.345	92.604
3	T	4.6090	7.3310	4.6810	8.6402	8.5110	2.8864	7.2783	5.2934	4.4903	5.2850	6.3566	3.4755	5.4360	5.5913	4.8212
	S	111.837	109.281	123.080	71.731	113.757	132.754	96.208	72.517	76.073	96.500	87.311	109.468	98.334	73.897	92.631
4	T	4.5463	7.4038	4.6937	8.3880	8.3932	2.8512	7.2329	5.2219	4.4685	5.2668	6.2870	3.4676	5.3595	5.4615	4.8216
	S	113.379	108.206	122.747	73.888	115.353	134.393	96.811	73.510	76.444	96.833	88.277	109.717	99.738	75.654	92.623
5	T	4.5724	7.3116	4.6690	8.3815	8.4187	2.8583	7.1446	5.1430	4.3737	5.2362	6.2536	3.4477	5.2877	5.3742	4.8057
	S	112.732	109.571	123.396	73.945	115.004	134.059	98.008	74.638	78.101	97.399	88.749	110.350	101.092	76.882	92.929
6	T	4.5800	7.1734	4.6393	8.3792	8.3956	2.8468	7.0933	5.1349	4.4351	5.2412	6.3071	3.4454	5.3295	5.4575	4.7907
	S	112.545	111.682	124.186	73.966	115.320	134.601	98.717	74.756	77.020	97.306	87.996	110.424	100.299	75.709	93.220
7	T	4.5778	7.2893	4.6394	8.3848	8.3745	2.8344	7.1603	5.1385	4.3879	5.4413	6.4156	3.4921	5.7286	5.5059	4.7788
	S	112.599	109.906	124.183	73.916	115.611	135.190	97.793	74.703	77.848	93.728	86.508	108.947	93.312	75.043	93.453
8	T	4.5784	7.2056	4.6373	8.3107	8.4450	2.8612	7.0933	5.1458	4.3512	5.2092	6.2375	3.4339	5.2394	5.3936	4.7796
	S	112.584	111.182	124.240	74.575	114.646	133.923	98.717	74.597	78.505	97.904	88.978	110.794	102.024	76.606	93.437
9	T	4.5467	7.2382	4.6548	8.3481	8.3409	2.8217	7.2092	5.1435	4.4452	5.2756	6.4448	3.4847	5.5388	5.5675	4.8106
	S	113.369	110.682	123.773	74.241	116.076	135.798	97.130	74.631	76.845	96.671	86.116	109.179	96.509	74.213	92.835
10	T	4.5759	7.2358	4.6730	8.5616	8.4055	2.8704	7.2327	5.1343	4.3333	5.2449	6.3133	3.5175	5.3983	5.4422	4.7827
	S	112.646	110.718	123.290	72.390	115.184	133.494	96.814	74.765	78.829	97.237	87.910	108.160	99.021	75.922	93.376
11	T	4.5500	7.2764	4.6512	8.2853	8.3865	2.8466	7.1824	5.2282	4.6776	5.2944	6.3677	3.4823	5.2235	5.3663	4.7523
	S	113.287	110.101	123.868	74.804	115.445	134.610	97.492	73.422	73.027	96.328	87.159	109.254	102.335	76.996	93.974
12	T	4.5328	7.1427	4.5732	8.3623	8.3407	2.8093	6.9781	5.1175	4.4105	5.2094	6.3095	3.4741	5.3752	5.4450	4.7894
	S	113.717	112.162	125.981	74.115	116.079	136.398	100.346	75.010	77.449	97.900	87.963	109.512	99.447	75.883	93.246
13	T	4.5520	7.1905	4.6277	8.3996	8.3245	2.8502	7.0238	5.0607	4.3053	5.2057	6.1912	3.4274	5.2266	5.3134	4.8224
	S	113.237	111.416	124.497	73.786	116.305	134.440	99.694	75.852	79.342	97.970	89.643	111.004	102.274	77.762	92.608
14	T	4.5757	7.1682	4.6355	8.2807	8.3928	2.8540	7.1645	5.1517	4.4497	5.2268	6.3526	3.4633	5.2101	5.4090	4.7829
	S	112.650	111.763	124.288	74.845	115.359	134.261	97.736	74.512	76.767	97.574	87.366	109.853	102.598	76.388	93.372
15	T	4.5534	7.0982	4.6612	8.4020	8.4227	2.8677	7.0144	5.1502	4.3828	5.2531	6.2978	3.4445	5.2204	5.6138	4.8314
	S	113.202	112.865	123.603	73.765	114.949	133.620	99.827	74.534	77.939	97.086	88.126	110.453	102.395	73.601	92.435
16	T	4.7222	7.5778	4.8714	8.5363	8.5941	2.9031	7.4741	5.6640	4.7163	5.3672	6.6646	3.6053	5.7434	5.9009	4.9034
	S	109.156	105.721	118.269	72.604	112.657	131.991	93.687	67.773	72.428	95.022	83.276	105.526	93.071	70.020	91.078
17	T	5.1258	10.0662	10.2020	11.4713	16.4919	8.1731	14.5487	5.9115	6.1223	7.8851	8.7549	7.4100	10.4318	8.5299	8.3842
	S	100.561	79.587	56.473	54.028	58.707	46.883	48.130	64.935	55.795	64.679	63.393	51.343	51.242	48.439	53.266
18	T	5.4950	7.3937	4.7580	8.6351	8.3630	2.8298	7.1556	5.2401	4.5846	5.2948	6.5079	3.5076	5.4772	5.5274	4.7812
	S	93.804	108.354	121.088	71.774	115.770	135.410	97.857	73.255	74.508	96.321	85.281	108.466	97.595	74.752	93.406
19	T	4.5578	7.2183	4.6440	8.5275	8.3944	2.8564	7.0397	5.1890	4.4151	5.2320	6.3280	3.4618	5.6383	5.5332	4.8338
	S	113.093	110.987	124.060	72.679	115.337	134.149	99.468	73.976	77.369	97.477	87.705	109.901	94.806	74.673	92.389

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 80 - Megennis, Robert

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.2179	17.8262	18.3939	12.6292	9.2947	90.6700	150.0703
	S	104.198	89.080	77.508	84.328	98.443	89.653	50.735
2	T	12.0842	17.0109	17.6330	11.8095	9.0836	85.4975	
	S	113.973	93.349	80.853	90.182	100.731	95.076	
3	T	12.0120	17.1512	17.0620	11.6416	8.9115	84.6862	
	S	114.658	92.586	83.559	91.482	102.676	95.987	
4	T	12.0975	16.7812	16.9233	11.5538	8.8271	83.8635	
	S	113.848	94.627	84.244	92.177	103.658	96.929	
5	T	11.9806	16.8002	16.6613	11.4898	8.7354	83.2779	
	S	114.959	94.520	85.568	92.691	104.746	97.611	
6	T	11.8127	16.7748	16.6633	11.5483	8.7749	83.2490	
	S	116.593	94.663	85.558	92.221	104.275	97.644	
7	T	11.9287	16.7593	16.6867	11.8569	9.2207	84.1492	
	S	115.459	94.751	85.438	89.821	99.233	96.600	
8	T	11.8429	16.7557	16.5903	11.4467	8.6733	82.9217	
	S	116.295	94.771	85.935	93.040	105.496	98.030	
9	T	11.8930	16.6890	16.7979	11.7204	9.0235	83.8703	
	S	115.805	95.150	84.873	90.867	101.402	96.921	
10	T	11.9088	16.9671	16.7003	11.5582	8.9158	83.7214	
	S	115.652	93.590	85.369	92.142	102.627	97.093	
11	T	11.9276	16.6718	17.0882	11.6621	8.7058	83.5707	
	S	115.469	95.248	83.431	91.321	105.102	97.269	
12	T	11.7159	16.7030	16.5061	11.5189	8.8493	82.8697	
	S	117.556	95.070	86.373	92.457	103.398	98.091	
13	T	11.8182	16.7241	16.3898	11.3969	8.6540	82.5210	
	S	116.538	94.950	86.986	93.446	105.731	98.506	
14	T	11.8037	16.6735	16.7659	11.5794	8.6734	83.1175	
	S	116.681	95.238	85.035	91.974	105.495	97.799	
15	T	11.7594	16.8247	16.5474	11.5509	8.6649	83.2136	
	S	117.121	94.382	86.157	92.201	105.598	97.686	
16	T	12.4492	17.1304	17.8544	12.0318	9.3487	87.2441	
	S	110.631	92.698	79.850	88.515	97.875	93.173	
17	T	20.2682	27.9632	26.5825	16.6400	17.8418	139.5087	
	S	67.952	56.787	53.632	64.002	51.284	58.267	
18	T	12.1517	16.9981	16.9803	11.8027	8.9848	85.5510	
	S	113.340	93.420	83.961	90.234	101.839	95.017	
19	T	11.8623	16.9219	16.6438	11.5600	9.1001	83.8693	
	S	116.105	93.840	85.658	92.128	100.548	96.922	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 80 - Megennis, Robert

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5820	7.3346	4.7142	8.2569	8.4974	2.8987	7.0930	5.1259	4.3133	5.2049	6.1743	3.4674	5.2542	5.2822	4.8149
	S	112.496	109.227	122.213	75.061	113.939	132.191	98.721	74.887	79.195	97.985	89.889	109.723	101.737	78.222	92.752
21	T	4.5815	7.1810	4.6871	8.1929	8.5180	2.9107	7.0663	5.0816	4.3818	5.2542	6.3274	3.4983	5.2602	5.3174	4.7981
	S	112.508	111.563	122.920	75.648	113.663	131.646	99.094	75.540	77.957	97.065	87.714	108.754	101.621	77.704	93.077
22	T	5.0050	10.1761	6.9733	9.7007	9.1060										
	S	102.988	78.727	82.620	63.889	106.324										

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 80 - Megennis, Robert

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0488	16.7543	16.5322	11.3792	8.7216	83.0139	
	S	114.308	94.779	86.237	93.592	104.912	97.921	
21	T	11.8681	16.7109	16.5297	11.5816	8.7585	83.0565	
	S	116.048	95.025	86.250	91.956	104.470	97.871	
22	T	17.1494	18.8067					
	S	80.310	84.436					

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.5883	8.3460	4.9061	9.0472	8.3173	2.8098	7.8961	5.5183	4.6577	5.3540	6.5512	3.5172	5.6285	5.5845	4.8422
	S	92.238	95.990	117.433	68.504	116.406	136.373	88.680	69.562	73.339	95.256	84.717	108.170	94.971	73.987	92.229
2	T	4.5597	7.4212	4.7656	8.5447	8.3424	2.7785	7.3205	5.3136	4.5189	5.2806	6.4228	3.4972	5.3427	5.5587	4.7619
	S	113.046	107.952	120.895	72.533	116.056	137.910	95.653	72.242	75.592	96.580	86.411	108.788	100.052	74.331	93.784
3	T	4.5385	7.2985	4.6915	8.4414	8.3650	2.8330	7.2623	5.4135	4.5105	5.2884	6.3571	3.4965	5.3183	5.3800	4.8133
	S	113.574	109.767	122.804	73.421	115.742	135.257	96.419	70.909	75.732	96.437	87.304	108.810	100.511	76.800	92.783
4	T	4.5410	7.2347	4.6786	8.3371	8.3297	2.8160	7.2201	5.1708	4.4500	5.2876	6.3931	3.5038	5.2567	5.3422	4.7883
	S	113.511	110.735	123.143	74.339	116.232	136.073	96.983	74.237	76.762	96.452	86.812	108.583	101.688	77.343	93.267
5	T	4.5541	7.1712	4.6855	8.3040	8.4369	2.8829	7.1331	5.1763	4.3816	5.2291	6.2432	3.4693	5.1872	5.5538	4.8159
	S	113.185	111.716	122.962	74.635	114.756	132.915	98.166	74.158	77.960	97.531	88.897	109.663	103.051	74.396	92.733
6	T	4.5708	7.1614	4.6809	8.2719	8.4592	2.8895	7.1023	5.1359	4.3410	5.2326	6.2677	3.4696	5.1799	5.2356	4.7859
	S	112.771	111.869	123.082	74.925	114.453	132.612	98.592	74.741	78.689	97.466	88.549	109.654	103.196	78.918	93.314
7	T	4.5310	7.1346	4.6495	8.2225	8.4512	2.8937	7.0002	5.1204	4.3316	5.2223	6.2069	3.4682	5.0899	5.2606	4.8164
	S	113.762	112.289	123.914	75.375	114.561	132.419	100.030	74.968	78.860	97.658	89.417	109.698	105.021	78.543	92.723
8	T	4.5565	7.1076	4.6551	8.2315	8.4396	2.8957	7.0628	5.1042	4.3364	5.2036	6.2440	3.4772	5.0940	5.2066	4.7668
	S	113.125	112.715	123.765	75.293	114.719	132.328	99.143	75.205	78.773	98.009	88.885	109.414	104.936	79.357	93.688
9	T	4.5322	7.0098	4.6129	8.2050	8.4600	2.8954	7.0097	5.1262	4.2974	5.2012	6.2532	3.4706	5.1256	5.2469	4.8071
	S	113.732	114.288	124.897	75.536	114.442	132.342	99.894	74.883	79.488	98.054	88.755	109.622	104.289	78.748	92.902
10	T	4.5233	7.1497	4.7048	8.1592	8.3978	2.8834	6.9939	5.1490	4.3007	5.2006	6.2816	3.4944	5.1770	5.3073	4.8100
	S	113.955	112.052	122.457	75.960	115.290	132.892	100.120	74.551	79.427	98.066	88.353	108.875	103.254	77.852	92.846
11	T	4.5330	7.1473	4.6732	8.1686	8.4590	2.8898	7.0153	5.1195	4.3010	5.1959	6.2224	3.4623	5.1238	5.2224	4.8020
	S	113.712	112.089	123.285	75.873	114.456	132.598	99.814	74.981	79.421	98.154	89.194	109.885	104.326	79.117	93.001
12	T	4.5301	7.0684	4.6545	8.2521	8.4387	2.8849	6.9970	5.1164	4.3269	5.2128	6.2347	3.4707	5.1648	5.3178	4.7562
	S	113.784	113.341	123.781	75.105	114.731	132.823	100.075	75.026	78.946	97.836	89.018	109.619	103.498	77.698	93.897
13	T	4.5390	7.1327	4.6787	8.2135	8.4336	2.8926	7.0099	5.0485	4.3142	5.2178	6.1884	3.4694	5.1551	5.2664	4.7565
	S	113.561	112.319	123.140	75.458	114.801	132.470	99.891	76.035	79.178	97.742	89.684	109.660	103.693	78.456	93.891
14	T	4.5380	7.1050	4.6625	8.2583	8.4596	2.9021	7.0556	5.1034	4.3078	5.2036	6.2637	3.4738	5.1475	5.2277	4.7551
	S	113.586	112.757	123.568	75.048	114.448	132.036	99.244	75.217	79.296	98.009	88.606	109.521	103.846	79.037	93.918
15	T	4.5222	7.0734	4.6352	8.1720	8.4263	2.8939	6.9614	5.0882	4.3123	5.2089	6.2571	3.4755	5.0689	5.2022	4.7649
	S	113.983	113.260	124.296	75.841	114.900	132.410	100.587	75.442	79.213	97.909	88.699	109.468	105.456	79.424	93.725
16	T	4.5311	7.1185	4.7291	8.5015	9.0468	3.0136	8.1615	6.0057	5.9728	6.8493	7.6856	4.2038	6.8534	6.3178	5.8460
	S	113.759	112.543	121.828	72.902	107.019	127.151	85.796	63.917	57.191	74.460	72.213	90.503	77.997	65.400	76.393
17	T	6.9052	10.4567	9.9698	12.2481	16.6221	7.4123	13.5859	7.6415	5.0936	8.1150	10.1788	7.6468	11.2368	9.0155	8.8540
	S	74.647	76.615	57.788	50.602	58.247	51.695	51.541	50.234	67.063	62.847	54.525	49.753	47.571	45.830	50.439
18	T	5.4237	7.5550	4.7357	8.4577	8.3305	2.8061	7.2284	5.2798	4.5457	5.2684	6.3542	3.4807	5.3380	5.3576	4.7943
	S	95.037	106.041	121.658	73.279	116.221	136.553	96.872	72.704	75.146	96.804	87.344	109.304	100.140	77.121	93.150
19	T	4.5267	7.2676	4.6751	8.4207	8.3435	2.8360	7.1169	5.1488	4.4051	5.2362	6.2778	3.4393	5.2087	5.4094	4.7295
	S	113.870	110.234	123.235	73.601	116.040	135.113	98.389	74.554	77.544	97.399	88.407	110.620	102.626	76.382	94.427

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.2521	17.3645	18.0721	11.9052	9.1457	88.5644	154.6572
	S	103.929	91.448	78.889	89.457	100.047	91.784	49.231
2	T	12.1868	16.8871	17.1530	11.7034	8.8399	84.4290	
	S	113.013	94.034	83.116	90.999	103.508	96.280	
3	T	11.9900	16.8064	17.1863	11.6455	8.8148	84.0078	
	S	114.868	94.485	82.955	91.452	103.803	96.762	
4	T	11.9133	16.6668	16.8409	11.6807	8.7605	83.3497	
	S	115.608	95.277	84.656	91.176	104.446	97.526	
5	T	11.8567	16.7409	16.6910	11.4723	8.6565	83.2241	
	S	116.160	94.855	85.416	92.832	105.701	97.674	
6	T	11.8423	16.7311	16.5792	11.5003	8.6495	82.7842	
	S	116.301	94.910	85.992	92.606	105.786	98.193	
7	T	11.7841	16.6737	16.4522	11.4292	8.5581	82.3990	
	S	116.876	95.237	86.656	93.182	106.916	98.652	
8	T	11.7627	16.6711	16.5034	11.4476	8.5712	82.3816	
	S	117.088	95.252	86.387	93.033	106.753	98.673	
9	T	11.6227	16.6650	16.4333	11.4544	8.5962	82.2532	
	S	118.499	95.287	86.756	92.977	106.442	98.827	
10	T	11.8545	16.5570	16.4436	11.4822	8.6714	82.5327	
	S	116.181	95.908	86.701	92.752	105.519	98.492	
11	T	11.8205	16.6276	16.4358	11.4183	8.5861	82.3355	
	S	116.516	95.501	86.742	93.271	106.568	98.728	
12	T	11.7229	16.6908	16.4403	11.4475	8.6355	82.4260	
	S	117.486	95.140	86.719	93.033	105.958	98.619	
13	T	11.8114	16.6471	16.3726	11.4062	8.6245	82.3163	
	S	116.605	95.389	87.077	93.370	106.093	98.751	
14	T	11.7675	16.7179	16.4668	11.4673	8.6213	82.4637	
	S	117.040	94.985	86.579	92.873	106.132	98.574	
15	T	11.7086	16.5983	16.3619	11.4660	8.5444	82.0624	
	S	117.629	95.670	87.134	92.883	107.088	99.056	
16	T	11.8476	17.5483	20.1400	14.5349	11.0572	94.8365	
	S	116.249	90.491	70.789	73.272	82.752	85.714	
17	T	20.4265	28.8702	26.3210	18.2938	18.8836	144.9821	
	S	67.426	55.003	54.165	58.216	48.455	56.068	
18	T	12.2907	16.7882	17.0539	11.6226	8.8187	84.9558	
	S	112.058	94.588	83.599	91.632	103.757	95.683	
19	T	11.9427	16.7642	16.6708	11.5140	8.6480	83.0413	
	S	115.323	94.723	85.520	92.496	105.805	97.889	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5107	7.3093	4.7015	8.2694	8.3922	2.8590	6.9805	5.0963	4.3309	5.2036	6.2306	3.4415	5.2152	5.3930	4.7882
	S	114.274	109.605	122.543	74.948	115.367	134.027	100.312	75.322	78.873	98.009	89.076	110.549	102.498	76.614	93.269
21	T	4.5398	7.2306	4.6749	8.2670	8.3913	2.8584	6.9649	5.1136	4.3437	5.1973	6.2630	3.4502	5.2762	5.2558	4.7672
	S	113.541	110.798	123.240	74.969	115.379	134.055	100.537	75.067	78.641	98.128	88.616	110.270	101.313	78.614	93.680
22	T	5.0396	8.9689	5.5367	10.0621	9.4537	3.1307									
	S	102.281	89.324	104.058	61.595	102.413	122.395									

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0108	16.6616	16.4077	11.4342	8.6567	82.7219	
	S	114.670	95.306	86.891	93.142	105.698	98.267	
21	T	11.9055	16.6583	16.4222	11.4603	8.7264	82.5939	
	S	115.684	95.325	86.814	92.930	104.854	98.419	
22	T	14.5056	19.5158					
	S	94.948	81.368					

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7374	8.3473	5.0275	9.5434	8.5335	2.8379	7.6620	5.4523	4.8050	5.5507	7.0258	3.5629	5.8980	5.8841	4.9164
	S	89.841	95.976	114.597	64.943	113.457	135.023	91.390	70.404	71.091	91.880	78.995	106.782	90.632	70.220	90.837
2	T	4.7082	7.6659	4.8024	8.5638	8.4906	2.8874			5.3644	5.5751	6.6155	3.5809	5.5399	5.6319	4.8633
	S	109.480	104.506	119.968	72.371	114.030	132.708			63.677	91.478	83.894	106.246	96.490	73.365	91.829
3	T	4.7013	7.3373	4.7517	8.4388	8.5886	2.9481	7.1809	5.2230	4.4008	5.2999	6.2904	3.5088	5.4758	5.6573	4.8627
	S	109.641	109.187	121.248	73.443	112.729	129.976	97.512	73.495	77.620	96.228	88.230	108.429	97.620	73.035	91.840
4	T	4.6826	7.2867	4.7219	8.3651	8.5605	2.9368	7.2775	5.2548	4.3745	5.2742	6.3463	3.5112	5.2751	5.4090	4.7841
	S	110.079	109.945	122.014	74.090	113.099	130.476	96.218	73.050	78.087	96.697	87.453	108.355	101.334	76.388	93.349
5	T	4.6246	7.3388	4.7241	8.3212	8.5376	2.9214	7.1015	5.2154	4.3493	5.2223	6.2700	3.5189	5.1548	5.4152	4.7250
	S	111.459	109.164	121.957	74.481	113.402	131.164	98.603	73.602	78.539	97.658	88.517	108.117	103.699	76.300	94.517
6	T	4.5991	7.1230	4.6607	8.3087	8.5508	2.9268	7.0825	5.1113	4.3742	5.2538	6.2762	3.4931	5.2163	5.3035	4.7501
	S	112.077	112.472	123.616	74.593	113.227	130.922	98.867	75.101	78.092	97.073	88.429	108.916	102.476	77.907	94.017
7	T	4.6022	7.1707	4.6487	8.2875	8.5340	2.9224	7.0377	5.0823	4.3022	5.2291	6.1797	3.4853	5.1064	5.4315	4.7176
	S	112.002	111.724	123.935	74.784	113.450	131.119	99.497	75.530	79.399	97.531	89.810	109.160	104.681	76.071	94.665
8	T	4.5839	7.1045	4.6704	8.2377	8.4816	2.9228	7.0318	5.0334	4.3264	5.2025	6.2401	3.5043	5.1204	5.5383	4.7556
	S	112.449	112.765	123.359	75.236	114.151	131.101	99.580	76.263	78.955	98.030	88.941	108.568	104.395	74.604	93.908
9	T	4.6192	7.1659	4.6819	8.3279	8.4808	2.9158	7.0442	5.0797	4.3430	5.2193	6.1925	3.4874	5.1116	5.3427	4.8414
	S	111.590	111.798	123.056	74.421	114.162	131.416	99.405	75.568	78.653	97.714	89.625	109.094	104.575	77.336	92.244
10	T	4.6373	7.1686	4.6666	8.2564	8.5097	2.9202	7.0611	5.0857	4.2835	5.1945	6.2254	3.4741	5.0997	5.3358	4.7751
	S	111.154	111.756	123.460	75.066	113.774	131.218	99.167	75.479	79.746	98.181	89.151	109.512	104.819	77.436	93.525
11	T	4.6051	7.1034	4.6516	8.2378	8.5148	2.9177	6.9335	5.0128	4.3110	5.1998	6.2512	3.5065	5.0795	5.2918	4.7619
	S	111.931	112.782	123.858	75.235	113.706	131.330	100.992	76.577	79.237	98.081	88.783	108.500	105.236	78.080	93.784
12	T	4.6102	7.0923	4.6370	8.2333	8.5085	2.9209	6.8850	5.0744	4.3208	5.2394	6.2528	3.4972	5.0964	5.2800	4.8097
	S	111.807	112.959	124.248	75.276	113.790	131.186	101.703	75.647	79.057	97.339	88.760	108.788	104.887	78.254	92.852
13	T	4.6141	7.1108	4.6480	8.2552	8.5385	2.9199	6.9501	5.0449	4.3541	5.2263	6.2207	3.5301	5.1384	5.3670	4.8035
	S	111.713	112.665	123.954	75.077	113.390	131.231	100.751	76.089	78.453	97.583	89.218	107.774	104.030	76.986	92.972
14	T	4.5936	7.1357	4.6689	8.2714	8.4893	2.9241	6.9962	5.1139	4.4992	5.5898	6.5223	3.5378	5.4664	5.5621	4.8689
	S	112.211	112.272	123.399	74.930	114.047	131.043	100.087	75.063	75.923	91.238	85.093	107.540	97.787	74.285	91.723
15	T	4.7761	7.5501	4.8614	8.4947	8.5808	2.9506	8.1293	5.6994	4.8314	5.4381	6.4509	3.5208	5.4771	5.5992	4.8712
	S	107.924	106.109	118.512	72.960	112.831	129.866	86.136	67.352	70.702	93.783	86.035	108.059	97.596	73.793	91.680
16	T	4.7325	7.7078	4.9503	8.5800	9.1841	4.9174	12.2826	5.6547	5.2838	6.7197	9.5651	7.2567	10.3104	7.0798	6.3135
	S	108.918	103.938	116.384	72.235	105.419	77.924	57.010	67.884	64.649	75.896	58.023	52.428	51.845	58.361	70.736
17	T	4.9922	7.7634	4.8683	8.7543	8.4678	2.8207	7.3987	5.2496	4.4347	5.3266	6.6049	3.4953	5.4591	5.5852	4.7988
	S	103.252	103.194	118.344	70.796	114.337	135.846	94.642	73.122	77.027	95.746	84.029	108.847	97.918	73.978	93.063
18	T	4.6561	7.5078	4.7879	8.4395	8.4764	2.8835	7.0384	5.1212	4.3365	5.2240	6.3161	3.4705	5.2836	5.4329	4.7870
	S	110.705	106.707	120.332	73.437	114.221	132.888	99.487	74.956	78.771	97.626	87.871	109.625	101.171	76.052	93.292
19	T	4.6015	7.2093	4.6764	8.3805	8.3517	2.8078	7.4372	5.2434	4.4523	5.2575	6.5547	3.5751	5.3649	5.5293	4.7828
	S	112.019	111.125	123.201	73.954	115.926	136.470	94.152	73.209	76.722	97.004	84.672	106.418	99.638	74.726	93.374

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.3748	18.0769	17.9193	12.5765	9.4609	90.7842
	S	102.975	87.844	79.561	84.682	96.714	89.540
2	T	12.4683	17.0544	133.6796	12.1906	9.1208	202.6045
	S	110.462	93.111	10.665	87.362	100.320	40.122
3	T	12.0890	17.0274	16.8047	11.5903	8.9846	84.6654
	S	113.928	93.259	84.838	91.887	101.841	96.011
4	T	12.0086	16.9256	16.9068	11.6205	8.7863	84.0603
	S	114.691	93.820	84.326	91.648	104.139	96.702
5	T	12.0629	16.8588	16.6662	11.4923	8.6737	83.4401
	S	114.174	94.191	85.543	92.671	105.491	97.421
6	T	11.7837	16.8595	16.5680	11.5300	8.7094	83.0301
	S	116.879	94.188	86.050	92.368	105.059	97.902
7	T	11.8194	16.8215	16.4222	11.4088	8.5917	82.7373
	S	116.526	94.400	86.814	93.349	106.498	98.248
8	T	11.7749	16.7193	16.3916	11.4426	8.6247	82.7537
	S	116.967	94.977	86.976	93.073	106.091	98.229
9	T	11.8478	16.8087	16.4669	11.4118	8.5990	82.8533
	S	116.247	94.472	86.579	93.324	106.408	98.111
10	T	11.8352	16.7661	16.4303	11.4199	8.5738	82.6937
	S	116.371	94.712	86.772	93.258	106.720	98.300
11	T	11.7550	16.7526	16.2573	11.4510	8.5860	82.3784
	S	117.165	94.789	87.695	93.005	106.569	98.676
12	T	11.7293	16.7418	16.2802	11.4922	8.5936	82.4579
	S	117.422	94.850	87.572	92.672	106.475	98.581
13	T	11.7588	16.7937	16.3491	11.4470	8.6685	82.7216
	S	117.127	94.557	87.202	93.037	105.555	98.267
14	T	11.8046	16.7607	16.6093	12.1121	9.0042	84.2396
	S	116.673	94.743	85.836	87.929	101.619	96.496
15	T	12.4115	17.0755	18.6601	11.8890	8.9979	87.2311
	S	110.967	92.996	76.403	89.579	101.690	93.187
16	T	12.6581	17.7641	23.2211	16.2848	17.5671	110.5384
	S	108.806	89.391	61.396	65.398	52.086	73.538
17	T	12.6317	17.2221	17.0830	11.9315	8.9544	86.0196
	S	109.033	92.204	83.456	89.260	102.184	94.499
18	T	12.2957	16.9159	16.4961	11.5401	8.7541	83.7614
	S	112.013	93.873	86.425	92.287	104.522	97.047
19	T	11.8857	16.7322	17.1329	11.8122	8.9400	84.2244
	S	115.876	94.904	83.213	90.161	102.349	96.514

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5930	7.3327	4.6735	8.3685	8.4097	2.8483	7.3624	5.2970	4.5865	5.2724	6.4346	3.4657	5.3621	5.5191	4.8576
	S	112.226	109.255	123.277	74.060	115.127	134.530	95.109	72.468	74.477	96.730	86.252	109.777	99.690	74.864	91.937
21	T	5.1466	7.8902	6.4442	9.4852											
	S	100.154	101.536	89.404	65.341											

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0062	16.7782	17.2459	11.7070	8.8278	84.3831	
	S	114.713	94.644	82.668	90.971	103.650	96.332	
21	T	14.3344						
	S	96.082						

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 90 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.5900	7.7602	4.8418	8.6304	8.4709	2.8953	7.4054	5.2998	4.5676	5.3528	6.5320	3.5148	5.5448	5.5340	4.7950
	S	92.210	103.237	118.992	71.813	114.295	132.346	94.556	72.430	74.786	95.277	84.966	108.244	96.405	74.662	93.137
2	T	4.5783	7.3412	4.7330	8.4248	8.4112	2.8749	7.1637	5.2344	4.5061	5.2762	6.4146	3.4684	5.4590	5.4233	4.8023
	S	112.586	109.129	121.728	73.565	115.106	133.285	97.747	73.335	75.806	96.660	86.521	109.692	97.920	76.186	92.995
3	T	4.5811	7.2999	4.6979	8.3042	8.3996	2.8705	7.1541	5.3770	4.4697	5.2372	6.3580	3.4486	5.3659	5.4002	4.7243
	S	112.518	109.746	122.637	74.634	115.265	133.490	97.878	71.390	76.424	97.380	87.292	110.321	99.619	76.512	94.531
4	T	4.5293	7.1479	4.6594	8.2799	8.3576	2.8676	7.1632	5.2108	4.4533	5.2345	6.3205	3.4457	5.2824	5.4442	4.7134
	S	113.804	112.080	123.650	74.853	115.844	133.625	97.753	73.667	76.705	97.431	87.810	110.414	101.194	75.894	94.749
5	T	4.5308	7.1854	4.6805	8.2513	8.3560	2.8580	7.0214	5.1328	4.4235	5.1925	6.3156	3.4458	5.3020	5.4024	4.7492
	S	113.767	111.495	123.093	75.112	115.867	134.073	99.728	74.786	77.222	98.219	87.878	110.411	100.820	76.481	94.035
6	T	4.5412	7.0924	4.6261	8.1734	8.3801	2.8650	7.0437	5.1124	4.4342	5.1649	6.2516	3.4238	5.2679	5.3247	4.7185
	S	113.506	112.957	124.540	75.828	115.533	133.746	99.412	75.085	77.036	98.743	88.777	111.121	101.472	77.597	94.647
7	T	4.5368	7.0602	4.6196	8.1958	8.3812	2.8726	7.0332	5.0511	4.4228	5.1561	6.2679	3.4404	5.3226	5.3055	4.7218
	S	113.616	113.472	124.716	75.621	115.518	133.392	99.560	75.996	77.234	98.912	88.546	110.584	100.429	77.878	94.581
8	T	4.5445	7.0486	4.6150	8.2229	8.3898	2.8760	6.9454	5.0307	4.4168	5.1796	6.2727	3.4539	5.1803	5.3428	4.7259
	S	113.424	113.659	124.840	75.372	115.400	133.234	100.819	76.304	77.339	98.463	88.479	110.152	103.188	77.334	94.499
9	T	4.5378	7.0342	4.5880	8.1163	8.3619	2.8759	6.9376	4.9969	4.3669	5.1975	6.2209	3.4379	5.1181	5.3354	4.7576
	S	113.591	113.892	125.575	76.361	115.785	133.239	100.932	76.820	78.223	98.124	89.215	110.665	104.442	77.442	93.869
10	T	4.5201	7.0435	4.6553	8.0780	8.3274	2.8672	6.9136	5.0003	4.4039	5.2129	6.2228	3.4314	5.1518	5.3408	4.7193
	S	114.036	113.741	123.759	76.724	116.265	133.643	101.283	76.768	77.566	97.834	89.188	110.874	103.759	77.363	94.631
11	T	4.5253	7.0915	4.6180	8.0982	8.3492	2.8634	6.9991	5.0335	4.3809	5.1480	6.2264	3.4344	5.1367	5.3983	4.7038
	S	113.905	112.971	124.759	76.532	115.961	133.821	100.045	76.262	77.973	99.068	89.137	110.778	104.064	76.539	94.943
12	T	4.5306	7.0454	4.6108	8.0995	8.3578	2.8614	6.8950	4.9945	4.3836	5.1502	6.2597	3.4316	5.1782	5.3238	4.7175
	S	113.772	113.711	124.954	76.520	115.842	133.914	101.556	76.857	77.925	99.025	88.662	110.868	103.230	77.610	94.667
13	T	4.5212	7.0571	4.6055	8.2224	8.3728	2.8660	6.9398	5.0438	4.3683	5.1396	6.2606	3.4549	5.1748	5.3543	4.7313
	S	114.008	113.522	125.097	75.376	115.634	133.699	100.900	76.106	78.198	99.230	88.650	110.120	103.298	77.168	94.391
14	T	4.5407	7.0975	4.6166	8.1376	8.3851	2.8797	6.9333	4.9569	4.3727	5.1531	6.3019	3.4480	5.1612	5.4158	4.6760
	S	113.519	112.876	124.797	76.162	115.465	133.063	100.995	77.440	78.119	98.970	88.069	110.341	103.570	76.292	95.507
15	T	4.5079	7.0693	4.6132	8.1176	8.3234	2.8704	6.9620	5.0644	4.3928	5.1460	6.3080	3.4470	5.2040	5.3818	4.7275
	S	114.345	113.326	124.889	76.349	116.320	133.494	100.578	75.796	77.762	99.106	87.984	110.373	102.718	76.774	94.467
16	T	4.5296	7.2427	4.7080	8.5375	8.7660	3.2696	8.8016	8.3633	6.3764	7.8570	7.8542	4.4474	7.0709	6.4685	5.8887
	S	113.797	110.613	122.374	72.594	110.447	117.195	79.557	45.899	53.571	64.910	70.663	85.545	75.598	63.876	75.839
17	T	7.0859	10.3530	9.7480	12.7310	16.3598	6.4515	13.5931	6.9418	6.6270	8.0311	10.7734	7.7366	11.4473	9.1198	8.9656
	S	72.744	77.382	59.103	48.682	59.181	59.394	51.513	55.297	51.545	63.503	51.516	49.176	46.696	45.306	49.812
18	T	5.4509	7.4075	4.7262	8.2749	8.3927	2.8726	7.0357	5.1946	4.4466	5.1795	6.3493	3.4509	5.2723	5.3779	4.7088
	S	94.563	108.152	121.903	74.898	115.360	133.392	99.525	73.897	76.821	98.465	87.411	110.248	101.388	76.830	94.842
19	T	4.5163	7.1857	4.6580	8.2891	8.3990	2.8651	7.0478	5.1059	4.4531	5.1837	6.2802	3.4440	5.2579	5.4356	4.6981
	S	114.132	111.490	123.687	74.770	115.273	133.741	99.354	75.180	76.709	98.385	88.373	110.469	101.665	76.014	95.058

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 90 - Thompson, Parker

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	12.6020	17.1013	17.2728	11.8848	9.0596	86.7348	161.5840
	S	109.290	92.856	82.539	89.610	100.998	93.720	47.120
2	T	12.0742	16.8360	16.9042	11.6908	8.9274	84.1114	
	S	114.067	94.319	84.339	91.097	102.493	96.643	
3	T	11.9978	16.7038	17.0008	11.5952	8.8145	83.6882	
	S	114.794	95.065	83.860	91.848	103.806	97.132	
4	T	11.8073	16.6375	16.8273	11.5550	8.7281	83.1097	
	S	116.646	95.444	84.724	92.168	104.834	97.808	
5	T	11.8659	16.6073	16.5777	11.5081	8.7478	82.8472	
	S	116.070	95.618	86.000	92.544	104.598	98.118	
6	T	11.7185	16.5535	16.5903	11.4165	8.6917	82.4199	
	S	117.530	95.929	85.935	93.286	105.273	98.627	
7	T	11.6798	16.5770	16.5071	11.4240	8.7630	82.3876	
	S	117.919	95.793	86.368	93.225	104.416	98.665	
8	T	11.6636	16.6127	16.3929	11.4523	8.6342	82.2449	
	S	118.083	95.587	86.969	92.994	105.974	98.837	
9	T	11.6222	16.4782	16.3014	11.4184	8.5560	81.8829	
	S	118.504	96.367	87.458	93.271	106.942	99.273	
10	T	11.6988	16.4054	16.3178	11.4357	8.5832	81.8883	
	S	117.728	96.795	87.370	93.129	106.604	99.267	
11	T	11.7095	16.4474	16.4135	11.3744	8.5711	82.0067	
	S	117.620	96.547	86.860	93.631	106.754	99.124	
12	T	11.6562	16.4573	16.2731	11.4099	8.6098	81.8396	
	S	118.158	96.489	87.610	93.340	106.274	99.326	
13	T	11.6626	16.5952	16.3519	11.4002	8.6297	82.1124	
	S	118.093	95.688	87.188	93.419	106.029	98.996	
14	T	11.7141	16.5227	16.2629	11.4550	8.6092	82.0761	
	S	117.574	96.107	87.665	92.973	106.282	99.040	
15	T	11.6825	16.4410	16.4192	11.4540	8.6510	82.1353	
	S	117.892	96.585	86.830	92.981	105.768	98.968	
16	T	11.9507	17.3035	23.5413	15.7112	11.5183	100.1814	
	S	115.246	91.771	60.561	67.786	79.439	81.141	
17	T	20.1010	29.0908	27.1619	18.8045	19.1839	145.9649	
	S	68.518	54.586	52.488	56.635	47.696	55.690	
18	T	12.1337	16.6676	16.6769	11.5288	8.7232	84.1404	
	S	113.508	95.272	85.488	92.377	104.893	96.610	
19	T	11.8437	16.6881	16.6068	11.4639	8.7019	82.8195	
	S	116.287	95.155	85.849	92.900	105.149	98.151	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 90 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5219	7.1406	4.6561	8.2264	8.3651	2.8616	6.9823	5.0575	4.4402	5.1577	6.2258	3.4229	5.2063	5.3955	4.6988
	S	113.991	112.195	123.738	75.339	115.741	133.905	100.286	75.900	76.931	98.881	89.145	111.150	102.673	76.579	95.044
21	T	4.5424	7.1967	4.6349	8.1702	8.3952	2.8659	7.0122	5.1171	4.4398	5.1813	6.3588	3.4539	5.2925	5.3911	4.7776
	S	113.476	111.320	124.304	75.858	115.326	133.704	99.858	75.016	76.938	98.431	87.281	110.152	101.001	76.641	93.476
22	T	5.8371	8.7512	5.8375	12.8659	11.2835										
	S	88.307	91.546	98.696	48.172	85.805										

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 90 - Thompson, Parker

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	11.7967	16.5915	16.4800	11.3835	8.6292	82.3587	
	S	116.751	95.709	86.510	93.556	106.035	98.700	
21	T	11.8316	16.5654	16.5691	11.5401	8.7464	82.8296	
	S	116.406	95.860	86.045	92.287	104.614	98.139	
22	T	14.5887	24.1494					
	S	94.407	65.755					

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 92 - Gore, Dev (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.8383	8.4160	4.9566	9.3807	8.5941	2.8361	7.6717	5.5539	4.9822	5.6143	6.8345	3.5378	5.9118	6.0403	4.9270
	S	88.288	95.192	116.236	66.069	112.657	135.109	91.274	69.116	68.562	90.839	81.206	107.540	90.420	68.404	90.642
2	T	4.6805	7.6655	4.7138	9.1284	8.5712	2.9046	7.6921	6.1066	4.7510	5.2965	6.5525	3.5244	5.5190	5.6104	4.8980
	S	110.128	104.512	122.223	67.895	112.958	131.922	91.032	62.860	71.899	96.290	84.700	107.949	96.855	73.646	91.178
3	T	4.6361	7.3508	4.7072	8.4931	8.4830	2.8978	7.2854	5.3088	4.6780	5.2563	6.4489	3.4942	5.4159	5.7210	4.7741
	S	111.183	108.986	122.395	72.974	114.132	132.232	96.114	72.307	73.021	97.026	86.061	108.882	98.699	72.222	93.545
4	T	4.5677	7.2139	4.6604	8.4568	8.4350	2.8805	7.2757	5.2468	4.5938	5.2877	6.3685	3.4723	5.3633	5.6027	4.8043
	S	112.848	111.055	123.624	73.287	114.781	133.026	96.242	73.161	74.359	96.450	87.148	109.568	99.667	73.747	92.956
5	T	4.5929	7.2111	4.6757	8.5434	8.4992	2.9010	7.2700	5.0310	4.5815	5.2639	6.4841	3.5014	5.4681	5.6169	4.9130
	S	112.229	111.098	123.219	72.544	113.914	132.086	96.317	76.300	74.559	96.886	85.594	108.658	97.757	73.560	90.900
6	T	4.6311	7.2738	4.7183	8.4689	8.5182	2.9212	7.2408	5.1100	4.5819	5.1992	6.4056	3.4769	5.2788	5.6694	4.7356
	S	111.303	110.140	122.107	73.182	113.660	131.173	96.706	75.120	74.552	98.092	86.643	109.423	101.263	72.879	94.305
7	T	4.5918	7.1875	4.6646					5.1009	4.6006	5.1794	6.3414	3.4552	5.3150	5.6078	4.7667
	S	112.255	111.462	123.512					75.254	74.249	98.467	87.520	110.111	100.573	73.680	93.690
8	T	4.6185	7.1884	4.6650	8.4406	8.5121	2.9199	7.2732	5.1499	4.5875	5.2137	6.4308	3.4683	5.3045	5.7054	4.7440
	S	111.606	111.448	123.502	73.428	113.742	131.231	96.275	74.538	74.461	97.819	86.303	109.695	100.772	72.419	94.138
9	T	4.6163	7.3299	4.6846	8.3851	8.4566	2.9242	7.2997	5.1208	4.5511	5.1903	6.4646	3.4861	5.3502	5.6785	4.7265
	S	111.660	109.297	122.985	73.914	114.488	131.038	95.925	74.962	75.057	98.260	85.852	109.135	99.911	72.762	94.487
10	T	4.6045	7.2744	4.7091	8.4195	8.4097	2.8936	7.1770	5.0536	4.5027	5.1891	6.4015	3.4688	5.2794	5.7167	4.7178
	S	111.946	110.131	122.345	73.612	115.127	132.424	97.565	75.958	75.864	98.283	86.698	109.679	101.251	72.276	94.661
11	T	4.5945	7.2274	4.6877			2.9307	7.1974	5.0271	4.5193	5.1857	6.4261	3.4897	5.3210	5.6100	4.7727
	S	112.189	110.847	122.904			130.748	97.289	76.359	75.585	98.347	86.367	109.022	100.460	73.651	93.572
12	T	4.5921	7.1955	4.6582	8.4644	8.4632	2.9176	7.1961	5.0546	4.5458	5.1776	6.3323	3.4678	5.3454	5.6795	4.7894
	S	112.248	111.339	123.682	73.221	114.399	131.335	97.306	75.943	75.144	98.501	87.646	109.711	100.001	72.750	93.246
13	T	4.6108	7.2564	4.6816	8.4301	8.4864	2.9224	7.1617	5.1071	4.4852	5.1748	6.4445	3.4765	5.2670	5.6350	4.7455
	S	111.793	110.404	123.064	73.519	114.086	131.119	97.774	75.163	76.160	98.555	86.120	109.436	101.490	73.324	94.108
14	T	4.6020	7.2402	4.6649	8.3689	8.4609	2.9209	7.1126	5.0177	4.4651	5.1628	6.4278	3.4737	5.2846	5.5849	4.7955
	S	112.007	110.651	123.505	74.057	114.430	131.186	98.449	76.502	76.502	98.784	86.344	109.524	101.152	73.982	93.127
15	T	4.5889	7.1475	4.6528	8.3359	8.4786	2.9279	7.1746	5.0523	4.5970	5.1801	6.4158	3.5769	5.7692	5.8423	4.9946
	S	112.326	112.086	123.826	74.350	114.191	130.873	97.598	75.978	74.307	98.454	86.505	106.364	92.655	70.722	89.415
16	T	4.9503	8.0137	4.9987	8.6832	8.6181	2.9390	8.0522	5.8339	4.9297	5.8924	6.9846	3.6016	6.0873	5.8532	5.0285
	S	104.126	99.971	115.257	71.376	112.343	130.378	86.961	65.799	69.292	86.552	79.461	105.635	87.813	70.591	88.812
17	T	4.7721	7.9723	5.2691			7.9866	14.4236	6.2229	4.8905	7.0582	9.5630				
	S	108.014	100.490	109.342			47.978	48.547	61.686	69.848	72.256	58.036				
18	T	5.2206	8.1056	4.8862	8.6294	8.4507	2.8720	7.2784	5.2658	4.6135	5.3160			5.5620	4.8187	
	S	98.735	98.837	117.911	71.821	114.568	133.420	96.206	72.897	74.042	95.937			74.287	92.679	
19	T	4.5771	7.8805	4.9085	8.7055	8.4655	2.8606	7.3448	5.2053	4.4798	5.2293	6.4065	3.4790	5.3308	5.6090	4.8726
	S	112.616	101.661	117.375	71.193	114.368	133.952	95.336	73.745	76.251	97.527	86.631	109.357	100.275	73.664	91.654

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 92 - Gore, Dev (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.3726	17.9748	18.2078	12.4488	9.4496	91.0953	143.5430
	S	102.992	88.343	78.301	85.550	96.829	89.234	53.042
2	T	12.3793	17.6996	18.5497	11.8490	9.0434	87.6145	
	S	111.256	89.717	76.857	89.881	101.179	92.779	
3	T	12.0580	16.9761	17.2722	11.7052	8.9101	84.9506	
	S	114.221	93.541	82.542	90.985	102.692	95.689	
4	T	11.8743	16.8918	17.1163	11.6562	8.8356	84.2294	
	S	115.988	94.007	83.294	91.368	103.558	96.508	
5	T	11.8868	17.0426	16.8825	11.7480	8.9695	84.5532	
	S	115.866	93.176	84.447	90.654	102.012	96.138	
6	T	11.9921	16.9871	16.9327	11.6048	8.7557	84.2297	
	S	114.848	93.480	84.197	91.772	104.503	96.508	
7	T	11.8521			11.5208	8.7702	83.9195	
	S	116.205			92.441	104.331	96.864	
8	T	11.8534	16.9527	17.0106	11.6445	8.7728	84.2218	
	S	116.192	93.670	83.811	91.459	104.300	96.517	
9	T	12.0145	16.8417	16.9716	11.6549	8.8363	84.2645	
	S	114.634	94.287	84.004	91.378	103.550	96.468	
10	T	11.9835	16.8292	16.7333	11.5906	8.7482	83.8174	
	S	114.931	94.357	85.200	91.885	104.593	96.982	
11	T	11.9151	16.9182	16.7438	11.6118	8.8107	83.9075	
	S	115.591	93.861	85.147	91.717	103.851	96.878	
12	T	11.8537	16.9276	16.7965	11.5099	8.8132	83.8795	
	S	116.189	93.809	84.880	92.529	103.822	96.910	
13	T	11.9380	16.9165	16.7540	11.6193	8.7435	83.8850	
	S	115.369	93.870	85.095	91.658	104.649	96.904	
14	T	11.9051	16.8298	16.5954	11.5906	8.7583	83.5825	
	S	115.688	94.354	85.908	91.885	104.472	97.255	
15	T	11.8003	16.8145	16.8239	11.5959	9.3461	84.7344	
	S	116.715	94.440	84.741	91.843	97.902	95.933	
16	T	13.0124	17.3013	18.8158	12.8770	9.6889	90.4664	
	S	105.843	91.782	75.770	82.706	94.438	89.854	
17	T	13.2414	24.5689	25.5370	16.6212	108.1381	124.7128	
	S	104.013	64.633	55.828	64.075	8.461	65.180	
18	T	12.9918	17.0801	17.1577			86.5332	
	S	106.011	92.971	83.093			93.939	
19	T	12.7890	17.1710	17.0299	11.6358	8.8098	85.3548	
	S	107.692	92.479	83.716	91.528	103.862	95.235	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 92 - Gore, Dev (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6317	7.3627	4.7220	8.4173	8.4582	2.9028	7.1110	5.1026	4.4598	5.2089	6.3125	3.4549	5.3276	5.5262	4.7462
	S	111.288	108.810	122.011	73.631	114.467	132.004	98.471	75.229	76.593	97.909	87.921	110.120	100.335	74.768	94.094
21	T	4.5826	7.2405	4.6478	8.4410	8.4671	2.8895			4.4815	5.2104	6.3978	3.4661	5.3935		
	S	112.481	110.647	123.959	73.424	114.346	132.612			76.222	97.881	86.749	109.764	99.109		
22	T	5.2776	8.1689	6.6165	9.3087											
	S	97.668	98.072	87.076	66.580											

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 92 - Gore, Dev (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.0847	16.8755	16.6734	11.5214	8.7825	83.7444	
	S	113.968	94.098	85.506	92.437	104.184	97.067	
21	T	11.8883	16.9081	16.8173	11.6082	8.8596	83.9594	
	S	115.851	93.917	84.775	91.745	103.278	96.818	
22	T	14.7854						
	S	93.151						

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.8218	8.6602	5.2001	9.2972	8.5052	2.8885	7.9240	5.5583	4.8640	5.6331	6.8601	3.5716	5.8839	6.0817	4.9112
	S	88.539	92.508	110.793	66.662	113.834	132.658	88.368	69.061	70.228	90.536	80.903	106.522	90.849	67.939	90.933
2	T	4.6026	7.5224	4.8542	8.8611	8.6416	2.8767	7.6107	5.9285	4.9299	5.3566	6.6636	3.4860	5.6478	5.5572	4.8853
	S	111.992	106.500	118.688	69.943	112.037	133.202	92.006	64.749	69.290	95.210	83.288	109.138	94.647	74.351	91.415
3	T	4.6147	8.0008	4.9292	8.7634	8.4153	2.8925	7.7193	6.0570	5.0548	5.5641	6.7175	3.5396	5.7065	5.7579	4.7934
	S	111.698	100.132	116.882	70.723	115.050	132.474	90.711	63.375	67.578	91.659	82.620	107.485	93.673	71.759	93.168
4	T	4.5768	7.9215	4.9101	8.6779	8.5063	2.9063	7.6544	5.4421	4.7216	5.2993	6.4710	3.4855	5.6674	5.6842	4.7928
	S	112.623	101.134	117.337	71.420	113.819	131.845	91.480	70.536	72.346	96.239	85.767	109.154	94.319	72.690	93.180
5	T	4.6186	7.6131	4.8238	8.5608	8.5099	2.9122	7.4547	5.3218	4.6652	5.2525	6.4342	3.4873	5.7022	5.7425	4.8487
	S	111.604	105.231	119.436	72.397	113.771	131.578	93.931	72.130	73.221	97.097	86.258	109.097	93.744	71.952	92.105
6	T	4.6546	7.5910	4.8273	8.6624	8.5057	2.9167	7.4389	5.3230	4.6217	5.2558	6.5652	3.4941	5.5856	5.6279	4.7903
	S	110.741	105.538	119.350	71.547	113.827	131.375	94.130	72.114	73.910	97.036	84.537	108.885	95.701	73.417	93.228
7	T	4.6209	7.4456	4.8063	8.6606	8.5359	2.9230	7.3908	5.4155	4.6369	5.2034	6.5085	3.4954	5.7164	5.6970	4.7863
	S	111.549	107.599	119.871	71.562	113.425	131.092	94.743	70.882	73.668	98.013	85.273	108.844	93.511	72.526	93.306
8	T	4.6272	7.3951	4.7453	8.5783	8.5250	2.9185	7.3132	5.2445	4.5695	5.2013	6.4851	3.4697	5.5611	5.5919	4.7398
	S	111.397	108.333	121.412	72.249	113.570	131.294	95.748	73.194	74.755	98.052	85.581	109.651	96.122	73.889	94.221
9	T	4.5989	7.3405	4.7897	8.5943	8.5102	2.9220	7.3246	5.1944	4.5649	5.2400	6.5562	3.4962	5.5171	5.5710	4.7538
	S	112.082	109.139	120.287	72.114	113.767	131.137	95.599	73.900	74.830	97.328	84.653	108.819	96.889	74.167	93.944
10	T	4.6177	7.3855	4.7940	8.4701	8.4785	2.9079	7.2073	5.1841	4.5239	5.1901	6.4425	3.4701	5.5358	5.5634	5.0399
	S	111.626	108.474	120.179	73.172	114.193	131.773	97.155	74.046	75.508	98.264	86.147	109.638	96.562	74.268	88.611
11	T	4.6863	7.4031	4.7741	8.4184	8.4726	2.9201	7.2703	5.1648	4.5483	5.2086	6.5311	3.4842	5.4302	5.7013	4.7519
	S	109.992	108.216	120.680	73.621	114.272	131.222	96.313	74.323	75.103	97.915	84.978	109.194	98.439	72.472	93.982
12	T	4.6089	7.4078	4.7328	8.3944	8.5119	2.9183	7.1493	5.1839	4.5097	5.1948	6.4037	3.4616	5.4217	5.6487	4.7356
	S	111.839	108.148	121.733	73.832	113.745	131.303	97.943	74.049	75.746	98.175	86.669	109.907	98.594	73.146	94.305
13	T	4.6082	7.3796	4.7412	8.3613	8.4782	2.9157	7.2139	5.2031	4.5117	5.2601	6.4053	3.4621	5.4717	5.6416	4.8384
	S	111.856	108.561	121.517	74.124	114.197	131.420	97.066	73.776	75.712	96.956	86.647	109.891	97.693	73.238	92.301
14	T	4.6451	7.3293	4.7380	8.3676	8.4921	2.9137	7.2999	5.1197	4.4666	5.1862	6.4327	3.4770	5.4076	5.6553	4.7734
	S	110.967	109.306	121.599	74.068	114.010	131.510	95.923	74.978	76.477	98.338	86.278	109.420	98.851	73.061	93.558
15	T	4.6172	7.3849	4.7479	8.3988	8.4595	2.9235	7.2417	5.2095	4.5391	5.2240	6.4410	3.4964	5.5797	5.6636	4.7628
	S	111.638	108.483	121.346	73.793	114.449	131.070	96.694	73.685	75.255	97.626	86.167	108.813	95.802	72.954	93.766
16	T	4.6058	7.5666	4.8500	8.5910	8.5075	2.8980	7.4035	6.0136	4.7747	5.3762	6.6104	3.4897	5.7623	5.8709	4.8031
	S	111.914	105.878	118.791	72.142	113.803	132.223	94.581	63.833	71.542	94.863	83.959	109.022	92.766	70.378	92.980
17	T	4.6208	7.6596	4.8637	8.5979	8.7727	5.5729	12.8711	6.1435	5.1196	6.9601	9.2745	7.2803	10.1576	7.4907	6.6293
	S	111.551	104.592	118.456	72.084	110.363	68.758	54.403	62.483	66.722	73.275	59.842	52.258	52.625	55.159	67.366
18	T	5.3490	8.4884	4.9061	8.5850	8.5054	2.8854	7.3109	5.2139	4.6322	5.4118	6.4675	3.4814	5.5678	5.6106	4.7611
	S	96.365	94.380	117.433	72.193	113.831	132.800	95.779	73.623	73.743	94.239	85.814	109.282	96.007	73.643	93.800
19	T	4.5810	7.4105	4.7576	8.7157	8.4105	2.8463	7.3592	5.3022	4.6142	5.2454	6.4252	3.4563	5.4728	5.5927	4.7514
	S	112.520	108.108	121.098	71.110	115.116	134.625	95.150	72.397	74.030	97.228	86.379	110.076	97.673	73.879	93.991

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.8603	17.8024	18.3463	12.4932	9.4555	91.6609	142.7665
	S	99.368	89.199	77.710	85.246	96.769	88.683	53.331
2	T	12.3766	17.5027	18.4691	12.0202	9.1338	87.4242	
	S	111.280	90.726	77.193	88.601	100.177	92.981	
3	T	12.9300	17.1787	18.8311	12.2816	9.2461	88.5260	
	S	106.518	92.437	75.709	86.715	98.961	91.824	
4	T	12.8316	17.1842	17.8181	11.7703	9.1529	86.7172	
	S	107.334	92.408	80.013	90.482	99.968	93.739	
5	T	12.4369	17.0707	17.4417	11.6867	9.1895	85.9475	
	S	110.741	93.022	81.740	91.129	99.570	94.579	
6	T	12.4183	17.1681	17.3836	11.8210	9.0797	85.8602	
	S	110.907	92.494	82.013	90.094	100.774	94.675	
7	T	12.2519	17.1965	17.4432	11.7119	9.2118	85.8425	
	S	112.413	92.342	81.733	90.933	99.329	94.694	
8	T	12.1404	17.1033	17.1272	11.6864	9.0308	84.9655	
	S	113.445	92.845	83.241	91.132	101.320	95.672	
9	T	12.1302	17.1045	17.0839	11.7962	9.0133	84.9738	
	S	113.541	92.838	83.452	90.283	101.517	95.662	
10	T	12.1795	16.9486	16.9153	11.6326	9.0059	84.8108	
	S	113.081	93.692	84.284	91.553	101.600	95.846	
11	T	12.1772	16.8910	16.9834	11.7397	8.9144	84.7653	
	S	113.103	94.012	83.946	90.718	102.643	95.898	
12	T	12.1406	16.9063	16.8429	11.5985	8.8833	84.2831	
	S	113.444	93.927	84.646	91.822	103.002	96.446	
13	T	12.1208	16.8395	16.9287	11.6654	8.9338	84.4921	
	S	113.629	94.299	84.217	91.296	102.420	96.208	
14	T	12.0673	16.8597	16.8862	11.6189	8.8846	84.3042	
	S	114.133	94.186	84.429	91.661	102.987	96.422	
15	T	12.1328	16.8583	16.9903	11.6650	9.0761	84.6896	
	S	113.516	94.194	83.912	91.299	100.814	95.983	
16	T	12.4166	17.0985	18.1918	11.9866	9.2520	87.1233	
	S	110.922	92.871	78.369	88.849	98.898	93.302	
17	T	12.5233	17.3706	24.1342	16.2346	17.4379	112.0143	
	S	109.977	91.416	59.073	65.601	52.472	72.569	
18	T	13.3945	17.0904	17.1570	11.8793	9.0492	87.1765	
	S	102.824	92.915	83.096	89.652	101.114	93.245	
19	T	12.1681	17.1262	17.2756	11.6706	8.9291	84.9410	
	S	113.187	92.721	82.526	91.255	102.474	95.699	

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.5779	7.4591	4.7291	8.4586	8.4141	2.8702			5.7050	7.3280	6.8044	3.5162	5.9529	5.7385	4.7532
	S	112.596	107.404	121.828	73.271	115.067	133.504			59.876	69.596	81.565	108.200	89.796	72.002	93.956
21	T	4.6995	7.6191	4.7899	8.4928	8.4853	2.9129	7.2966	5.2330	4.6227	5.2608	6.4834	3.4763	5.6173	5.6439	4.7517
	S	109.683	105.148	120.282	72.976	114.101	131.547	95.966	73.354	73.894	96.943	85.603	109.442	95.161	73.209	93.986
22	T	4.6622	7.7237	4.8689												
	S	110.560	103.724	118.330												

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.1882	16.8727	30.1167	14.1324	9.4691	100.7189	
	S	113.001	94.114	47.339	75.359	96.630	80.708	
21	T	12.4090	16.9781	17.1523	11.7442	9.0936	85.3852	
	S	110.990	93.530	83.119	90.683	100.620	95.202	
22	T	12.5926						
	S	109.372						

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.8446	8.8480	5.1991	9.2487	8.6433	2.9073	8.1699	5.6275	4.8740	5.5586	6.7933	3.5512	5.9759	6.1002	4.9733
	S	88.193	90.544	110.815	67.012	112.015	131.800	85.708	68.212	70.084	91.750	81.698	107.134	89.450	67.733	89.798
2	T	4.6722	7.6613	4.8966	8.7246	8.5894	2.8650	7.5714	6.0632	4.7479	5.3125	6.6413	3.4904	5.7446	5.6301	4.8756
	S	110.324	104.569	117.660	71.037	112.718	133.746	92.483	63.310	71.946	96.000	83.568	109.000	93.052	73.388	91.597
3	T	4.5973	7.7243	4.8089	8.5950	8.5734	2.9216	7.7876	5.8879	4.7885	5.3441	6.5157	3.5499	5.5686	5.8188	4.8034
	S	112.121	103.716	119.806	72.109	112.929	131.155	89.916	65.195	71.336	95.432	85.179	107.173	95.993	71.008	92.974
4	T	4.6043	7.4394	4.8508	8.4105	8.5402	2.9214	7.4239	5.3230	4.6853	5.4192	6.4029	3.5001	5.4375	5.7086	4.8345
	S	111.951	107.688	118.771	73.690	113.368	131.164	94.321	72.114	72.907	94.110	86.679	108.698	98.307	72.379	92.376
5	T	4.6164	7.5397	4.8442	8.4958	8.5760	2.9289	7.3516	5.2478	4.6957	5.3334	6.4708	3.5077	5.4910	5.5692	4.8910
	S	111.657	106.256	118.933	72.950	112.894	130.828	95.248	73.148	72.745	95.624	85.770	108.463	97.349	74.191	91.309
6	T	4.6684	7.3974	4.8419	8.4342	8.5675	2.9344	7.3532	5.2923	4.6213	5.2887	6.4877	3.5183	5.5049	5.5760	4.8753
	S	110.414	108.300	118.990	73.483	113.006	130.583	95.228	72.532	73.917	96.432	85.546	108.136	97.104	74.100	91.603
7	T	4.6419	7.4125	4.7949	8.3162	8.5455	2.9404	7.4056	5.2281	4.5915	5.2833	6.4827	3.4988	5.5006	5.6462	4.8304
	S	111.044	108.079	120.156	74.526	113.297	130.316	94.554	73.423	74.396	96.531	85.612	108.739	97.179	73.179	92.454
8	T	4.6269	7.4582	4.7565	8.3309	8.5603	2.9306	7.3184	5.1818	4.5796	5.2966	6.4860	3.5125	5.5692	5.5954	4.8475
	S	111.404	107.417	121.126	74.394	113.101	130.752	95.680	74.079	74.590	96.288	85.569	108.314	95.982	73.843	92.128
9	T	4.6175	7.2945	4.7755	8.3375	8.5216	2.9312	7.3393	5.2256	4.6019	5.2664	6.4912	3.5090	5.4731	5.6025	4.8803
	S	111.631	109.827	120.644	74.336	113.615	130.725	95.408	73.458	74.228	96.840	85.500	108.422	97.668	73.750	91.509
10	T	4.6449	7.3842	4.8006	8.3203	8.4822	2.9201	7.3949	5.1365	4.6278	5.3400	6.5016	3.5175	5.4462	5.5831	4.8468
	S	110.972	108.493	120.013	74.489	114.143	131.222	94.691	74.733	73.813	95.506	85.364	108.160	98.150	74.006	92.141
11	T	4.6490	7.3164	4.7486	8.3615	8.5717	2.9451	7.3537	5.1936	4.5319	5.2267	6.4228	3.4925	5.4512	5.6016	4.8376
	S	110.874	109.499	121.328	74.122	112.951	130.108	95.221	73.911	75.375	97.576	86.411	108.935	98.060	73.761	92.317
12	T	4.6343	7.3595	4.7446	8.3968	8.5551	2.9369	7.3522	5.1134	4.5560	5.1965	6.4889	3.5046	5.3465	5.6461	4.8799
	S	111.226	108.857	121.430	73.811	113.170	130.472	95.241	75.070	74.976	98.143	85.531	108.559	99.980	73.180	91.516
13	T	4.6541	7.3497	4.7631	8.2804	8.5133	2.9255	7.1687	5.0776	4.5745	5.2447	6.4366	3.4799	5.4874	5.6479	4.8455
	S	110.753	109.003	120.958	74.848	113.726	130.980	97.678	75.599	74.673	97.241	86.226	109.329	97.413	73.157	92.166
14	T	4.6502	7.3708	4.8068	8.4055	8.5379	2.9346	7.2668	5.1660	4.5361	5.2461	6.3845	3.4831	5.4492	5.5462	4.8401
	S	110.846	108.691	119.859	73.734	113.398	130.574	96.360	74.306	75.305	97.215	86.929	109.229	98.096	74.498	92.269
15	T	4.6355	7.3713	4.7773	8.4013	8.5464	2.9563	7.2983	5.2044	4.6590	5.2841	6.6428	3.5570	5.7092	5.7973	4.8845
	S	111.197	108.683	120.599	73.771	113.285	129.615	95.944	73.758	73.319	96.516	83.549	106.959	93.629	71.271	91.430
16	T	4.7399	7.7536	4.9336	8.6530	8.5935	2.9296	7.3547	6.2751	4.8572	5.4057	6.7612	3.5662	5.6893	5.7447	4.9177
	S	108.748	103.324	116.778	71.625	112.664	130.797	95.208	61.173	70.327	94.345	82.086	106.683	93.956	71.924	90.813
17	T	4.6934	7.8031	4.8892	8.6360	9.0283	5.1791	13.1699	6.1822	5.0624	7.0454	9.1965	7.2972	10.1769	7.4956	6.7729
	S	109.825	102.669	117.839	71.766	107.239	73.986	53.169	62.092	67.476	72.388	60.349	52.137	52.525	55.123	65.938
18	T	5.3954	8.5795	4.9714	8.8636	8.4208	2.8337	7.5941	5.3105	4.7003	5.2897	6.5126	3.4767	5.5135	5.5972	4.8889
	S	95.536	93.378	115.890	69.923	114.975	135.223	92.207	72.284	72.674	96.414	85.219	109.430	96.952	73.819	91.348
19	T	4.6451	7.3976	4.7473	8.7059	8.6564	2.9062	7.5469	5.2275	4.7583	5.3662	6.6227	3.5196	5.4590	5.5145	4.8633
	S	110.967	108.297	121.361	71.190	111.846	131.850	92.783	73.432	71.788	95.039	83.803	108.096	97.920	74.926	91.829

Event: Cooper Tires USF2000 GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 12 / 13
 2.258 mile(s)
 USF2000
 July 29, 2017



Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	14.0471	17.8920	18.6714	12.3519	9.5271	92.3149	145.1846
	S	98.047	88.752	76.356	86.222	96.042	88.055	52.443
2	T	12.5579	17.3140	18.3825	11.9538	9.2350	87.4861	
	S	109.674	91.715	77.556	89.093	99.080	92.915	
3	T	12.5332	17.1684	18.4640	11.8598	9.1185	87.2850	
	S	109.890	92.493	77.214	89.799	100.345	93.129	
4	T	12.2902	16.9507	17.4322	11.8221	8.9376	85.5016	
	S	112.063	93.681	81.784	90.086	102.376	95.072	
5	T	12.3839	17.0718	17.2951	11.8042	8.9987	85.5592	
	S	111.215	93.016	82.433	90.222	101.681	95.008	
6	T	12.2393	17.0017	17.2668	11.7764	9.0232	85.3615	
	S	112.529	93.400	82.568	90.435	101.405	95.228	
7	T	12.2074	16.8617	17.2252	11.7660	8.9994	85.1186	
	S	112.823	94.175	82.767	90.515	101.673	95.500	
8	T	12.2147	16.8912	17.0798	11.7826	9.0817	85.0504	
	S	112.755	94.011	83.472	90.388	100.752	95.576	
9	T	12.0700	16.8591	17.1668	11.7576	8.9821	84.8671	
	S	114.107	94.190	83.049	90.580	101.869	95.783	
10	T	12.1848	16.8025	17.1592	11.8416	8.9637	84.9467	
	S	113.032	94.507	83.086	89.937	102.078	95.693	
11	T	12.0650	16.9332	17.0792	11.6495	8.9437	84.7039	
	S	114.154	93.778	83.475	91.420	102.307	95.967	
12	T	12.1041	16.9519	17.0216	11.6854	8.8511	84.7113	
	S	113.786	93.674	83.757	91.139	103.377	95.959	
13	T	12.1128	16.7937	16.8208	11.6813	8.9673	84.4489	
	S	113.704	94.557	84.757	91.171	102.037	96.257	
14	T	12.1776	16.9434	16.9689	11.6306	8.9323	84.6239	
	S	113.099	93.721	84.017	91.569	102.437	96.058	
15	T	12.1486	16.9477	17.1617	11.9269	9.2662	85.7247	
	S	113.369	93.697	83.073	89.294	98.746	94.824	
16	T	12.6872	17.2465	18.4870	12.1669	9.2555	88.1750	
	S	108.556	92.074	77.118	87.533	98.860	92.189	
17	T	12.6923	17.6643	24.4145	16.2419	17.4741	112.6281	
	S	108.512	89.896	58.395	65.571	52.363	72.174	
18	T	13.5509	17.2844	17.6049	11.8023	8.9902	87.9479	
	S	101.637	91.872	80.982	90.237	101.777	92.427	
19	T	12.1449	17.3623	17.5327	11.9889	8.9786	85.9365	
	S	113.403	91.460	81.316	88.832	101.909	94.591	

Event: Cooper Tires USF2000 GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 12 / 13
2.258 mile(s)
USF2000
July 29, 2017



Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	4.6252	7.3754	4.8236	8.5769	8.5920	2.9129	7.6297	5.2226	4.7491	5.3474	6.6040	3.5011	5.7487	5.6762	4.8568
	S	111.445	108.623	119.441	72.261	112.684	131.547	91.777	73.500	71.928	95.373	84.040	108.667	92.985	72.792	91.952
21	T	4.6947	7.5754	4.8636	8.6021	8.6068	2.9239	7.6721	5.2426	4.8118	5.4350	6.9719	3.5705	5.8905	5.8594	4.9063
	S	109.795	105.755	118.459	72.049	112.490	131.052	91.269	73.220	70.990	93.836	79.605	106.555	90.747	70.516	91.024
22	T	4.9543	9.1610	6.1750												
	S	104.042	87.451	93.301												

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T	12.1990	17.1689	17.6014	11.9514	9.2498	86.2416	
	S	112.900	92.490	80.998	89.111	98.921	94.256	
21	T	12.4390	17.2089	17.7265	12.4069	9.4610	87.6266	
	S	110.722	92.275	80.427	85.839	96.713	92.766	
22	T	15.3360						
	S	89.807						

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2


July 29, 2017

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
I1 to I2	0.382576 miles
I2 to I3	0.441098 miles
I4 to I5	0.396023 miles
I5 to I6	0.295833 miles
I6 to I7	0.254167 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data



Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

July 29, 2017

Section Data for Car

SF to PI	2.134091 miles
PO to I2	0.382576 miles
I7 to PI	0.114773 miles
PO to PI	2.008712 miles